




DANA CORPORATION
 FREDERICKTOWN, OHIO
 MURRAY INC.
 DATE ISSUED: 6-30-2002
 REVISION *A*: 11-18-2002
 REVISION *B*: 12-2-2002
 MODEL 4360-152
 REVISION *C*: 1-2-2003
 REVISION *D*: 2-21-2003

SPICER OUTDOOR POWER EQUIPMENT COMPONENTS DIVISIONDANA CORPORATIONFREDERICKTOWN, OH 43019SERVICE PARTS REPLACEMENT LISTINGMODEL NO.: 4360-152DATE ISSUED: 5/30/2002REVISION 'B'-12/02/2002DESCRIPTION: Five Speed Linear Shift TransaxleREVISION 'D'-2/21/2003REVISION 'E'-7/25/2003CUSTOMER NAME & PART NO.: Murray Inc. #

Key No.	Dana Part No.	Murray Part No.	No. Req'd.	Description
1	5305-X		1	Housing, Upper
2	1919	407185	20	Screw, Tapping, 1/4-20 X .734
3	6484		1	Assembly, Kit, Detent
4	3843		2	Pin, Dowel
5	7011		1	V-Ring
6	6557		1	Assy, Kit, Shifter
7	1106		2	Ring, Retaining
8	3876		1	Washer, Plain, .632 X 1.38 X .046
9	1746		1	Key, Woodruff, No. 606
10	6476		1	Assy, Kit, Input Shaft
11	4689		3*	Assy, Kit, Shim, .625 Shaft
12	6206		1	Assy, Kit, Pinion & Gear
13	3624		1	Ring, Retaining
14	4829		1	Assy, Kit, Chain & Sprockets
15	5510		3	Bearing, Flange
16	5627		1	Gear, Spur, 12T
17	5303		1	Collar, Clutch
18	4758		1	Assy, Kit, Clutch Keys
19	5737		1	Shaft, Intermediate
20	1375	400061	1	Key, Woodruff, No. 61
21	3627		1	Ring, Retaining
22	3841		1	Spacer, 1.131 X 1.45 X .494
23	5365		1	Gear, Spur, 37T
24	3867		1	Gear, Spur, 30T
25	3783		1	Gear, Spur, 25T
26	5471		1	Gear, Spur, 24T
27	5202		1	Gear, Spur, 19T
28	5027		1	Spacer, 1.133 X 1.50 X .375
29	3628		1	Washer, Plain, .640 X 1.37 X .061
30	5511		1	Bearing, Flange
31	5508		1	Seal, Oil
32	1425	400075	2	Washer, Plain, .632 X 1.00 X .046
33	1082	400028	1	Washer, Plain, .632 X 1.00 X .031
34	6358		1	Assy, Gear, Comb., 12T & 30T
35	3967		1	Shaft, Idler
36	3901		1	Spacer, .633 X .87 X .755

Model No. 4360-152

Page 2

Key No.	Dana Part No.	Murray Part No.	No. Req'd.	Description
37	3882		1	Shaft, Drive
38	5364		1	Gear, Spur, 12T
39	3866		1	Gear, Spur, 20T
40	3719		1	Gear, Spur, 25T
41	5472		1	Gear, Spur, 26T
42	3683		1	Gear, Spur, 31T
43	3714		1	Spacer, .781 X 1.00 X .375
44	1145	400040	1	Washer, Plain, .632 X 1.00 X .060
45	5130		2	Washer, Neoprene
46	3184		2	Washer, Plain, .758 X 1.25 X .031
47	6414		1	Assy, Kit, Axle, LH
48	4691		2*	Assy, Kit, Shim, .750 Shaft
49	6207		1	Assy, Kit, Gear, Miter
50	5270		2	Ring, Retaining
51	4394		1	Assy, Kit, Gear & Shaft
52	5564		1	Spacer, .604 X 1.076 X .475
53	6415		1	Assy, Kit, Axle, RH
54	5304-P		1	Housing, Lower
55	4836		1	Assy, Kit, Puck Friction
56	5960		1	Disc, Brake
57	3758		1	Spacer, Brake Puck
58	5554		1	Jaw, Brake
59	5286		1	Lever, Actuating
60	3760		2	Washer, Plain, .321 X 1.00 X .055
61	5562		2	Screw, Tapping, 5/16-18 X 2.35
62	3847		1	Nut, Lock, 5/16-24
63	5555		1	Bracket, Anti-Rotation
64	4300		1	Grease

* Use in various combinations to maintain proper clearances.

** Order Key No. 10.

*** Silicone Sealant to be applied between Upper and Lower Housings (use Loctite Ultra Gray Silicone 5699 or equivalent).

REVISION LOG

'B' - 12/2/2002

ITEM #56 WAS 5809

ADDED INPUT SEAL

'D' - 2/21/2003

ITEM #5 WAS 5941

'E' - 7/25/2003

ITEM #6 WAS 6477