




 DANA CORPORATION
 FREDERICKTOWN, OHIO
 4360-52
 AMERICAN YARD PRODUCTS 137367



DANA CORPORATION

SERVICE PARTS REPLACEMENT LISTING

MODEL NO.: 4360-52

DATE: 7-27-92

DESCRIPTION: SIX SPEED LINEAR SHIFT TRANSAXLECUSTOMER & PART NO.: AMERICAN YARD PRODUCTS - #137367

| <u>KEY</u> <u>NO.</u> | <u>DANA</u> <u>PART NO.</u> | <u>A.Y.P.</u> <u>PART NO.</u> | <u>NO.</u> <u>REQ'D.</u> | <u>DESCRIPTION</u> |
|--------------------------|--------------------------------|----------------------------------|-----------------------------|-----------------------------------|
| 1 | 5305 | | 1 | Housing, Upper |
| 2 | 1919 | 2274J | 14 | Screw, Tapping, 1/4-20 X .734 Lg. |
| 3 | 5112 | | 2 | Ball, Detent |
| 4 | 3626 | 105904X | 2 | Spring, Detent |
| 5 | 3623 | 105905X | 2 | Screw, Set |
| 6 | 4604 | | 1 | Kit, Shifter Assembly |
| 7 | 3847 | 7810500 | 1 | Nut, Lock, 5/16-24 |
| 8 | 3907 | 120951X | 1 | Puck, Friction |
| 9 | 5024 | | 1 | Boot, Shifter |
| 10 | 4816 | | 1 | Ass'y., Kit, Ring, Retaining |
| 11 | 4689 | | 3* | Ass'y., Kit, Shim, .625 Shaft |
| 12 | 5278 | | 1 | Bearing, Flange |
| 13 | 3876 | 120415X | 2 | Washer, Plain, .632 X 1.38 X .046 |
| 14 | 1374 | 2257J | 1 | Key, Woodruff, #9 |
| 15 | 4549 | | 1 | Ass'y., Kit, Input Shaft |
| 16 | 3725 | 106095X | 1 | Pinion, Bevel, 14T. |
| 17 | 3624 | 105909X | 1 | Ring, Retaining |
| 18 | 3625 | 105910X | 1 | Chain, 24 Pitches |
| 19 | 1542 | 105911X | 3 | Bearing, Flange |
| 20 | 5280 | | 1 | Gear, Spur, 14T. |
| 21 | 5303 | | 1 | Collar, Clutch |
| 22 | 4760 | | 1 | Ass'y., Kit, Clutch Keys |
| 23 | 5131 | | 2 | Screw, Tapping w/Sealer |
| 24 | 5299 | | 1 | Shaft, Intermediate |
| 25 | 1375 | 2244J | 1 | Key, Woodruff, #61 |
| 26 | 3627 | 105916X | 1 | Ring, Retaining |
| 27 | 3830 | 120470X | 1 | Sprocket, 18T. |
| 28 | 3841 | 110070X | 1 | Spacer |
| 29 | 3787 | 109253X | 1 | Gear, Spur, 40T. |
| 30 | 3785 | 109254X | 1 | Gear, Spur, 35T. |
| 31 | 3867 | 120405X | 1 | Gear, Spur, 30T. |
| 32 | 3783 | 108980X | 1 | Gear, Spur, 25T. |
| 33 | 3869 | 120406X | 1 | Gear, Spur, 22T. |
| 34 | 5202 | | 1 | Gear, Spur, 19T. |
| 35 | 3628 | 105925X | 1 | Washer, Plain, .640 X 1.37 X .061 |
| 36 | 1423 | 2232J | 2 | Washer, Plain, .632 X 1.00 X .026 |
| 37 | 3422 | 108978X | 1 | Spacer, .630 X 1.00 X .169 |
| 38 | 4193 | 108981X | 1 | Ass'y., Gear, Comb., 12T. & 35T. |
| 39 | 3967 | | 1 | Shaft, Idler |

Model #4360-52

Page 2

| <u>KEY</u> <u>NO.</u> | <u>DANA</u> <u>PART NO.</u> | <u>A.Y.P.</u> <u>PART NO.</u> | <u>NO.</u> <u>REQ'D.</u> | <u>DESCRIPTION</u> |
|--------------------------|--------------------------------|----------------------------------|-----------------------------|------------------------------------|
| 40 | 1708 | 3422J | 1 | Washer, Plain, .631 x 1.00 x .015 |
| 41 | 3645 | 105928X | 1 | Sprocket, 9T. |
| 42 | 3589 | 106605X | 1 | Gear, Bevel, 42T. |
| 43 | 4691 | | 2* | Ass'y., Kit, Shim, .750 Shaft |
| 44 | 3973 | 124640X | 1 | Shaft, Drive |
| 45 | 3724 | 106596X | 1 | Screw, Tapping, 5/16-18 x 1.44 Lg. |
| 46 | 3707 | 106151X | 1 | Gear, Spur, 15T |
| 47 | 3866 | 120407X | 1 | Gear, Spur, 20T. |
| 48 | 3719 | 106589X | 1 | Gear, Spur, 25T. |
| 49 | 3868 | 120408X | 1 | Gear, Spur, 28T |
| 50 | 3683 | 105937X | 1 | Gear, Spur, 31T. |
| 51 | 1145 | 2226J | 1 | Washer, Plain, .632 X 1.00 X .060 |
| 52 | 5130 | | 2 | Washer, Neoprene |
| 53 | 3184 | 2264J | 2 | Washer, Plain, .758 X 1.25 X .031 |
| 54 | 3880 | 120474X | 1 | Axle, L.H. |
| 55 | 3871 | 120409X | 2 | Gear, Miter, 15T. |
| 56 | 3656 | 105941X | 2 | Ring, Retaining |
| 57 | 3839 | 110071X | 1 | Gear, Spur, 32T. |
| 58 | 3919 | 120952X | 1 | Shaft, Cross |
| 59 | 3726 | 106592X | 2 | Gear, Miter, 15T. |
| 60 | 3881 | 120475X | 1 | Axle, R.H. |
| 61 | 5304 | | 1 | Housing, Lower |
| 62 | 3920 | 120961X | 1 | Puck, Friction |
| 63 | 3276 | 7294J | 1 | Disc, Brake |
| 64 | 3758 | 108989X | 1 | Spacer |
| 65 | 3916 | 120953X | 1 | Jaw, Brake |
| 66 | 3843 | 120954X | 2 | Pin, Dowel |
| 67 | 5120 | | 1 | Screw, Tapping, 5/16-18 X 2.25 Lg. |
| 68 | 5285 | | 1 | Lever, Actuating |
| 69 | 3760 | 108996X | 1 | Washer, Plain, .321 X 1.00 X .055 |
| 70 | 3917 | 120956X | 1 | Bracket, Anti-Rotation |
| 71 | 5279 | | 1 | Square-Ring |
| 72 | 4300 | 120416X | 1 | Grease |

* Use in various combinations to maintain proper clearances.

** Order Key No. 15.