



DANA CORPORATION
 FREDERICKTOWN, OHIO 4900-2
 GARDEN WAY #766166

DANA CORPORATIONSERVICE PARTS REPLACEMENT LISTINGMODEL NO.: 4900-2DATE: 11-5-93DESCRIPTION: HYDROSTATIC TRANSAXLECUSTOMER & PART NO.: GARDENWAY - #766166

<u>KEY</u>	<u>DANA</u>	<u>GARDENWAY</u>	<u>NO.</u>	<u>DESCRIPTION</u>
<u>NO.</u>	<u>PART NO.</u>	<u>PART NO.</u>	<u>REQ'D.</u>	
1	5351-BC		1	Housing, Upper
2	3789		1	V-Ring
3	1919		16	Screw, Tapping, 1/4-20 x .734
4	4821		1	Ass'y., Shaft & Cam
5	3758		2	Spacer
6	5338		2	Puck, Friction
7	5336		1	Nut, Locking, Jam
8	5337		1	Stud, Adjustment
9	3884		1	O-Ring
10	5356		1	Key, Drive
11	4820		3	Ass'y., Bearing
12	3890		1	Washer, Plain, .505 x .942 x .040
13	5357		1	Shaft, Input
14	5339		1	Disc, Brake
15	5180		2	Gear, Spur, 10T.
16	4690		2*	Ass'y., Kit, Shim, .500 Shaft
17	4819		1	Ass'y., Bearing
18	5353		1	Shaft, Idler
19	1068		1	Washer, Plain, .632 x 1.00 x .041
20	3471		1	Spacer, .630 x 1.00 x .549
21	5349		1	Gear, Spur, 41T.
22	5130		2	Washer, Neoprene
23	3184		2	Washer, Plain, .758 x 1.25 x .031
24	5170		1	Axle, L.H.
25	3871		2	Gear, Miter, 15T.
26	3656		2	Ring, Retaining
27	5181		1	Gear, Spur, 41T.
28	3726		2	Gear, Miter, 15T.
29	3919		1	Shaft, Cross
30	5171		1	Axle, R.H.
31	4691		1*	Ass'y., Kit, Shim, .750 Shaft

Model #4900-2

Page 2

<u>KEY</u> <u>NO.</u>	<u>DANA</u> <u>PART NO.</u>	<u>GARDENWAY</u> <u>PART NO.</u>	<u>NO.</u> <u>REQ'D.</u>	<u>DESCRIPTION</u>
32	5350-A		1	Housing, Lower
33	5366		1	Ring, Retaining
34	4933		1*	Ass'y., Kit, Shim, .670 Shaft
35	5418		4	Bolt, Hex Head, #6-32 x .88
36	5409		1	Pulley, 4.50 Dia.
37	5374		1	Hub
38	5417		1	Fan, 7.00 Dia.
39	5419		4	Nut, Lock, #6-32
40	5375		1	Hst, CW Control Rotation
41	1375		1	Key, Woodruff, #61
42	4300		1	Grease

* Use in various combinations to maintain proper clearances.

** Silicone Sealant to be applied between Upper and Lower Housings (use Loctite Ultra Gray Silicone 5699 or equivalent).

NOTE: Transaxle Assembly without Key No. 40 is available as Part No. 4884.