


1940 UT-26030
Clutch

Page 1 of 18




1940 UT-26030
Clutch

Page 2 of 18

Ref #	Part Number	Qty	S/P/F	Description
1	A02396A	1	/P	CLUTCH CASE ASSY
2	96624	1	/P	SCREW, SEMS HEXHEAD 10-24 X 1 1/4" Torque Specifications: 40-50 In/Lbs; 4.5-5.6 Nm
3	81208	1	/P	NUT, HEX 10-24
4	88052	4	/P	SCREW, SEMS HEXHEAD 10-24 X 7/8" Torque Specifications: 40-50 In/Lbs; 4.5-5.6 Nm
5	A04655	1		DRUM & CONNECTOR
6	00242	3	/P	CLUTCH
7	03372	1		WASHER, CLUTCH
8	035661	1	S	SPACER

1940 UT-26030
Engine Internal

Page 3 of 18




1940 UT-26030
Engine Internal

Page 4 of 18

Ref #	Part Number	Qty	S/P/F	Description
1	A06262C	1	S	SHORT BLOCK
2	A04740D	1	S	CYLINDER & GASKET
3	04388B	1	S/P	GASKET, CYLINDER
4	A06291A	1	S	PISTON & ROD
5	03179	2	/P	RING, PISTON
6	04860	1		SPACER, BEARING
7	00118	2		THRUST WASHER
8	03796	1		RETAINING RING
9	02461	1		BEARING, NEEDLE
10	69250	1	/P	KEY, WOODRUFF
11	825801	3	/P	SCREW, TORX PAN HEAD 12-24 X 3/4 Torque Specs: 65-75 In/Lbs; 7.3-8.5 Nm
12	98767A	1	/P	GASKET CRANKCASE
13	08846	1	/P	GASKET, MUFFLER
14	08840	1	/P	GASKET, HEAT DAM
15	A040172	1	S	COVER, CRANKCASE
16	00270B	1	S	BEARING, BALL
17	98799	1	/P	RETAINING RING
18	98800	1	/P	SEAL, SHAFT
19	04450	1	/P	BEARING, BALL
20	04589	1	/P	SPACER
21	04016B	1	/P	SHAFT, STARTER
22	98792	1	/P	BUMPER
23	825551	4	S	SCREW, SELF TAPPING 10-24 X 3/4 Torque Specs: 55-60 In/Lbs; 6.2-6.8 Nm
24	A04158S	1	S	ROTOR
25	95479A	1	/P	WASHER, FLAT
26	02851	1	/P	TAB, MALE
27	A08179	1		ENGINE HOUSING W/DECALS
28	82538	4	/P	SCREW, SELF TAPPING 10-24 X 3/4 Torque Specs: 25-35 In/Lbs; 2.8-3.9 Nm

1940 UT-26030
Exhaust

Page 5 of 18




1940 UT-26030
Exhaust

Page 6 of 18

Ref #	Part Number	Qty	S/P/F	Description
1	A04837	1	/P	MUFFLER ASSY.
2	88060	2	S/P	SCREW, SEMS HEX HD 10-24 X 2 1/5 Torque Specifications: 30-40 In/Lbs; 3.4-4.5 Nm
3	A04786	1	/P	COVER, MUFFLER
4	04790	1	/P	SCREEN, SPARK ARRESTOR
5	04785	2	/P	SPACER, MUFFLER
6	98783	1	/P	PLATE, MUFFLER SUPPORT
7	04710	1	/P	BODY, MUFFLER
8	08846	1	/P	GASKET, MUFFLER

1940 UT-26030
Fuel Tank & Carburetor

Page 7 of 18




1940 UT-26030
Fuel Tank & Carburetor

Page 8 of 18

Ref #	Part Number	Qty	S/P/F	Description
1	A04658	1	S	FUEL TANK
2	0143917	1	S/P	TUBING, FUEL 4 1/4"
3	9477230	1	S	TUBING, FUEL 7 1/2"
4	98268	1	S/P	CLAMP, FUEL LINE
5	49422	1	S	FILTER, FUEL
6	98792	3	/P	BUMPER, RUBBER
7	DG00099	1		FUEL CAP
8	88060	2	S/P	SCREW, SEMS HEX HEAD 10-24 X 2 1/4" Torque Specifications: 30-40 In/Lbs; 3.4-4.5 Nm
9	08840	1	/P	GASKET, HEAT DAM
10	00864B	1	S	HEAT DAM
11	880821	2		SCREW, TORX, SEMS 10-24 X 1/8" Torque Specifications: 73-83 In/Lbs; 8.2-9.4 Nm
12	98766A	1	S/P	GASKET CARBURETOR
13	07244	1	S	CARBURETOR, ZAMA
	A02607	1		CARBURETOR, WALBRO
14	A04707A	1	/P	AIR FILTER ASSY.
15	DG98760	1		AIR FILTER
16	81208	2	/P	NUT, HEX 10-24

1940 UT-26030
Ignition

Page 9 of 18




1940 UT-26030
Ignition

Page 10 of 18

Ref #	Part Number	Qty	S/P/F	Description
1	A04446	1	S	IGNITION KIT
2	A33055	1	/P	TERMINAL & COVER
3	DG96196	1		SPARK PLUG Torque Specifications: 120-180 In/Lbs; 13.6-4.5 Nm
4	A00681	1		LEAD, ELECTRICAL
5	82540	2	/P	SCREW, SELF TAP. 8-32 X 1" Torque Specifications: 30-40 In/Lbs; 3.4-4.5 Nm
6	95479A	1	/P	WASHER, FLAT
7	A04158S	1	S	ROTOR

1940 UT-26030
Starter

Page 11 of 18




1940 UT-26030
Starter

Page 12 of 18

Ref #	Part Number	Qty	S/P/F	Description
1	A04069	1		STARTER ASSY
2	0406906	1	S	SPRING, RECOIL
3	0406905	1	S	PULLEY, STARTER
4	0406902	1	/P	GRIP, STARTER
5	0406903	1	/P	ROPE, STARTER
6	0406904	1	/P	SCREW Torque Specifications: 25-35 In/Lbs; 2.8-3.9 Nm
7	82541	1	/P	SCREW Torque Specifications: 25-35 In/Lbs; 2.8-3.9 Nm
8	04023	1	S	COWLING, ENGINE
9	0401802	1	S	PAWL, STARTER
10	0401804	1	S	RING, RETAINING
11	A04018	1	S	CUP, STARTER
12	0401803	1	S	SPRING, STARTER
13	0143932	1	S/P	TUBING, PRIMER LINE 8"
14	01183	1	/P	BULB, PRIMER
15	82538	4	/P	SCREW, TAPTITE 10-24 X 3/4 Torque Specifications: 40-50 In/Lbs; 4.5-5.6 Nm

1940 UT-26030
Throttle

Page 13 of 18




1940 UT-26030
Throttle

Page 14 of 18

Ref #	Part Number	Qty	S/P/F	Description
1	GM280340	1	S	THROTTLE ASSY
2	GM167101	1	S	SPRING, THROTTLE
3	GM235214	1	S	LEVER, THROTTLE
4	GM201044	4	S	SCREW Torque Specifications: 5-20 In/Lbs; .5-2.3 Nm
5	0254206	1	S	THROTTLE CABLE
6	GM190326	1	S	SWITCH, STOP
7	GM193605	1	S	WIRE HARNESS

1940 UT-26030
Trimmer Attachment

Page 15 of 18




1940 UT-26030
Trimmer Attachment

Page 16 of 18

Ref #	Part Number	Qty	S/P/F	Description
1	A09107	1	S	TUBE ASSY.
2	A07844	1	/P	FLEX CABLE
3	GM041101	1	/P	WASHER
4	GM011402	1		SCREW Torque Specifications: 30-40 In/Lbs; 3.4-4.5 Nm
	GM160306	1		HEAD SHIELD ASSY.
5	GM011402	2		SCREW Torque Specifications: 15-20 In/Lbs; 1.7-2.3 Nm
6	GM165206	1		DEFLECTOR
7	81267	2	/P	NUT Torque Specifications: 25-35 In/Lbs; 2.8-3.9 Nm
8	GM166901	1		BLADE, CUT-OFF
9	GM051004	2	/P	NUT Torque Specifications: 15-20 In/Lbs; 1.7-2.3 Nm
10	GM011417	2	/P	SCREW Torque Specifications: 25-35 In/Lbs; 2.8-3.9 Nm
11	GM040002	2		WASHER
12	GM166S02	1		BRACKET CLAMP
	GM160614	1		ARBOR/BUSHING ASSY.
13	GM766501	1		ADAPTER, ARBOR Torque Specifications: 40-50 In/Lbs; 4.5-5.6 Nm
14	GM160305	1	S	BUSHING ASSY.
15	GM166702	1		ARBOR POST Torque Specifications: 40-50 In/Lbs; 4.5-5.6 Nm
	DG07795	1	/P	3" HEAD ASSY.
16	GM160310	1	/P	3" HEAD BODY
17	GM167602	1		PAL NUT
18	GM166903	1		PLATE, SPRING
19	0M167901	1		SPRING
20	GM166903	1		PLATE, SPRING
21	0M365209	1		3" SPOOL
22	GM16520S	1		3" HEAD CAP
	DG07810	1	S/P	3" SPOOL WITH LINE Optional Accessory (Not Shown)
	DG07819	1	/P	SHOULDER STRAP Optional Accessory (Not Shown)
	DG07830	1		EXACT-MIX 2cyl. OIL Optional Accessory (Not Shown)

1940 UT-26030
Upper Tube

Page 17 of 18



1940 UT-26030
Upper Tube

Page 18 of 18

Ref #	Part Number	Qty	S/P/F	Description
1	GM250312	1	/P	HANGER ASSY.
2	GM010002	1	/P	SCREW
3	GM041101	1	/P	WASHER
4	GM050003	1		NUT Torque Specifications: 5-30 In/Lbs; 5-3.4 Nm
5	GM300302	1		HANDLE ASSY.
6	08290	1	/P	KNOB Torque Specifications: 25-35 In/Lbs; 2.8-4.0 Nm
7	84006	1	/P	WASHER
8A	80295	1	/P	BOLT, HEX HEAD
8B	GM257606	1	S	CARRIAGE BOLT (Used on OLD Non-Padded handle)
	A07901	1	/P	COUPLER ASSY.
9	08290	1	/P	KNOB Torque Specifications: 25-35 In/Lbs; 2.8-4.0 Nm
10	GM040016	1		WASHER
11	81267	3	/P	NUT Torque Specifications: 50-60 In/Lbs; 4.5-6.8 Nm
12	GM011426	3	S	BOLT
13	M030017	1		BOLT
14	A07902	1	S	TUBE ASSY. W/DRIVESHAFT & LINER
15	03234A	1	/P	GRIP
16	GM280311	1	S	HARNESS (OPT)