


2600h UT-26151  
Carburetor / Air Cleaner

Page 1 of 16




2600h UT-26151  
Carburetor / Air Cleaner

Page 2 of 16

| Ref # | Part Number | Qty | S/P/F | Description                                          |
|-------|-------------|-----|-------|------------------------------------------------------|
| 1     | 07752       | 1   | S     | SCREW & WASHER Torque Specs: 35-45<br>In/Lbs; 4-5 Nm |
| 2     | 07754       | 1   |       | LABEL, NAME                                          |
| 3     | 07751       | 1   |       | COVER, AIR CLEANER                                   |
| 4     | 07753       | 1   |       | NUT                                                  |
| 5     | DG07750     | 1   |       | ELEMENT AIR CLEANER                                  |
| 6     | 07749       | 2   |       | SCREW & WASHER Torque Specs: 35-45<br>In/Lbs; 4-5 Nm |
| 7     | 07748       | 1   |       | BRACKET                                              |
| 8     | 0797030     | 1   |       | CASE, CLEANER                                        |
| 9     | A08514      | 1   |       | CARBURETOR ASSY                                      |
| 10    | 0797033     | 1   |       | GASKET, CARBURETOR                                   |
| 11    | GM002804    | 2   |       | SCREW & WASHER Torque Specs: 35-45<br>In/Lbs; 4-5 Nm |
| 12    | 0797032     | 1   |       | INSULATOR                                            |
| 13    | 07741       | 1   |       | GASKET INSULATOR                                     |

2600h UT-26151  
Cutters & Handles

Page 3 of 16




2600h UT-26151  
Cutters & Handles

Page 4 of 16

| Ref # | Part Number | Qty | S/P/F | Description                                                      |
|-------|-------------|-----|-------|------------------------------------------------------------------|
|       | A0797096    | 1   | S     | HANDLE ASSY.                                                     |
| 1     | 0797075     | 1   | /P    | THROTTLE LEVER ASSY.                                             |
| 2     | 0797076     | 1   |       | BRACKET                                                          |
| 3     | 0797077     | 1   |       | HANDLE                                                           |
| 4     | 0797078     | 1   |       | ABSORBER                                                         |
| 5     | 0797081     | 2   |       | WIRE BAND                                                        |
| 6     | 0797080     | 2   | /P    | SOCKET SCREW (M5 X 45) Torque Specs:<br>25-35 In/Lbs; 2.8-4.0 Nm |
| 7     | 0797079     | 2   |       | LOCK WASHER (M5)                                                 |
| 8     | 0797082     | 6   | /P    | HEX NUT (M6) Torque Specs: See Owners<br>Manual literature       |
| 9     | 0797083     | 2   |       | WASHER (M6)                                                      |
| 10    | A0797084    | 1   |       | HANDLE ASSY                                                      |
| 11    | 0797085     | 1   |       | PROTECTOR                                                        |
| 12    | 0797086     | 1   |       | CUTTER GUIDE                                                     |
| 13    | 0797087     | 1   |       | CUTTER BLADE (B)                                                 |
| 14    | 0797088     | 1   |       | CUTTER BLADE (A)                                                 |
| 15    | 0797089     | 4   |       | STEP BOLT (SHORT) Torque Specs: See<br>Owners Manual literature  |
| 16    | 0797090     | 5   |       | CUTTER WASHER                                                    |
| 17    | 0797091     | 1   |       | STEP BOLT (LARGE) Torque Specs: See<br>Owners Manual literature  |
| 18    | 0797092     | 1   |       | COVER                                                            |

2600h UT-26151  
Engine Internal

Page 5 of 16




2600h UT-26151  
Engine Internal

Page 6 of 16

| Ref # | Part Number | Qty | S/P/F | Description                                           |
|-------|-------------|-----|-------|-------------------------------------------------------|
| 1     | 07722       | 1   |       | GUARD, PLUG                                           |
| 2     | 07723       | 1   |       | SCREW & WASHER Torque Specs: 35-45<br>In/Lbs; 4-5 Nm  |
| 3     | 0797028     | 1   | /P    | COVER, TOP                                            |
| 4     | A07889      | 1   |       | CYLINDER ASSY.                                        |
| 5     | 07718       | 1   |       | GASKET, CYLINDER                                      |
| 6     | 07720       | 2   |       | BOLT, STUD                                            |
| 7     | 07719       | 4   |       | BOLT & WASHER Torque Specs: 35-45<br>In/Lbs; 4-5 Nm   |
| 8     | A07891      | 1   |       | PISTON ASSY                                           |
| 9     | 07733       | 2   |       | RING, TOP                                             |
| 10    |             | 1   |       | PIN, PISTON                                           |
| 11    |             | 2   |       | CLIP, PISTON PIN                                      |
| 12    | 0797029     | 1   |       | CRANKSHAFT ASSY.                                      |
| 13    | GM071410    | 1   | /P    | BEARING, NEEDLE                                       |
| 14    | 07708       | 1   | /P    | OIL SEAL                                              |
| 15    | 0797024     | 1   |       | CASE, STARTER                                         |
| 16    | GM071009    | 2   |       | BEARING, BALL                                         |
| 17    | 07709       | 2   |       | PIN, DOWEL                                            |
| 18    | 0797023     | 1   |       | CASE, DRIVE                                           |
| 19    | GM002805    | 3   |       | SCREW, PAN HEAD Torque Specs: 35-45<br>In/Lbs; 4-5 Nm |
| 20    | GM081502    | 1   | S     | OIL SEAL                                              |
| 21    | 0797025     | 1   |       | NOSE                                                  |
| 22    | 0797026     | 1   | /P    | CASE, FAN                                             |
| 23    | 07714       | 4   |       | BOLT & WASHER Torque Specs: 35-45<br>In/Lbs; 4-5 Nm   |
| 24    | 0797027     | 1   |       | CLAMP                                                 |

2600h UT-26151  
Fuel Tank

Page 7 of 16



2600h UT-26151  
Fuel Tank


Page 8 of 16

| Ref # | Part Number | Qty | S/P/F | Description                                          |
|-------|-------------|-----|-------|------------------------------------------------------|
| 1     | A0797034    | 1   |       | FUEL TANK ASSY.                                      |
| 2     | 07784       | 1   |       | CAP ASSY., TANK                                      |
| 3     | 0797039     | 1   |       | GROMMET                                              |
| 4     | 0797035     | 2   |       | JOINT                                                |
| 5     | 0797040     | 2   |       | CLIP                                                 |
| 6     | 0797041     | 1   |       | LINE, FUEL                                           |
| 7     | 0797038     | 1   |       | LINE, FUEL                                           |
| 8     | 0797037     | 1   |       | BUSH                                                 |
| 9     | 0797036     | 1   |       | HOSE, SUCTION                                        |
| 10    | 07793       | 1   |       | FILTER, FUEL                                         |
| 11    | 0797042     | 3   |       | SCREW & WASHER Torque Specs: 35-45<br>In/Lbs; 4-5 Nm |
| 12    | 0797043     | 2   |       | PAD                                                  |
| 13    | 0797044     | 1   |       | BRACKET, TANK                                        |



2600h UT-26151  
Gear Case

Page 9 of 16




2600h UT-26151  
Gear Case

Page 10 of 16

| Ref # | Part Number | Qty | S/P/F | Description                                                      |
|-------|-------------|-----|-------|------------------------------------------------------------------|
| 1     | 0797048     | 1   |       | ENGINE BASE                                                      |
| 2     | 0797008     | 4   |       | SOCKET SCREW Torque Specs: 35-40<br>In/Lbs; 4.0-4.5 Nm           |
| 3     | A0797050    | 1   |       | CLUTCH ASSY.                                                     |
| 4     | 0797007     | 1   |       | FLAT SCREW Torque Specs: 35-40 In/Lbs;<br>4.0-4.5 Nm             |
| 5     | 0797052     | 1   |       | CLUTCH DRUM                                                      |
| 6     | 0797053     | 1   |       | GEAR CASE                                                        |
| 7     | 0797054     | 1   |       | SCREW (M6 X 10) Torque Specs: 25-35<br>In/Lbs; 2.8-4.0 Nm        |
| 8     | 0797055     | 1   |       | WASHER, FLAT                                                     |
| 9     | 0797009     | 4   |       | SOCKET SCREW Torque Specs: 35-40<br>In/Lbs; 4.0-4.5 Nm           |
| 10    | 0797057     | 1   |       | BEARING                                                          |
| 11    | 0797058     | 3   | /P    | BEARING                                                          |
| 12    | 0797059     | 1   |       | PACKING                                                          |
| 13    | 0797060     | 1   |       | GEAR                                                             |
| 14    | 0797061     | 1   |       | PINION                                                           |
| 15    | 0797062     | 2   |       | SOCKET SCREW (M5 X 10) Torque Specs:<br>25-35 In/Lbs; 2.8-4.0 Nm |
| 16    | 0797063     | 4   |       | SOCKET SCREW (M X 40) Torque Specs:<br>35-40 In/Lbs; 4.0-4.5 Nm  |
| 17    | 0797064     | 1   |       | CAM CASE COVER                                                   |
| 18    | 0797065     | 2   |       | FLAT SCREW (M5 X 10) Torque Specs:<br>25-35 In/Lbs; 2.8-4.0 Nm   |
| 19    | 0797066     | 1   |       | FIXING PLATE                                                     |
| 20    | 0797067     | 2   |       | CAM ROD                                                          |
| 21    | 0797068     | 2   |       | FELT PACKING                                                     |
| 22    | 0797069     | 1   |       | CAM PUSH SCREW Torque Specs: 35-40<br>In/Lbs; 4.0-4.5 Nm         |
| 23    | 0797070     | 1   |       | CAM                                                              |
| 24    | 0797071     | 2   |       | HEX BOLT (M5 X 30) Torque Specs: 25-35<br>In/Lbs; 2.8-4.0 Nm     |
| 25    | 0797072     | 1   |       | SLIDE PLATE                                                      |
| 26    | 0797073     | 1   |       | CAM CASE                                                         |
| 27    | 0797074     | 2   |       | FLANGE NUT (M6) Torque Specs: 25-35<br>In/Lbs; 2.8-4.0 Nm        |

2600h UT-26151  
Ignition

Page 11 of 16




2600h UT-26151  
Ignition

Page 12 of 16

| Ref # | Part Number | Qty | S/P/F | Description                                            |
|-------|-------------|-----|-------|--------------------------------------------------------|
| 1     | 0797045     | 1   |       | ROTOR                                                  |
| 2     | 07736       | 1   |       | MODULE, IGNITION                                       |
| 3     | 07738       | 1   |       | GROMMET                                                |
| 4     | 0797047     | 1   |       | WIRE, LEAD                                             |
| 5     | 07737       | 1   | /P    | CAP, PLUG                                              |
| 6     | 07739       | 1   |       | CAP, PLUG                                              |
| 7     | GM190036    | 1   | /P    | SPARK PLUG                                             |
| 8     | GM052804    | 1   | /P    | NUT, CONICAL Torque Specs: 69-87 In/Lbs;<br>7.8-9.8 Nm |
| 9     | GM030104    | 2   |       | BOLT & WASHER Torque Specs: 35-45<br>In/Lbs; 4-5 Nm    |

2600h UT-26151  
Muffler

Page 13 of 16




2600h UT-26151  
Muffler

Page 14 of 16

| Ref # | Part Number | Qty | S/P/F | Description                                          |
|-------|-------------|-----|-------|------------------------------------------------------|
| 1     | 0797046     | 1   |       | GASKET, MUFFLER                                      |
| 2     | A07894      | 1   | /P    | MUFFLER ASSEMBLY                                     |
| 3     | 07761       | 2   |       | SCREW & WASHER Torque Specs: 35-45<br>In/Lbs; 405 Nm |
| 4     | 07758       | 1   |       | PIPE, TAIL                                           |
| 5     | 07759       | 1   | S     | GASKET, MUFFLER                                      |
| 6     | GM050069    | 2   |       | NUT, FLANGE Torque Specs: 35-45 In/Lbs;<br>405 Nm    |
| 7     | 07762       | 1   | S     | COVER, MUFFLER                                       |
| 8     | 07763       | 1   |       | SCREW & WASHER Torque Specs: 35-45<br>In/Lbs; 405 Nm |

2600h UT-26151  
Starter

Page 15 of 16



2600h UT-26151  
Starter

Page 16 of 16

| Ref # | Part Number | Qty | S/P/F | Description                                       |
|-------|-------------|-----|-------|---------------------------------------------------|
| 1     | A0797012    | 1   |       | STARTER ASSEMBLY                                  |
| 2     | 0797013     | 1   |       | SPRING, SPIRAL                                    |
| 3     | 0797014     | 1   |       | PULLEY                                            |
| 4     | 0797015     | 1   |       | SPRING, RETURN                                    |
| 5     | 0797016     | 1   |       | SPRING, FRICTION                                  |
| 6     | 0797017     | 1   |       | RATCHET                                           |
| 7     | 0797018     | 1   |       | PLATE, FRICTION                                   |
| 8     | 0797019     | 1   |       | SCREW Torque Specs: 35-45 In/Lbs; 4-5 Nm          |
| 9     | 0797020     | 1   |       | ROPE, STARTER                                     |
| 10    | 0797021     | 1   | S     | GRIP                                              |
| 11    | 0797022     | 4   |       | SCREW & WASHER Torque Specs: 35-45 In/Lbs; 4-5 Nm |