


30 UT-26203
Carburetor - Muffler - Air Filter

Page 1 of 16



30 UT-26203


Page 2 of 16

Carburetor - Muffler - Air Filter

Ref #	Part Number	Qty	S/P/F	Description
1	A06652	1	/P	MUFFLER-Complete
2	01729	1	S	GASKET-Muffler
3	01733	1		SCREEN-Spark Arrestor
4	01734B	1		COVER-Exhaust
5	88058	3	/P	SCREW-Sems (10-24 x 2 1/4) Torque Specs: 55-65 In/Lbs; 6.3-7.5 Nm
6	A04512	1		SPACER-Carburetor
7	04508	1	/P	GASKET-Carburetor Spacer
8	03141	1		FOAM-Adhesive
9	00905A	2		SCREW-Carburetor Retainer
10	7031019	1	S	TUBING-Rubber (4 3/4")
11	7031036	1	S	TUBING-Rubber (9")
12	02695	1		RETAINER PLATE
13	01178	2		RETAINER NUT-Filter
14	02718	2	/P	"O" RING
15	A02582A	1	S	AIR FILTER
16	81009	2	/P	NUT-Hex (8-32) Torque Specs: 30-40 In/Lbs; 3.5-4.6 Nm
17	A09203	1		CARBURETOR
18	98339	1	S/P	GASKET-Carburetor
	06355	1	S	ROD-Choke (See "Engine Housing" illustration and parts list)
	86334	1	/P	PIN-Cotter (See "Engine Housing" illustration and parts list)
19	82430	2		SCREW-Mach. Hex Hd. (8-32 x 7/8") Torque Specs: 30-40 In/Lbs; 3.5-4.6 Nm
20	82513	1	/P	SCREW-Thread Form. (6-19 x 1/2") Torque Specs: 8-12 In/Lbs; .9-14 Nm
21	84123	1		WASHER-Flat (#6)
22	00997D	1		CABLE-Throttle

30 UT-26203
Clutch & Chain Brake

Page 3 of 16




30 UT-26203
Clutch & Chain Brake

Page 4 of 16

Ref #	Part Number	Qty	S/P/F	Description
1	A03306B	1		GUARD, HAND
2	83203	1		WASHER, BELLVILLE
3	98457	1		NUT - (M5) Torque Specs: 30-50 In/Lbs; 3.5-5.7 Nm
4	98422A	1		PIN
5	98461	1		SCREW, SHOULDER Torque Specs: 30-50 In/Lbs; 3.5-5.7 Nm
6	01820	1		RING, RETAINER
7	98308	1		SPRING, COIL
8	A98317A	1		BRAKE LATCH ASSY.
9	A00888A	1		ADJUSTER, BRAKE
10	008901	1		SPRING, COMPRESSION
11	98456	1		PIN
12	58833	1	/P	WASHER, THRUST (INNER)
13	A02990	1		SPLINE & DRUM
14	02999	1	S	BEARING, NEEDLE
15	03039	1	S	RACE, INNER
16	07341	1		SPROCKET, RIM (.325 X 77)
17	65027	1		WASHER, THRUST
18	81255	1		NUT, HEX LOCK (3/8"-24) Torque Specs: 60-80 In/Lbs; 6.2-9.2 Nm
19	A98298B	1	/P	BRAKE BAND ASSY
20	06672	1	S/P	PIN, DOWEL
21	81196	2	S/P	NUT, HEX
22	A066391	1		DRIVE CASE COVER CASE
23	82513	1	/P	SCREW, THREAD FORM (#6) Torque Specs: 12-18 In/Lbs; 1.4-2.1 Nm
24	01180	1		RETAINER, BRAKE BAND
25	A00995	1	S	CLUTCH ASSY Torque Specs: 150-200 In/Lbs; 17.2-23.0 Nm
26	98453	1	S	SPRING, CLUTCH
27	08013A	1		LABEL, KICKBACK
28	02661	1		DECAL, SAFETY

30 UT-26203
Engine Housing

Page 5 of 16




30 UT-26203
Engine Housing

Page 6 of 16

Ref #	Part Number	Qty	S/P/F	Description
1	82545	3		SCREW-Thread Form (8-16 x 1 3/4") Torque Specs: 20-40 In/Lbs; 2.3-4.6 Nm
2	82546	4	S/P	SCREW-Thread Form. (8-16 x 5/8") Torque Specs: 20-40 In/Lbs; 2.3-4.6 Nm
3	017155	1		HOUSING-Starter Side
4	82588	1		SCREW-Thread Form. (10-14 x 1 1/8") Torque Specs: 65-85 In/Lbs; 7.5-9.8 Nm
5	83056	1		WASHER-Lock
6	A037201	1		HOUSING-Drive Side
7	03132	2	/P	BOLT-Guide Bar
8	01805A	1	/P	DECAL-Panel
9	80864	2	/P	SCREW-Hex Hd. (12-24 x 1") Torque Specs: 95-105 In/Lbs; 10.9-12.0 Nm
10	95212	1	/P	STOP-Chain
11	82537	1	/P	SCREW-Thread Form (10-14 x 7/8") Torque Specs: 30-50 In/Lbs; 3.5-5.7 Nm
12	01170	1	S	PLATE-Guide Bar (Outer)
13	82513	1	/P	SCREW-Thread Form. (6-19 x 1/2") Torque Specs: 12-18 In/Lbs; 1.4-2.1 Nm
14	98278	1		PLATE-Guide Bar (Inner)
15	651121	1	S	PIN-Adjusting
16	03139	1	S	SCREW-Guide Bar Adjusting
17	69599	1	/P	RING-Snap
18	01183	1	/P	BULB-Primer
19	06355	1	S	ROD-Choke
20	01802	1	S	SWITCH-Ign.
21	69889	1	/P	BOOT-Throttle Cable
22	64862	1	/P	GROMMET-Choke
23	01169	1		PANEL-Control
24	A04583A	1	/P	CYLINDER COVER
25	01173A	1		SCREEN-Air Inlet
26	02506	1		LABEL-Warning
27	09019	1	/P	GROMMET-Carburetor
28	95792	3	/P	SCREW-Round Hd. (10-24 x .710) Torque Specs: 15-25 In/Lbs; 1.7-2.9 Nm
29	70810	3	S	NUT-Square (10-24)
30	86334	1	/P	PIN-Cotter
31	A06635	1		GUIDE BAR FASTENER KIT

30 UT-26203
Engine Internal


Page 7 of 16



30 UT-26203
Engine Internal

Page 8 of 16

Ref #	Part Number	Qty	S/P/F	Description
1	93561S	1	S	SPARK PLUG (CJ6Y) Torque Specs: 120-180 In/Lbs; 13.8-20.7 Nm
2	98217S	1	/P	SPARK PLUG (RCJ6Y) (Intl.)
	82568	4	S	SCREW-PAN Hd. (10-24 x .800) Torque Specs: 55-65 In/Lbs; 6.3-7.5 Nm
3	A01544D	1	/P	SHORT BLOCK
4	A04513	1		CYLINDER & GASKET
5	02527	1		GASKET, CYLINDER
6	A03301A	1	S	PISTON & PIN
7	02263A	2	S	RING, PISTON
8	64813	2	/P	RING, WRIST PIN, RETAINING
9	98797	2	/P	BEARING, BALL
10	70277	1	S	BEARING, NEEDLE
11	75078	1		WOODRUFF KEY
12	289221	1	/P	RETAINING RING
13	82146	2	S	SCREW, FIL HD. (8-32 x 5/8") Torque Specs: 15-20 In/Lbs; 1.7-2.3 Nm
14	A02802A	1	S	OIL PUMP
15	02548	1		TUBING, OIL (TO GUIDE BAR)
16	00229	1		WORM GEAR, LEFT HAND
17	93858	1	S	SEAL, CRANKSHAFT
18	98197A	1	S	SEAL, SHAFT




30 UT-26203
Fuel & Oil Tanks

Page 10 of 16

Ref #	Part Number	Qty	S/P/F	Description
1	A06636	1		OIL TANK ASSY.
2	03134	1	S/P	VALVE-Check
3	03585	1		PIN-Spirol
4	7031029	1		TUBING-Rubber (7 1/4")
5	A68593	1		FILTER-Oil
6	A00904A	1	S	CAP-Tank (w/Retainer)
7	02762A	1	S	GASKET-Fuel Cap
8	69443	1		FILTER-Oil Tank Valve
9	A06637	1	/P	FUEL TANK ASSY.
2	03134	1	S/P	VALVE-Check
6	A00904A	1	S	CAP-Tank (w/Retainer)
7	02762A	1	S	GASKET-Fuel Cap
10	7031021	1	S	TUBING-Rubber (5 1/4")
11	7031036	1	S	TUBING-Rubber (9")
12	02952	1		FILTER-Foam
13	49422	1	S	FILTER-Fuel
14	00993	2		SAWDUST SEAL

30 UT-26203
Handles

Page 11 of 16



30 UT-26203
Handles

Page 12 of 16

Ref #	Part Number	Qty	S/P/F	Description
	A07215	1	/P	HANDLE KIT
1	A03496	1	S	HANDLE BAR
2	58409	1	/P	RING, RETAINING
3	00210C	1		COVER, REAR HANDLE
4	00997D	1		CABLE, THROTTLE
5	A03806A	1		TRIGGER, THROTTLE
6	02316	1	/P	SPRING, THROTTLE
7	93385A	1	/P	LOCK, THROTTLE
8	70253	1		PIN, DOWEL
9	82513	1	/P	SCREW, THREAD FORM (6-19 X 1/2") Torque Specs: 8-12 In/Lbs; .9-1.4 Nm
10	80891	1	/P	SCREW, HEX Hd (12-24 X 7/8") Torque Specs: 50-60 In/Lbs; 5.7-6.9 Nm
11	95671	1	S	PIN, THROTTLE LOCK
12	95020	1	S	SPRING, COMPRESSION
	A07214	1	/P	ISOLATOR KIT
13	96620	1	/P	SCREW, TORX (10-24 X 1/2") Torque Specs: 40-50 In/Lbs; 4.6-5.7 Nm
14	01168	2		SPRING, EXTENSION
15	03583	3	S	RETAINER, SPRING
16	01813	1		SLEEVE, SPRING
17	84008	2	S/P	WASHER, FLAT (#12)
18	82562	1	S	SCREW, PAN Hd. (10-24 X 7/8") Torque Specs: 30-40 In/Lbs; 3.5-4.6 Nm
19	70810	1	S	NUT, SQUARE (#10-24)
20	84123	1		WASHER, FLAT
21	82546	5	S/P	SCREW, THREAD FORM (8-16 X 5/8") Torque Specs: 20-40 In/Lbs; 2.3-4.6 Nm
22	02813	1	S	SPRING, EXTENSION
23	82546	2	S/P	SCREW, THREAD FORM (8-16 X 1/2") Torque Specs: 20-40 In/Lbs; 2.3-4.6 Nm
24	07163	1		HANDLE, REAR
25	A002262	1		COVER, DRIVE CASE
26	81196	2	S/P	NUT, HEX
27	017155	1		HSG., STARTER SIDE
28	A037201	1		ENG. HSG. DRIVE SIDE
29	81261	1	/P	NUT, HEX Torque Specs: 40-50 In/Lbs; 4.6-5.7 Nm

No
Diagram
Available

Parts List
Only


30 UT-26203
Saw Accessories

Page 14 of 16

Ref #	Part Number	Qty	S/P/F	Description
	G07830	1		EXACT MIX 2-CYCLE OIL
	G07832	1	S/P	BAR & CHAIN OIL
	DG07828	1		SAFETY GOGGLES
	DG07829	1		EAR PLUGS
	DG07826	1		16" GUIDE BAR
	DG07827	1		20" GUIDE BAR
	D1M7267AQ	1		16" SAW CHAIN
	D1M7279AQ	1		20" SAW CHAIN
	A02177	1		BUMPER SPIKE KIT
	A70776B	1	/P	SAFE T-TIP REPLACEMENT
	A79339	1	/P	KIT REPAIR SPROCKET NOSE BAR
	DA52713C	1	/P	METAL GREASE GUN FOR SPROCKET
	DG07836	1		3/16" FILE & GUIDE
	D92609B	1	S	FILE, FLAT 6"
	D06885	1		DEPTH GAUGE TOOL .020"
	00526	1		WOODEN FILE HANDLE
	DG07834	1		3/16" SHARPENING KIT

30 UT-26203
Starter - Ignition

Page 15 of 16



30 UT-26203
Starter - Ignition

Page 16 of 16

Ref #	Part Number	Qty	S/P/F	Description
1	82546	4	S/P	SCREW-Thread Form (8-16 x 5/8") Torque Specs: 20-40 In/Lbs; 2.3-4.6 Nm
2	82566	1		SCREW Thread Form (8-16 x 2 1/4) Torque Specs: 20-40 In/Lbs; 2.3-4.6 Nm
3	A036502	1		STARTER - COMPLETE
4	9789901	1	/P	ROPE, STARTER (46")
5	02264	1	S	GRIP, STARTER
6	A97908	1	/P	SPRING & CONTAINER
7	97768B	1	S	PULLEY
8	94062	1	/P	WASHER
9	82409	1	/P	SCREW Plastite (10-14 x 5/8") Torque Specs: 30-45 In/Lbs; 3.4-5.2 Nm
10	81124A	1	/P	NUT, JAM Torque Specs: 200-250 In/Lbs; 23.0-28.8 Nm
11	83102	1	/P	WASHER LOCK (3/8)
12	A00994C	1	/P	ROTOR & STARTER PAWLS
13	88052	2	/P	SCREW, Sems Hex Hd. (10-24 x 7/8") Torque Specs: 45-55 In/Lbs; 5.2-6.3 Nm
14	A01821A	1		IGNITION GROUND WIRE
15	95098	1		SLEEVE, Insulating
16	A01546	1		IGNITION MODULE
17	A02597	1		SPARK PLUG BOOT KIT
18	A01822A	1		IGNITION WIRE
19	01802	1	S	SWITCH