


330 Chain Saw UT-10604-A  
Chain Brake and Chain Stop

Page 1 of 17




330 Chain Saw UT-10604-A  
Chain Brake and Chain Stop

Page 2 of 17

| Ref # | Part Number | Qty | S/P/F | Description                      |
|-------|-------------|-----|-------|----------------------------------|
| 1     | 80983       | 3   | S     | SCREW- (8-32 x 1/2)              |
| 2     | 70705       | 1   |       | STOP- Chain                      |
| 3     | 88048       | 1   | S     | SCREW- (10-24 x 3/8)             |
| 4     | 70632       | 1   | /P    | WASHER- Flat                     |
| 5     | A95409A     | 1   |       | GUARD- hand                      |
| 6     | 80672       | 1   | S     | SCREW- Pan hd                    |
| 7     | 95411       | 1   |       | BRACKET                          |
| 8     | 80821       | 1   | /P    | SCREW (12 24 x 1/2)              |
| 9     | 95283       | 1   |       | BAND- Brake                      |
| 10    | 81192       | 1   | S     | NUT- Hex (3/8-24)                |
| 11    | 95376       | 1   |       | INSERT- Chain brake              |
| 12    | 95410       | 1   |       | WASHER- Spring                   |
| 13    | 95284A      | 1   |       | SPRING- Torsion                  |
| 14    | 95287       | 1   |       | DETENT- Brake lever              |
| 15    | 95295       | 1   |       | SPACER- Flanged                  |
| 16    | 82254       | 2   | S     | SCREW- Mach pan hd. (8-32 x 1/2) |
| 17    | 95286       | 1   |       | LINK- Chain brake                |
| 18    | 95494       | 1   |       | BUSHING                          |
| 19    | 953941      | 1   | /P    | SHIELD- Chain brake              |
|       | 95838       | 1   |       | BUMPER- Spike (not shown)        |
|       | 960621      | 1   |       | CARBURETOR SHIELD (not shown)    |

330 Chain Saw UT-10604-A  
Engine Internals

Page 3 of 17




330 Chain Saw UT-10604-A  
Engine Internals

Page 4 of 17

| Ref # | Part Number | Qty | S/P/F | Description                   |
|-------|-------------|-----|-------|-------------------------------|
| 1     | 88049       | 2   | /P    | SCREW- Sems hex (10-24 x 1/2) |
| 2     | A95884A     | 1   |       | CRANKCASE & CYLINDER          |
| 3     | 70204       | 1   | /P    | FITTING- Tube                 |
| 4     | 88053       | 6   | S     | SCREW- (10-24 x 1)            |
| 5     | 93859       | 2   |       | BOLT- Guide bar               |
|       | 94392       | 1   |       | FITTING- Tube (L) not shown   |
|       | 94619       | 1   |       | FITTING- Tube (Not shown)     |
| 6     | A95882A     | 1   |       | PISTON                        |
| 7     | 64813       | 2   | /P    | RING- Retaining               |
| 8     | 96510       | 2   | S     | PISTON RING                   |
| 9     | A96418B     | 1   |       | CRANKSHAFT                    |
| 10    | 93369       | 1   |       | BEARING- Rod                  |
| 11    | 94860       | 2   | F     | WASHER- Thrust                |
| 12    | 93846       | 2   |       | BEARING- Needle               |
| 13    | 93819       | 2   |       | RING- Retaining               |
| 14    | 93858       | 2   | S     | SEAL- Crankshaft              |
| 15    | 75078       | 1   |       | KEY- Woodruff                 |
| 16    | 93832       | 1   |       | SHIELD- Sawdust               |

330 Chain Saw UT-10604-A  
Handles, Carburetor Chamber & Starter

Page 5 of 17



330 Chain Saw UT-10604-A  
Handles, Carburetor Chamber & Starter

Page 6 of 17

| Ref # | Part Number | Qty | S/P/F | Description                                 |
|-------|-------------|-----|-------|---------------------------------------------|
| 1     | A95933A     | 1   |       | LEAD- Electrical                            |
| 2     | 95874       | 1   |       | CONTACT- Ground                             |
| 3     | A576503A    | 1   | S     | SWITCH- Grounding                           |
| 4     | 72084A1     | 1   | S     | NUT- Switch                                 |
| 5     | 12793A      | 1   | S     | PLATE- Ignition (Run-Stop)                  |
| 6     | 69092       | 1   |       | SLEEVE- Grounding switch                    |
| 7     | 81208       | 1   | /P    | NUT- Locking hex (10-24)                    |
| 8     | 93517       | 1   |       | PIN- Groove                                 |
| 9     | 93842       | 1   | /P    | TRIGGER- Throttle                           |
| 10    | 94379       | 1   |       | SPRING- Torsional                           |
| 11    | 93843       | 1   |       | THROTTLE- Interlock                         |
| 12    | 80983       | 8   | S     | SCREW- Hex hd. (8-32 x 1/2)                 |
| 13    | 93822       | 1   |       | HANDLE- Cover                               |
| 14    |             | 1   |       | PIN- Throttle lock                          |
| 15    | 95020       | 1   | S     | SPRING- Compression                         |
| 16    | 94377A      | 1   | /P    | ROD- Throttle                               |
| 17    | 58409       | 1   | /P    | RING- Retaining                             |
| 18    | 94376       | 1   |       | GROMMET                                     |
| 19    | 95976A      | 1   |       | SPRING- Extension                           |
| 20    | A95207      | 1   |       | CAP- Oil                                    |
| 21    | 94390       | 1   | S     | GASKET                                      |
| 22    | 94387B      | 1   | /P    | FILTER ELEMENT- Air                         |
| 23    | A95049      | 1   |       | PUMP Oil                                    |
| 25    | 82224       | 2   |       | SCREW- Hex hd. (8-32 x 2)                   |
| 26    | 82380       | 1   |       | SCREW- Thd. forming (8-16 x 5/8)            |
| 27    | 94395       | 1   |       | COVER- Oil pump                             |
| 28    | 94619       | 1   |       | FITTING- Tube                               |
| 29    | 94634       | 1   |       | SPRING- Helicoil                            |
| 30    | A94675      | 1   |       | DIAPHRAGM & PLUNGER                         |
| 31    | 95921       | 1   |       | GASKET- Air filter cover                    |
| 32    | 93828       | 1   |       | COVER- Air filter                           |
| 33    | 93578       | 2   | S     | SCREW- Self retaining (330 only)            |
|       | 95792       | 2   | /P    | SCREW- Rd. hd. (10-24) (330SL only)         |
| 34    | 95027       | 1   |       | GUARD- Hand (330 only)                      |
| 35    | 94389       | 1   |       | BUTTON- Choke                               |
| 36    | 94388       | 1   |       | WASHER- Wave                                |
| 37    | 94502       | 1   |       | LEVER- Choke                                |
| 38    | 95922       | 1   | /P    | SCREW- Pan taptite (8-32 x 5/16)            |
| 39    | A93853      | 1   |       | HANDLE BAR- Flush cut (prior to Lot #C309)  |
|       | A938531     | 1   |       | HANDLE BAR- Flush cut (After Lot #C309)     |
| 40    | 82246       | 2   | /P    | SCREW Cap socket hd. (10-24 x 1)            |
| 41    | 82179       | 2   |       | SCREW- Mach. hex. hd. (10-32 x 1 7/8)       |
| 42    | 94504       | 1   |       | SPACER- Choke                               |
| 43    | 94382       | 1   |       | WASHER- Wave                                |
| 44    | 94503A      | 1   | S     | PLATE- Choke                                |
| 45    | 94381       | 1   |       | GROMMET                                     |
| 46    | A94380A     | 1   |       | CARBURETOR (Walbro WT-4) (Alternate source) |
|       | A96421      | 1   |       | CARBURETOR (Zama C-1S-H3) (Primary source)  |
| 47    | 82377       | 1   |       | SCREW- Cap socket hd. (10-24 x 1 3/4)       |
| 48    | A96419A     | 1   |       | HOUSING- Engine                             |


330 Chain Saw UT-10604-A  
Handles, Carburetor Chamber & Starter

Page 7 of 17

| Ref # | Part Number | Qty | S/P/F | Description                               |
|-------|-------------|-----|-------|-------------------------------------------|
| 49    | 95633       | 1   |       | DECAL                                     |
| 50    | 98688       | 1   | S/P   | TUBING (after Lot #C309)                  |
| 51    | A68593      | 1   |       | FINDER- Oil                               |
| 52    | 96841       | 1   | S     | VALVE- Duck bill                          |
| 53    | 69454       | 1   | /P    | FILTER                                    |
| 54    | 69443       | 1   |       | FILTER- Fuel tank valve                   |
|       | 95671       | 1   | S     | PIN- Throttle lock (after Lot #C309)      |
|       | 95020       | 1   | S     | SPRING- Compression                       |
| 55    | 95989       | 1   | S     | BUSHING- Flanged                          |
|       | 58409       | 1   | /P    | RING- Retaining                           |
| 56    | 94386       | 1   |       | DECAL- Starter housing                    |
| 57    | A94736      | 1   |       | HOUSING- Starter                          |
| 58    | 938302      | 1   |       | HOUSING- Engine (bottom)                  |
| 59    | 88060       | 4   | S/P   | SCREW- Hex hd. (10-24 x 2.5000)           |
| 60    | A94673      | 1   | /P    | PLATE- Carburetor chamber                 |
| 61    | 94392       | 1   |       | FITTING- Tube (L)                         |
| 62    | 9520108     | 1   | S     | TUBING- 2" (pulse line)                   |
| 63    | 95216       | 1   |       | SPRING- Pulse line (inside)               |
| 64    | 9315721     | 1   |       | TUBING- 5 1/4" (pulse line)               |
| 65    | 64862       | 1   | /P    | GROMMET                                   |
| 66    | 9311212     | 1   | /P    | TUBING-3" (Oil Deliver)                   |
|       | 94619       | 1   |       | FITTING- Tube (see index #28)             |
| 67    | 88051       | 1   |       | SCREW- Sems hex hd. (10-24 x 3/4)         |
| 68    | 94763       | 1   |       | BRACE- handle                             |
| 69    | 95342       | 1   | /P    | GASKET Carburetor                         |
| 70    | 94391       | 1   | S     | GASKET- Oil pump                          |
|       | 9311226     | 1   |       | TUBING- 6 1/2" (Oil) (prior to Lot #C309) |
| 71    | 96894       | 1   |       | SPACER- Flanged                           |

330 Chain Saw UT-10604-A  
Muffler, Clutch & Ignition

Page 8 of 17






330 Chain Saw UT-10604-A  
Muffler, Clutch & Ignition

Page 9 of 17

| Ref # | Part Number | Qty | S/P/F | Description                                            |
|-------|-------------|-----|-------|--------------------------------------------------------|
|       | A96456      | 1   | /P    | MUFFLER                                                |
| 1     | 88058       | 2   | /P    | SCREW- Hex hd. (10-24 x 2 1/4)                         |
| 2     | 88057       | 1   | S     | SCREW- Hex sems (10-24 x 2)                            |
| 3     | 960901      | 1   |       | CAP- Muffler                                           |
| 4     | 9398302     | 1   |       | SPACER- Muffler                                        |
| 5     | 9398304     | 1   |       | SPACER- Muffler                                        |
| 6     | 96091       | 1   |       | BAFFLE- Muffler                                        |
| 7     | 96094       | 1   |       | SCREEN- Spark arrestor                                 |
| 8     | 96092       | 1   |       | BAFFLE- Muffler                                        |
| 9     | 94501       | 1   |       | PLATE- Reinforcing                                     |
| 10    | A968151     | 1   |       | BODY- Muffler                                          |
| 11    | 96093A      | 1   |       | DEFLECTOR- Exhaust                                     |
| 12    | 938561A     | 1   |       | CAP- Muffler (units prior to Lot #C201)                |
|       | A960691     | 1   | S     | CAP- Muffler (units prior to Lot #C201)<br>(330W)      |
| 13    | 93855       | 1   |       | BAFFLE- Muffler (outer) (prior to Lot #C201)<br>(330W) |
| 14    | 93504       | 1   |       | SCREEN- Spark arrestor (330W) (prior to Lot<br>#C201)  |
| 15    | 93515       | 1   |       | BAFFLE- Muffler (330W) (prior to Lot #C201)            |
| 16    | 94501       | 1   |       | PLATE- Reinforcing (prior to Lot #C201)                |
| 17    | 938571      | 1   |       | BODY- Muffler (330W) (prior to Lot #C201)              |
| 18    | A94361      | 1   |       | MODULE- Ignition                                       |
| 19    | A94754      | 1   |       | TERMINAL- High tension                                 |
| 20    | 94362       | 1   |       | LEAD- High tension                                     |
| 21    | 95098       | 1   |       | SLEEVE- Insulation                                     |
| 22    | 96169S      | 1   | S     | SPARK PLUG                                             |
| 23    | 93836B      | 1   |       | RETAINER- Reed valve                                   |
| 24    | 938341      | 2   |       | VALVE- Reed                                            |
| 25    | 93835A      | 1   |       | SEAT- Reed stop                                        |
| 26    | 93838B      | 1   | S     | BOOT- Connector                                        |
| 27    | 93847       | 1   |       | RETAINER- Boot                                         |
| 28    | 80983       | 4   | S     | SCREW- (8-32 x 1/2)                                    |
| 29    | A94668A     | 1   |       | LEAD- Electrical                                       |
| 30    | 88052       | 2   | /P    | SCREW- (10-24 x 875)                                   |
| 31    | 70705       | 1   |       | STOP- Chain                                            |
| 32    | A93632A     | 3   | S     | SHOE- Clutch                                           |
| 33    | 65064       | 2   |       | WASHER- Thrust                                         |
| 34    | 94374       | 1   |       | SPIDER- Clutch                                         |
| 35    | 93814A      | 3   | S     | SPRING- Clutch                                         |
| 36    | 93643       | 1   |       | WASHER- Thrust                                         |
| 37    | 65746B      | 1   | S     | RACE- Inner                                            |
| 38    | 64124       | 1   | S     | BEARING- Roller                                        |
| 39    | A95621      | 1   |       | SPROCKET & DRUM- 3/8" pitch 7T                         |
| 40    | 81236       | 1   |       | NUT- Hex (3/8-24)                                      |
| 41    | 93844A      | 1   |       | ROTOR                                                  |
| 42    | 95479A      | 1   | /P    | WASHER- Flat                                           |
| 43    | 81255       | 1   |       | NUT- Lock (rotor nut)                                  |
| 44    | 88050       | 5   | S     | SCREW- Hex sems (10-24 x .625)                         |
| 45    | 943412      | 1   |       | SHROUD- Air                                            |
| 46    | 46840       | 1   | /P    | CABLE TIE                                              |

330 Chain Saw UT-10604-A  
Starter & Tank

Page 10 of 17



330 Chain Saw UT-10604-A  
Starter & Tank

Page 11 of 17

| Ref # | Part Number | Qty | S/P/F | Description                           |
|-------|-------------|-----|-------|---------------------------------------|
| 1     | 81196       | 2   | S/P   | NUT- Hex (5/16-18)                    |
| 2     | A946851     | 1   |       | COVER- Drivecase                      |
| 3     | 81206       | 1   | S/P   | NUT- Hex (10-32)                      |
| 4     | 65175A      | 1   | /P    | SCREW- Guide bar adjusting            |
| 5     | 651121      | 1   | S     | PIN- Guide bar adjusting              |
| 6     | 82377       | 2   |       | SCREW- Cap socket hd. (10-24 x 1 3/4) |
| 7     | 70440A      | 2   |       | WASHER- Vibration isolator            |
| 8     | 70432A      | 6   | S     | RING- Vibration isolator              |
| 9     | 95868       | 1   | /P    | ISOLATOR- Vibration                   |
| 10    | 70433       | 3   |       | SPACER                                |
| 11    | 95453       | 1   |       | PLATE- Guide bar (outer)              |
| 12    | 95452       | 1   |       | PLATE- Guide bar (inner)              |
| 13    | 95915       | 2   | /P    | ISOLATOR- Vibration                   |
| 14    | 84025       | 1   | /P    | WASHER- Flat (#8)                     |
| 15    | A69962B     | 1   | /P    | GRIP- Starter                         |
| 16    | 70018A      | 1   | /P    | INSERT- Rope                          |
| 17    | 80983       | 4   | S     | SCREW- (8-32 x 1/2)                   |
| 18    | A93876      | 1   | S     | ROPE- Starter                         |
| 19    | 93862       | 1   | /P    | WASHER- Nylon                         |
| 20    | A94736      | 1   |       | HOUSING- Starter                      |
| 21    | A94918A     | 1   | S     | SPRING- Rewind w/retainer             |
| 22    | 94383A      | 1   | S     | PULLEY- Starter                       |
| 23    | 94384       | 1   |       | RATCHET- Starter                      |
| 24    | 94505A      | 1   | S     | LEVER- Ratchet                        |
| 25    | 95208       | 1   | S     | WASHER                                |
| 26    | 82392       | 1   |       | SCREW- Thd. forming (#10 x 1 1/4)     |
| 27    | A94678A     | 1   |       | TANK- Fuel                            |
| 28    | 9311230     | 1   | /P    | TUBING- 7 1/2 (fuel)                  |
| 29    | 96841       | 1   | S     | VALVE- Check                          |
| 30    | 96639       | 1   | S     | FILTER- Fuel                          |
| 31    | 95206       | 1   |       | SEAL- Foam                            |
| 32    | A94671      | 1   |       | CAP- Fuel                             |
| 33    | 94390       | 1   | S     | GASKET- Filler cap                    |
| 34    | 938302      | 1   |       | HOUSING- Engine (bottom)              |
| 35    | 94763       | 1   |       | BRACE- Handle                         |
| 36    | 88051       | 3   |       | SCREW- Sems hex hd. (10-24 x 3/4)     |
| 37    | 12320A      | 1   |       | SHIELD                                |
|       | A04291      | 1   |       | ASSEMBKY- Complete Starter            |

330 Chain Saw UT-10604-A  
Tools & Accessories

Page 12 of 17


## ACCESSORIES & TOOLS

|                                |           |                                           |           |
|--------------------------------|-----------|-------------------------------------------|-----------|
| GREASE- Multi use              | 17193     | SPANNER WRENCH- Clutch removal            | A-24060   |
| KIT- Bumper plate (330 & 330W) | A-12272-D | WRENCH- Combination                       | A-24284   |
| Includes:                      |           | SHIM- Black plastic (.012") rotor air gap | 24306     |
| SCREW- (10-24 x 3/8)           | 88048     | PULLER- Rotor removal                     | A-24544   |
| SCREW                          | 88051     | SEALANT                                   | 24823     |
| LACQUER- Touch up (red)        | 23475     | CORD- Starter (250 ft. reel)              | 68848     |
| LOCTITE                        | 23488-B   | SAFE•T•TIP (standard with unit)           | A-70790-A |
| PLUG- Bearing installation     | 23756     | Includes:                                 |           |
| PLUG- Piston pin removal       | A-23949   | SCREW                                     | 82335     |
| Includes:                      |           | TUBING- Rubber (10 ft.)                   | 93112-99  |
| "O" RING (1)                   | 67900     | TUBING- Rubber (10 ft.)                   | 93157-99  |
| KIT- Sprocket nose repair      | A-94851   |                                           |           |
| Includes:                      |           |                                           |           |
| BEARING- Guide bar             | 94852     |                                           |           |

| Ref #     | Part Number | Qty | S/P/F | Description                               |
|-----------|-------------|-----|-------|-------------------------------------------|
| 17193     | 17193       | 1   |       | GREASE- Multi use                         |
| A-12272-D | A12272D     | 1   |       | KIT- Bumper plate (330 & 330W)            |
| 88048     | 88048       | 1   | S     | SCREW- (10-24 x 3/8)                      |
| 88051     | 88051       | 1   |       | SCREW                                     |
| 23475     | 23475       | 1   | /P    | LACQUER- Touch up (red)                   |
| 23488-B   | 23488B      | 1   |       | LOCTITE                                   |
| 23756     | 23756       | 1   |       | PLUG- Bearing installation                |
| A-23949   | A23949      | 1   |       | PLUG- Piston pin removal                  |
| 67900     | 67900       | 1   | /P    | "O" RING (1)                              |
| A-94851   | A94851      | 1   |       | KIT- Sprocket nose repair                 |
| 94852     | 94852       | 1   |       | BEARING- Guide bar                        |
| A-24060   | A24060      | 1   | /P    | SPANNER WRENCH- Clutch removal            |
| A-24284   | A24284      | 1   |       | WRENCH- Combination                       |
| 24306     | 24306       | 1   | S     | SHIM- Black plastic (.012") rotor air gap |
| A-24544   | A24544      | 1   | S     | PULLER- Rotor removal                     |
| 24823     | 24823       | 1   | S     | SEALANT                                   |
| 68848     | 68848       | 1   | /P    | CORD- Starter (250 ft. reel)              |
| A70790A   | A70790A     | 1   |       | SAFE-T-TIP (standard with unit)           |
| 82335     | 82335       | 1   | S     | SCREW                                     |
| 9311299   | 9311299     | 1   | S     | TUBING- Rubber (10 ft.)                   |
| 9315799   | 9315799     | 1   |       | TUBING- Rubber (10 ft.)                   |

330 Chain Saw UT-10604-A  
Walbro Carburetor

Page 14 of 17




330 Chain Saw UT-10604-A  
Walbro Carburetor

Page 15 of 17

| Ref # | Part Number | Qty | S/P/F | Description          |
|-------|-------------|-----|-------|----------------------|
| 1     | 96943       | 1   |       | Repair Kit           |
| 2     | 96943       | 1   |       | Repair Kit           |
| 3     | 96943       | 1   |       | Repair Kit           |
| 4     | 96943       | 1   |       | Repair Kit           |
| 5     | 96943       | 1   |       | Repair Kit           |
| 6     | 96943       | 1   |       | Repair Kit           |
| 7     | 96943       | 1   |       | Repair Kit           |
| 8     | 96943       | 1   |       | Repair Kit           |
| 9     | 96943       | 1   |       | Repair Kit           |
| 10    | 96943       | 1   |       | Repair Kit           |
|       | 64229       | 1   | S     | Needle               |
| 11    | 96943       | 1   |       | Repair Kit           |
| 12    | 96943       | 1   |       | Repair Kit           |
| 13    | 96943       | 1   |       | Repair Kit           |
| 14    | 96943       | 1   |       | Repair Kit           |
| 15    | 96943       | 1   |       | Repair Kit           |
|       | 96944       | 1   |       | Gasket/Diaphragm Kit |
| 16    | 96943       | 1   |       | Repair Kit           |
|       | 96944       | 1   |       | Gasket/Diaphragm Kit |
| 17    | 96943       | 1   |       | Repair Kit           |
|       | 96944       | 1   |       | Gasket/Diaphragm Kit |
| 18    | 96943       | 1   |       | Repair Kit           |
|       | 96944       | 1   |       | Gasket/Diaphragm Kit |

330 Chain Saw UT-10604-A  
Zama Carburetor

Page 16 of 17





330 Chain Saw UT-10604-A  
Zama Carburetor

Page 17 of 17

| Ref # | Part Number | Qty | S/P/F | Description          |
|-------|-------------|-----|-------|----------------------|
| 1     | 96482       | 1   |       | Repair Kit           |
| 2     | 96482       | 1   |       | Repair Kit           |
| 3     | 96482       | 1   |       | Repair Kit           |
| 4     | 96482       | 1   |       | Repair Kit           |
| 5     | 96482       | 1   |       | Repair Kit           |
| 6     | 96482       | 1   |       | Repair Kit           |
| 7     | 96482       | 1   |       | Repair Kit           |
| 8     | 96482       | 1   |       | Repair Kit           |
| 9     | 96482       | 1   |       | Repair Kit           |
| 10    | 96482       | 1   |       | Repair Kit           |
| 11    | 96482       | 1   |       | Repair Kit           |
|       | 96483       | 1   |       | Diaphragm Repair Kit |
| 12    | 96482       | 1   |       | Repair Kit           |
|       | 96483       | 1   |       | Diaphragm Repair Kit |
| 13    | 96482       | 1   |       | Repair Kit           |
|       | 96483       | 1   |       | Diaphragm Repair Kit |
| 14    | 96482       | 1   |       | Repair Kit           |
|       | 96483       | 1   |       | Diaphragm Repair Kit |
| 15    | 96482       | 1   |       | Repair Kit           |
|       | 96483       | 1   |       | Diaphragm Repair Kit |