


No  
Diagram  
Available  
  
Parts List  
Only

| Ref # | Part Number | Qty | S/P/F | Description                                                                            |
|-------|-------------|-----|-------|----------------------------------------------------------------------------------------|
|       | 18453       | 1   | /P    | GREASE, MULTI-PURPOSE                                                                  |
|       | PS24306     | 1   | /P    | MODULE AIR GAP SHIM                                                                    |
|       | A04191      | 1   |       | GRASS ANTI-WRAP KIT                                                                    |
|       | 98052A      | 1   | /P    | STARTER ROPE (250 Ft. Reel)                                                            |
|       | UP06544     | 1   | /P    | TORX BIT (T25) (For Clutch Drums)                                                      |
|       | UP07160     | 1   | S/P   | TORX BIT (T27)                                                                         |
|       | JA313164    | 1   |       | IGNITION TEST SPARK PLUG                                                               |
|       | UP05860     | 1   | S/P   | RUBBER TUBING (10 Ft.)                                                                 |
|       | DA03001A    | 1   | S/P   | STRINGHEAD-Complete - E-Z Line(TM)<br>(.080 Line) (Right Hand Thread) (Black Retainer) |
|       | DA04592A    | 1   | S/P   | STRINGHEAD-Complete - E-Z Line(TM)<br>(.080 Line) (Left Hand Thread) (Red Retainer)    |
|       | 9801106     | 1   |       | REPLACEMENT STRING - E-Z Line(TM) (3 lb. Box) (.080" Dia.)                             |
|       | DA04591A    | 1   | S/P   | STRINGHEAD-Complete - E-Z Line(TM)<br>(.095 Line) (Right Hand Thread) (Black Retainer) |
|       | DA03174A    | 1   | S/P   | STRINGHEAD-Complete - E-Z Line(TM)<br>(.095 Line) (Left Hand Thread) (Red Retainer)    |
|       | 0395904     | 1   |       | REPLACEMENT STRING - E-Z Line(TM) (3 lb. Box) (.095" Dia.)                             |
|       | DA09364     | 1   | S     | STRINGHEAD-Complete-Pro-Cut(TM) Fixed Line Head (.105" Dia.)                           |
|       | D09365      | 1   | S     | REPLACEMENT Dura Line(TM) (.105" Dia.)<br>(Cartridges for Pro-Cut(TM) Fixed Line Head) |
|       | A06933      | 1   |       | SAFETY GOGGLES                                                                         |
|       | UP03036     | 1   | /P    | DUST MASK                                                                              |
|       | UP00108     | 1   | S     | COMFORT STRAP                                                                          |
|       |             | 1   |       | BA250 (Blower Attachment) UT15511;<br>YARDSMART(R) Attachment                          |
|       |             | 1   |       | BCA250 (Brushcutter Attachment) UT15512;<br>YARDSMART(R) Attachment                    |
|       |             | 1   |       | EA250 (Edger Attachment) UT15513;<br>YARDSMART(R) Attachment                           |
|       |             | 1   |       | CA250 (Cultivator Attachment) UT15514;<br>YARDSMART(R) Attachment                      |
|       | D98717C     | 1   | S/P   | TRI-ARC(TM) BLADE FOR USE ON<br>BRUSHCUTTER UNITS ONLY                                 |

C300 String Trimmer UT-20775  
Blower Attachment - BA250 (UT15511)

Page 3 of 20




C300 String Trimmer UT-20775  
Blower Attachment - BA250 (UT15511)

Page 4 of 20

| Ref # | Part Number | Qty | S/P/F | Description                                                                |
|-------|-------------|-----|-------|----------------------------------------------------------------------------|
| 1     | UP03920     | 1   | S     | DRIVESHAFT HOUSING                                                         |
| 2     | 07852       | 1   | S     | DECAL-Warning                                                              |
| 3     | UP04542     | 1   | S/F   | CABLE-Flex                                                                 |
| 4     | UP04142     | 1   | S     | CLAMP                                                                      |
| 5     | UP06874     | 1   | S/P   | UPPER HOUSING                                                              |
| 6     | UP06875     | 1   | /P    | BEARING HOUSING                                                            |
| 7     | UP04713     | 1   | S/P   | ADAPTER-Arbor                                                              |
| 8     | UP06876     | 1   | /P    | BUSHING                                                                    |
| 9     | UP04699     | 1   | S/P   | SHAFT-Arbor                                                                |
| 10    | UP04112     | 1   | S     | SCREW (10-24 x .312") Torque Spec 25 - 35 in/lbs (2.8 - 4.0 Nm)            |
| 11    | UP04123     | 1   | S/P   | WASHER, Lock (#10)                                                         |
| 12    | UP04714     | 1   | S/P   | IMPELLER                                                                   |
| 13    | UP04701     | 1   | S     | CLIP                                                                       |
| 14    | UP04141     | 1   | /P    | SCREW, Pan Hd. (8-16 x .750) Torque Spec 35 - 45 in/lbs (4.0 - 5.1 Nm)     |
| 15    | UP04697     | 1   | S/P   | LOWER HOUSING                                                              |
| 16    | UP04250     | 1   | S/P   | SCREW-Thread Forming (8-16 x 1") Torque Spec 35 - 45 in/lbs (4.0 - 5.1 Nm) |
| 17    | UP04145     | 1   | S     | GUARD-Lower Housing                                                        |
| 18    | GM011108    | 1   |       | SCREW (10-16 x 1/4") Torque Spec 5 - 20 in/lbs (.56 - 2.3 Nm)              |

C300 String Trimmer UT-20775  
Brushcutter Attachment - BCA250 (UT15512)

Page 5 of 20



C300 String Trimmer UT-20775  
Brushcutter Attachment - BCA250 (UT15512)

Page 6 of 20

| Ref # | Part Number | Qty | S/P/F | Description                                                              |
|-------|-------------|-----|-------|--------------------------------------------------------------------------|
| 1     | UP06534     | 1   | /P    | HANDLE("J")                                                              |
| 2     | UP04154     | 1   | S     | SCREW-Hex Hd. (1/4-20 X 1 1/2")                                          |
| 3     | UP04158     | 1   | S/P   | SCREW-Hex Hd. (1/4-20 X 1")                                              |
| 4     | UP04105     | 2   | S     | CLAMP-Handle Bar                                                         |
| 5     | UP04251     | 2   | S/P   | WASHER-Flat (1/4")                                                       |
| 6     | UP03409     | 2   | S/P   | WASHER-Lock (1/4")                                                       |
| 7     | UP03399     | 2   | S     | NUT-Hex (1/4-20) Torque Spec 90 - 100 in/lbs (10.2 - 11.3 Nm)            |
| 8     | UP03956     | 1   | S     | DRIVESHAFT HOUSING (Lower)                                               |
| 9     | UP04116     | 1   | S/P   | DECAL-Warning                                                            |
| 10    | UP04369     | 1   | S     | SHAFT-Flexible                                                           |
| 11    | UP04124     | 1   | S     | GEAR HEAD                                                                |
| 12    | UP05572     | 5   | S     | Screw, Cap Hd. (1/4-20 X 7/8") Torque Spec 15 - 20 in/lbs (1.7 - 2.3 Nm) |
| 13    | UP04254     | 2   | S/P   | Screw-Hex Hd. (10-24 x 1/2") Torque Spec 40 - 50 in/lbs (4.5 - 5.6 Nm)   |
| 14    | UP04126     | 1   | S/P   | WASHER-Flanged                                                           |
| 15    | UP05070     | 1   | S/P   | BLADE GUARD                                                              |
| 16    | UP04254     | 3   | S/P   | SCREW                                                                    |
| 17    | D98717C     | 1   | S/P   | BLADE-Tri-Arc(TM)                                                        |
| 18    | UP04129     | 1   | S     | WASHER-Cupped (Lower)                                                    |
| 19    | UP04127     | 1   | S     | NUT-Hex (L.H.) Torque Spec 100 - 120 in/lbs (11.3 - 13.6 Nm)             |
| 20    | UP04100     | 1   | S     | TOOL-Holding Pin                                                         |
| 21    | UP00108     | 1   | S     | HARNESS                                                                  |




C300 String Trimmer UT-20775  
Carburetor - Fuel Tank

Page 8 of 20

| Ref # | Part Number | Qty | S/P/F | Description                                                          |
|-------|-------------|-----|-------|----------------------------------------------------------------------|
| 1     | UP04308     | 1   | S/P   | GASKET-Heat Dam                                                      |
| 2     | UP04131     | 2   |       | SCREW-Machine (10-24 X 2 1/4")                                       |
| 3     | UP04348     | 1   | S     | HEAT DAM                                                             |
| 4     | UP04140     | 2   | S     | SCREW-Sems (10-24 X 1") Torque Spec 35<br>- 45 in/lbs (4.0 - 5.1 Nm) |
| B     | UP05110     | 1   | S     | CARBURETOR KIT                                                       |
| 5     | UP03916     | 1   | S     | GASKET-Carburetor                                                    |
| 6     | UP05810     | 1   | /P    | LEVER-Choke-Auto Zip                                                 |
| F     | UP05396     | 1   | S     | FUEL TANK ASSY.                                                      |
| 7     | UP03871     | 1   | S/P   | FILTER-Fuel                                                          |
| 8     | UP04293     | 1   | S     | TUBING-Rubber                                                        |
| 9     | UP04292     | 1   | S     | TUBING-Rubber                                                        |
| 10    | UP04715     | 1   | S     | TUBING-Rubber                                                        |
| 11    | UP00106     | 1   | /P    | FUEL CAP                                                             |
| 12    | UP03501     | 3   | S     | BUMPER-Rubber                                                        |
| 13    | UP04310     | 1   | S     | FITTING-Inline                                                       |
| 14    | UP03913     | 1   | S     | CLAMP                                                                |

C300 String Trimmer UT-20775  
Cultivator Attachment - CA250 (UT15514)

Page 9 of 20




C300 String Trimmer UT-20775  
Cultivator Attachment - CA250 (UT15514)

Page 10 of 20

| Ref # | Part Number | Qty | S/P/F | Description                       |
|-------|-------------|-----|-------|-----------------------------------|
| 1     | GM236103    | 1   | /P    | LOWER COVER                       |
| 2     | A07934      | 1   |       | UPPER HOUSING                     |
| 3     | UP04025     | 1   | S     | DRIVESHAFT HOUSING                |
| 4     | A08177      | 1   | /P    | FLEX CABLE                        |
| 5     | GM970307    | 2   | /P    | BOLT-Sems (1/4 - 28 x 1")         |
| 6     | GM236706    | 2   |       | SUPPORT-Tine                      |
| 7     | GM976903    | 2   | /P    | TINE                              |
| 8     | GM235701    | 2   | S     | "O" RING                          |
| 9     | A07868      | 1   |       | ROCKER ARM (L.H.)                 |
| 10    | 82618       | 4   | /P    | SCREW, Thread Form (10-24 x 3/4") |
| 11    | A07867      | 1   |       | CRANK ASSY.                       |
| 12    | A07870      | 2   |       | FLOATING BUSHING                  |
| 13    | GM236903    | 2   | S     | WASHER                            |
| 14    | GM236106    | 2   |       | CRANKSHAFT CLAMP                  |
| 15    | GM236104    | 1   |       | SHAFT CLAMP                       |
| 16    | 82618       | 14  | /P    | SCREW, Thread Form (10-24 x 3/4") |
| 17    | GM236105    | 2   |       | SHAFT CLAMP                       |
| 18    | GM011308    | 4   |       | SCREW (8-16 x 1")                 |
| 19    | A07869      | 1   |       | ROCKER ARM (R.H.)                 |
| 20    | A07866      | 1   |       | PINNON GEAR & BEARING             |
| 21    | GM062101    | 1   | S     | SNAP RING                         |

C300 String Trimmer UT-20775  
Edger Attachment - EA250 (UT15513)


Page 11 of 20



C300 String Trimmer UT-20775  
Edger Attachment - EA250 (UT15513)

Page 12 of 20

| Ref # | Part Number | Qty | S/P/F | Description                                                                       |
|-------|-------------|-----|-------|-----------------------------------------------------------------------------------|
| 1     | UP03921     | 1   | S     | DRIVESHAFT HOUSING                                                                |
| 2     | UP04369     | 1   | S     | SHAFT-Flexible                                                                    |
| 3     | UP04116     | 1   | S/P   | DECAL-Warning                                                                     |
| 4     | UP05572     | 1   | S     | SCREW-Cap Socket Hd. (1/4-20 X 7/8")<br>Torque Spec 40 - 50 in/lbs (4.5 - 5.6 Nm) |
| 5     | UP04254     | 1   | S/P   | SCREW-Sems Hex Hd. (10-24 X 1/2")<br>Torque Spec 40 - 50 in/lbs (4.5 - 5.6 Nm)    |
| 6     | UP04124     | 1   | S     | GEAR HEAD                                                                         |
| 7     | UP06879     | 1   | /P    | BLADE KIT                                                                         |
| 8     | UP04126     | 1   | S/P   | WASHER-Flanged                                                                    |
| 9     | UP04129     | 1   | S     | WASHER-Flanged (Lower)                                                            |
| 10    | UP04127     | 1   | S     | NUT-Lock Torque Spec 100 - 120 in/lbs<br>(11.3 - 13.6 Nm)                         |
| 11    | D04359A     | 1   | /P    | BLADE (2" X 9") (Qty.-2)                                                          |
| 12    | UP06881     | 1   | S/P   | SUPPORT ARM ASSEMBLY                                                              |
| 13    | UP04132     | 1   | S/P   | KNOB-Adjusting                                                                    |
| 14    | UP03397     | 1   |       | NUT-Hex                                                                           |
| 15    | UP04252     | 1   | S/P   | WASHER-Flat                                                                       |
| 16    | UP06882     | 1   |       | WHEEL KIT                                                                         |
| 17    | UP04252     | 2   | S/P   | WASHER-Flat                                                                       |
| 18    | UP06738     | 1   | S/P   | GUARD KIT                                                                         |
| 19    | UP04532     | 1   | S/P   | DECAL-Warning                                                                     |
| 20    | UP04155     | 3   | S     | SCREW-Hex Hd. (10-24 X 5/8") Torque<br>Spec 40 - 50 in/lbs (4.5 - 5.6 Nm)         |
| 21    | UP03411     | 3   |       | WASHER-Lock (#10)                                                                 |
| 22    | UP06883     | 1   | /P    | FLAP KIT                                                                          |




C300 String Trimmer UT-20775  
Engine Internal

Page 14 of 20

| Ref # | Part Number | Qty | S/P/F | Description                                                                                         |
|-------|-------------|-----|-------|-----------------------------------------------------------------------------------------------------|
| 1     | UP02995     | 1   | S     | SHORT BLOCK                                                                                         |
| 2     | UP00768     | 1   | S/P   | PISTON & ROD ASSY.                                                                                  |
| 3     | UP03838     | 1   | S/P   | RING-Piston                                                                                         |
| 4     | UP04136     | 1   | S     | CYLINDER ASSY.                                                                                      |
| 5     | UP03857     | 1   | S/P   | GASKET-Cylinder                                                                                     |
| 6     | UP04308     | 1   | S/P   | GASKET-Heat Dam                                                                                     |
| 7     | UP03916     | 1   | S     | GASKET-Carburetor                                                                                   |
| 8     | UP04710     | 1   | S     | GASKET-Muffler                                                                                      |
| 9     | UP04345     | 3   | S/P   | SCREW-Sems (12-24 X 3/4") Torque Spec<br>55 - 65 in/lbs (6.2 - 7.3 Nm); Required Loctite<br>Red 262 |
| 10    | UP00019     | 1   | S     | CRANKCASE COVER ASSEMBLY                                                                            |
| 11    | UP04335     | 1   | S     | GASKET-Crankcase Cover (Also included<br>w/short block)                                             |
| 12    | UP04295     | 4   | S/P   | SCREW-Sems (10-24 X 1/2") Torque Spec<br>35 - 45 in/lbs (4.0 - 5.1 Nm); Required Loctite<br>Red 262 |
| 13    | UP00027     | 3   | S     | MUFFLER GUARD                                                                                       |
| 14    | UP03897     | 2   | S     | SCREW-Plastite (10-14 X 1/2") Torque Spec<br>5 - 20 in/lbs (.6 - 2.3 Nm)                            |

C300 String Trimmer UT-20775  
Ignition - Rotor - Starter - Clutch

Page 15 of 20




C300 String Trimmer UT-20775  
Ignition - Rotor - Starter - Clutch

Page 16 of 20

| Ref # | Part Number | Qty | S/P/F | Description                                                                                    |
|-------|-------------|-----|-------|------------------------------------------------------------------------------------------------|
| C     | UP05270     | 1   |       | IGNITION KIT                                                                                   |
| 1     | UP03868     | 1   | S/P   | TERMINAL & COVER                                                                               |
| 2     | UP03896     | 2   | S/P   | SCREW-Taptite (8-32 X 1") Torque Spec 30 - 40 in/lbs (3.4 - 4.5 Nm); Required Loctite Blue 242 |
| 3     | UP03883     | 1   | /P    | SPARK PLUG Torque Spec 120 - 180 in/lbs (13.6 - 20.3 Nm)                                       |
| 4     | UP04537     | 1   | S     | LEAD-Electrical                                                                                |
| 5     | UP04536     | 1   | S     | LEAD-Electrical                                                                                |
| 6     | UP03009     | 1   |       | ROTOR KIT                                                                                      |
| 7     | UP04241     | 1   | S/P   | WASHER-Flat                                                                                    |
| 8     | UP00034     | 1   | S     | CLUTCH AND DRUM KIT                                                                            |
| 9     | UP04118     | 1   | /P    | SPACER                                                                                         |
| 10    | UP04275     | 1   | S     | WASHER-Flat                                                                                    |
| 11    | UP04103     | 2   | S     | CLUTCH                                                                                         |
| 12    | UP04104     | 1   | S/P   | CONNECTOR AND DRUM Torque Spec 10 - 20 in/lbs (1.1 - 2.3 Nm)                                   |
| 13    | UP02995     | 1   | S     | SHORT BLOCK (See "Engine Internal" illustration and parts list)                                |
| E     | UP02962     | 1   | S     | COMPLETE STARTER ASSEMBLY                                                                      |
| 14    | UP04164     | 3   | S     | SCREW-Thread Form (8-16 X 1/2")                                                                |
| 15    | UP03013     | 1   | S     | BAFFLE-Air                                                                                     |
| 16    | UP03012     | 1   | S     | PULLEY-Starter                                                                                 |
| 17    | UP03912     | 1   | S     | ROPE-Starter (42")                                                                             |
| 18    | UP03917     | 1   | S     | SPRING & CONTAINER                                                                             |
| 19    | UP03026     | 1   | S     | GRIP-Starter (Yellow)                                                                          |
| 20    | UP02965     | 1   |       | HOUSING-Rear Kit                                                                               |
| 21    | UP03895     | 2   | S     | SCREW-Plastite (10-14 X 7/8") Torque Spec 30 - 50 in/lbs (3.4 - 5.6 Nm)                        |
| 22    | UP03406     | 4   | S     | SCREW-Taptite (10-24 X 3/4") Torque Spec 30 - 40 in/lbs (3.4 - 4.5 Nm)                         |
| 23    | UP03114     | 1   | S/P   | CONTROL HANDLE ASSY.                                                                           |
| 24    | UP03207     | 1   | S/P   | TRIGGER-Throttle                                                                               |
| 25    | UP03210     | 1   | S     | SPRING                                                                                         |
| 26    | UP03173     | 1   | S     | THROTTLE INTERLOCK                                                                             |
| 27    | UP04197     | 1   | S/P   | SWITCH                                                                                         |
| 28    | UP04247     | 9   | S     | SCREW-Taptite (10-14 X 1") Torque Spec 30 - 50 in/lbs (3.4 - 5.6 Nm)                           |
| 29    | UP03172     | 1   | S     | CABLE-Throttle                                                                                 |
| 30    | UP03174     | 1   | S     | LEAD-Electrical                                                                                |

C300 String Trimmer UT-20775  
Muffler - Air Cleaner

Page 17 of 20




C300 String Trimmer UT-20775  
Muffler - Air Cleaner

Page 18 of 20

| Ref # | Part Number | Qty | S/P/F | Description                                                                  |
|-------|-------------|-----|-------|------------------------------------------------------------------------------|
| A     | UP04634     | 1   | S/P   | MUFFLER ASSY.                                                                |
| 1     | UP04248     | 3   | S     | SCREW, Taptite- (8-32 X 3/8") Torque Spec 25 - 35 in/lbs (2.8 - 4.0 Nm)      |
| 2     | UP04629     | 1   | S     | SCREEN-Spark                                                                 |
| 3     | UP04710     | 1   | S     | GASKET-Muffler                                                               |
| 4     | UP04258     | 2   | S     | SCREW, Truss Hd. - (10-24 X 2.188) Torque Spec 50 - 60 in/lbs (5.6 - 6.8 Nm) |
| D     | UP05084     | 1   | S     | AIR FILTER KIT                                                               |
| 5     | D98760B     | 1   | S     | FILTER-AIR                                                                   |
| 6     | UP03885     | 2   | S     | NUT-Hex (10-24) Torque Spec 30 - 40 in/lbs (3.4 - 4.5 Nm)                    |

C300 String Trimmer UT-20775  
Shaft - Spool & String - Grass Deflector

Page 19 of 20



C300 String Trimmer UT-20775  
Shaft - Spool & String - Grass Deflector

Page 20 of 20

| Ref # | Part Number | Qty | S/P/F | Description                                                             |
|-------|-------------|-----|-------|-------------------------------------------------------------------------|
| 1     | UP06959     | 1   | S/P   | HANDLE-Anti-Vibe                                                        |
| 2     | UP04262     | 1   | S/P   | NUT-Wing, Washer Faced (1/4-20) Torque Spec 5 - 25 in/lbs (.6 - 2.8 Nm) |
| 3     | UP06523     | 1   | S/P   | SCREW-Cap Hex Hd. (1/4-20 x 2")                                         |
| 4     | UP05136     | 1   | S     | DRIVESHAFT ASSY. (Upper)                                                |
| 5     | A07667      | 1   | S/P   | FLEXSHAFT w/Collar & Liner                                              |
| 6     | UP04116     | 1   | S/P   | DECAL-Warning                                                           |
| 7     | UP03839     | 1   | S     | COUPLER ASSEMBLY                                                        |
| 8     | UP05137     | 1   | S     | KNOB                                                                    |
| 9     | UP03851     | 1   | S     | DRIVESHAFT HOUSING (Lower)                                              |
| 10    | UP04541     | 1   | S     | SHAFT-Flex                                                              |
| 11    | UP04352     | 1   | S/P   | DECAL-Warning                                                           |
| 12    | UP04137     | 1   | /P    | CLAMP                                                                   |
| 13    | UP04256     | 1   | S/P   | SCREW-Sems Hex (10-24 X 3/8") Torque Spec 15 - 25 in/lbs (1.7 - 2.8 Nm) |
| 14    | UP06710     | 1   | S/P   | DEFLECTOR & BLADE KIT (55 Deg.)                                         |
| 15    | UP06523     | 1   | S/P   | SCREW-Cap Hex Hd. (1/4-20 X 2")                                         |
| 16    | UP03415     | 1   | S/P   | WASHER-Flat (1/4")                                                      |
| 17    | UP03409     | 1   | S/P   | WASHER-Lock (1/4")                                                      |
| 18    | UP04262     | 1   | S/P   | NUT-Wing, Washer Faced (1/4-20) Torque Spec 5 - 25 in/lbs (.6 - 2.8 Nm) |
| 19    | UP04119     | 1   | /P    | BLADE-Cut-Off                                                           |
| 20    | UP04159     | 2   | S     | SCREW-Mech. Hex Hd. (10-24 X 7/8")                                      |
| 21    | UP03885     | 2   | S     | NUT-Hex (10-24) Torque Spec 30 - 40 in/lbs (3.4 - 4.5 Nm)               |
| 22    | DA03001A    | 1   | S/P   | STRINGHEAD-Complete (.080")                                             |
| 23    | UP06567     | 1   | S     | HOUSING & EYELET (Dual Line)                                            |
| 24    | UP00145     | 1   | S/P   | SPOOL & STRING (.080")                                                  |
| 25    | UP06526     | 1   | S/P   | SPRING-Compression                                                      |
| 26    | DA98866A    | 1   | S     | RETAINER-Spool (R.H. Thread, Black)                                     |