


5-36508

# Body Parts Illustration



D-5284-6

## Replacement Parts

5-36508


## Body Parts

| KEY NO. | DESCRIPTION                               | PART NO. |
|---------|-------------------------------------------|----------|
| 1       | Seat                                      | 90368    |
| 2       | Seat Support                              | 90032    |
| 3       | Flange Locknut 3/8"-16                    | 15X84    |
| 4       | Shoulder Bolt 3/8"-16X7/8"                | 9X15     |
| 5       | Hex Bolt 5/16"-18X5/8"                    | 1X45     |
| 9       | Screw                                     | 26X49    |
| 10      | Seat Pivot Bracket                        | 90031    |
| 11      | Seat Deck                                 | 90186    |
| 12      | Spring                                    | 164X17   |
| 13      | Spring Retainer                           | 90014    |
| 14      | Seat Deck Support                         | 90633    |
| 15      | Carriage Bolt                             | 2X53     |
| 16      | Keps Nut 5/16" 18                         | 15X76    |
| 17      | Battery Tray                              | 24157    |
| 18      | Battery Clamp                             | 90632Z   |
| 19      | Flange Locknut 5/16"-18                   | 15X88    |
| 20      | Dashboard Assembly                        | 90737    |
| 21      | Bearing, Steering Post                    | 90081    |
| 22      | Screw                                     | 26X186   |
| 23      | Battery Clip                              | 55149    |
| 24      | Right Hood Latch*                         | 90464Z   |
| 25      | Left Hood Latch*                          | 90465Z   |
| 26      | Washer*                                   | 17X17Z   |
| 27      | Hex Nut No. 10-24*                        | 15X81    |
| 28      | Machine Screw No. 10-24X1/2"*             | 4X20Z    |
| 29      | Edge Trim*                                | 90240    |
| 30      | Hood & Grille Assembly-Complete No Hole   | 90471    |
| 30a     | Hood & Grille Assembly-Complete With Hole | 90470    |
| 32      | Shoulder Bolt 3/8"-16X7/8"                | 9X14     |
| 33      | Reflector, Headlight                      | 90009C   |
| 34      | Lens, Headlight                           | 90082    |
| 36      | Mat-Foot Rest                             | 90148    |
| 37      | Frame Channel                             | 90001    |
| 40      | Washer                                    | 17X47Z   |
| 42      | Headlight Trim                            | 90159C   |
| 43      | Lock Washer                               | 18X16    |
|         | Parts Bag                                 | 90723    |
|         | Instruction Book                          | F-7382   |
|         | Parts List                                | F-7385   |

\*NOTE: These numbers are included in with key no. 30.

# Replacement Parts Engine Mount

## 5-36508




| KEY NO. | DESCRIPTION                 | PART NO. |
|---------|-----------------------------|----------|
| 1       | Throttle Control (Complete) | 90728    |
| 2       | Screw                       | 26X159   |
| 3       | Fuel Cap                    | 23711    |
| 3A      | Fuel Cap with gauge         | 24064    |
| 4       | Fuel Tank                   | 23300    |
| 5       | Hose Clamp                  | 23713    |
| 6       | Fuel Line                   | 90671    |
| 7       | Fuel Filter                 | 24159    |
| 8       | Screw                       | 26X214   |
| 9       | Engine†                     | ----     |
| 10      | Woodruff Key No. 6          | 20062    |
| 11      | Frame Channel               | 90001    |
| 13      | Star Washer                 | 19X8     |
| 14      | Bolt-Engine Mount           | 20103    |
| 15      | Stack Pulley Assembly       | 90329Z   |
| 16      | Washer                      | 10851Z   |
| 17      | Star Washer                 | 19X39    |
| 18      | Hex Bolt 3/8"-24X1"         | 1X20     |
| 19      | Belt Guide, Stack Pulley    | 90276Z   |
| 20      | Muffler                     | 90330PA  |
| 22      | Hex Bolt 5/16"-18X3 1/4"    | 1X118    |
| 23      | Muffler Heat Shield         | 90332    |
| 24      | Exhaust Deflector           | 23740Z   |
| 25      | Screw                       | 26X203   |
| 26      | Oil Drain Extension         | 24066    |
| 27      | Oil Drain Cap               | 21651    |

†NOTE: The Engine Model, Type & Code Numbers are on the engine. All parts to the engine are available from a Briggs and Stratton Authorized Service Center. See the yellow pages under, "Engines, Gasoline" or "Gasoline Engines" in the telephone directory.

## Steering Replacement Parts

5-36508




| KEY NO. | DESCRIPTION                 | PART NO. |
|---------|-----------------------------|----------|
| 1       | Steering Wheel Cap          | 55367    |
| 2       | Steering Wheel              | 55368    |
| 3       | Hex Bolt 5/16''-18X1 1/2''  | 1X102    |
| 4       | Keps Nut                    | 15X88    |
| 5       | Steering Post               | 90130C   |
| 6       | Washer                      | 17X47Z   |
| 7       | Hex Bolt 5/16''-18X5/8''    | 1X45     |
| 8       | Screw                       | 26X49    |
| 9       | Hex Bolt 3/8''-24X3 1/4''   | 1X101    |
| 10      | Bearing                     | 90035    |
| 11      | Pinion Gear & Shaft         | 90132    |
| 12      | Sector Gear Assembly        | 90025    |
| 13      | Flange Locknut 3/8''-24     | 15X87    |
| 14      | Axle Support-Front          | 90002    |
| 15      | Cotter Pin                  | 30X49    |
| 16      | Bearing                     | 90035    |
| 17      | Axle Assembly               | 90034    |
| 18      | Washer                      | 17X113   |
| 19      | Left Hand Spindle Assembly  | 90037    |
| 20      | Ball Joint                  | 21031    |
| 21      | Washer                      | 17X124   |
| 22      | Tie Rod                     | 21475    |
| 23      | Drag Link Assembly          | 90041    |
| 24      | Right Hand Spindle Assembly | 90036    |
| 25      | Bearing*                    | 55599    |
| 26      | Tire Only*                  | 24376    |
| --      | Tire Tube*                  | 407047   |
| 27      | Wheel Only*                 | 24488E   |
| 28      | Washer-Hub Caps Only        | 17X115   |
| --      | Washer-Without Hub Caps     | 17X83Z   |
| 29      | Valve Stem & Cap*           | 24373    |
| 31      | Hub Cap-Optional            | 21662    |
| 32      | Hex Nut 3/8''-24            | 15X61    |

\*NOTE: When ordering replacement parts specify the brand name of the tire to insure that tread pattern on tire match.

5-36508

# Drive Parts Illustration



D-5283-5

## Replacement Parts

5-36508

## Drive Parts


| KEY NO. | DESCRIPTION                         | PART NO. |
|---------|-------------------------------------|----------|
| 1       | Bolt, Belt Guide                    | 20619    |
| 2       | Flange Nut 5/16"-18                 | 15X79Z   |
| 3       | Flange Locknut 3/8"-18              | 15X84    |
| 4       | Frame Channel                       | 90001    |
| 5       | Hex Bolt 5/16"-18X1 7/8"            | 1X98     |
| 6       | Push Nut                            | 28X44    |
| 7       | Cap Retainer, Parking Brake         | 28X48    |
| 8       | Retainer Ring                       | 11X7     |
| 9       | Drive Pulley                        | 90190    |
| 10      | Extension Spring                    | 165X31   |
| 12      | Idler Bracket Assembly              | 90011Z   |
| 13      | Shoulder Bolt 3/8"-16X7/8"          | 9X12     |
| 14      | Drive Belt                          | 37X45    |
| 15      | Washer                              | 17X53Z   |
| 16      | Idler Pulley                        | 21409    |
| 17      | Transaxle Support                   | 90173Z   |
| 18      | Knob-Shift Lever                    | 20739    |
| 19      | Shift Lever                         | 90670Z   |
| 20      | Shifter Yoke                        | 90183Z   |
| 21      | Hex Bolt 1/4"-28X1/2"               | 1X82     |
| 22      | Lockwasher                          | 18X32    |
| 23      | Washer                              | 17X32Z   |
| 24      | Washer                              | 17X134   |
| 25      | Screw                               | 26X207   |
| 26      | Washer                              | 17X102Z  |
| 27      | Cotter Pin                          | 30X20    |
| 28      | Transaxle† (Peerless Model No. 834) | ----     |
| 29      | Clutch and Brake Pedal              | 21544    |
| 30      | Lever Assembly                      | 90027    |
| 31      | Support Bracket                     | 90013    |
| 32      | Adjustable Nut                      | 21920    |
| 33      | Clutch Rod                          | 90066Z   |
| 34      | Brake Rod                           | 90067Z   |
| 35      | Brake Link Assembly                 | 90068Z   |
| 36      | Brake Spring                        | 165X47   |
| 37      | Flange Locknut 5/16"-18             | 15X88    |
| 38      | Transaxle Washer                    | 21521    |
| 39      | Axle Spacer                         | 87X63Z   |
| 40      | Square Key 3/16"X2"                 | 21553    |
| 41      | Woodruff Key No. 9                  | 20697    |
| 42      | Spring, Brake Return                | 165X34   |
| 43      | Tire Only*                          | 24375    |
| --      | Tire Tube*                          | 407049   |
| 44      | Wheel Only*                         | 24351E   |
| 45      | E-Ring                              | 11X3     |
| 46      | Valve Stem and Cap*                 | 24373    |
| 48      | Carriage Bolt 5/16"-18X3/4"         | 2X53Z    |
| 49      | Screw                               | 26X49    |
| 50      | Belt Guide                          | 90694    |
| 51      | Belt Guide                          | 90691    |

NOTE: For replacement parts always give the name on the side of the tire so that the tire tread pattern will be the same.

†NOTE: Replacement parts for the transaxle are available from a Tecumseh Authorized Service Center. See the yellow pages under, "Engines, Gasoline" or "Gasoline Engines" in the telephone directory.

**5-36508**


# Replacement Parts Blade Housing Top Half



| KEY NO. | DESCRIPTION                  | PART NO. | KEY NO. | DESCRIPTION               | PART NO. |
|---------|------------------------------|----------|---------|---------------------------|----------|
| 1       | Grip, Blade Control Lever    | 20476    | 10      | Grip, Lift Lever Assembly | 23340    |
| 2       | Blade Control Lever Assembly | 90030Z   | 11      | Lift Lever Assembly       | 90043    |
| 3       | Hair Pin                     | 75336    | 12      | Hanger Bracket            | 90042    |
| 4       | Carriage Bolt                | 2X64     | 13      | Flange Locknut 5/16" 18   | 15X79    |
| 5       | Screw                        | 26X49    | 14      | Lifter Rod                | 90099Z   |
| 6       | Adjuster Screw Assembly      | 90078Z   | 15      | Support Channel           | 90028    |
| 7       | Washer                       | 17X53Z   | 16      | Adjuster Rod              | 90100Z   |
| 8       | Cotter Pin                   | 30X20    | 17      | Adjustable Nut            | 21920    |
| 9       | Adjuster Brkt. Assembly      | 404063   | 18      | Spring                    | 165X32   |

**5-36508**

## Blade Housing Lower Half Illustration



**D-5252.2**

## Replacement Parts

5-36508


## Blade Housing Lower Half Parts

| KEY NO. | DESCRIPTION                          | PART NO.      | KEY NO. | DESCRIPTION                    | PART NO. |
|---------|--------------------------------------|---------------|---------|--------------------------------|----------|
| 1       | Screw                                | 26X214        | 33      | Locknut ¼''-20*                | 15X67    |
| 2       | Pulley Cover                         | 90117         | 34      | Front Hanger                   | 90106    |
| 3       | Belt—Blade Drive                     | 37X43         | 35      | Hanger Rod                     | 90133Z   |
| 4       | Jackshaft Pulley                     | 23739         | 36      | Jackshaft Housing Assembly     | 24384    |
| 5       | Jackshaft                            | 24578         | 37      | Front Hanger Bracket*          | 90401    |
| 6       | Woodruff Key No. 6                   | 20062         | 38      | Hanger Rod                     | 90107Z   |
| 7       | Washer                               | 17X53Z        | 39      | Right Skid*                    | 90392    |
| 8       | Hairpin                              | 75336         | 40      | Carriage Bolt 5 16'' 18X5/8''* | 2X53     |
| 9       | Flange Nut 5/16''-18*                | 15X79Z        | 41      | Hex Nut No. 10-24*             | 15X81    |
| 10      | Lifter Bracket*                      | 90103         | 42      | Deflector, Blade Housing       | 21154    |
| 11      | Flange Locknut 3/8''-16              | 15X84         | 43      | Push On Cap                    | 28X23    |
| 12      | Brake Bar                            | 90121Z        | 44      | Deflector Rod                  | 21198Z   |
| 13      | Pivot Lever                          | 90113Z        | 45      | Rear Deflector Bracket*        | 21187    |
| 14      | Adjustable Nut                       | 90115         | 46      | Machine Screw                  |          |
| 15      | Idler Pulley                         | 90118         |         | No. 10-24X5/8''*               | 4X21     |
| 16      | Blade Control Rod                    | 90114Z        | 47      | Torsional Spring               | 166X4    |
| 17      | Blade Brake Pad                      | 90122Z        | 48      | Front Deflector Bracket*       | 21186    |
| 19      | Spring Assembly, Blade Brake         | 90123         | 49      | Hex Bolt 5/16'' 18X1''         | 1X84     |
| 20      | Shoulder Bolt 3/8''-16X7/8''         | 9X12          | 50      | Blade Adapter                  | 54211    |
| 21      | Idler Bracket Assembly               | 90110Z        | 51      | Blade Washer                   | 21673Z   |
| 22      | Spring                               | 165X33        | 52      | Blade, 36 inch                 | 20930    |
| 23      | Link Rod                             | 90108Z        | 53      | Washer                         | 20663Z   |
| 24      | Rear Hanger Bracket*                 | 90104         | 54      | Lockwasher                     | 18X27    |
| 25      | Cotter Pin                           | 30X20         | 55      | Carriage Bolt*                 | 2X39     |
| 26      | Adjuster Bar                         | 90109         | 56      | Hex Nut-Blade Mount ½''-20     | 15X72    |
| 27      | Washer                               | 17X102        | 57      | Jackshaft Spacer               | 24533Z   |
| 28      | Flange Locknut 5/16''-18             | 15X88         | 58      | Bolt, Belt Guide               | 20619    |
| 29      | Belt Guide                           | 90120Z        | 59      | Hex Nut*                       | 15X82    |
| 30      | Blade Housing                        | 90391         | 60      | Lifter Rod                     | 90099Z   |
|         | <b>Complete Blade Housing Ass'y—</b> | <b>407918</b> | 61      | Adjuster Rod                   | 90100Z   |
| 31      | Machine Screw 1/4-20X1/2''           | 4X24          | 62      | Adjustable Nut                 | 21920    |
| 32      | Left Skid*                           | 90353         | 63      | Washer                         | 17X122Z  |
|         |                                      |               | 64      | Washer                         | 17X57Z   |
|         |                                      |               | 65      | Washer, Under Blade            | 24614Z   |

\*NOTE: These parts are included with key no, 30.

#NOTE: This part number includes key numbers 1 to 64.

5-36508

Replacement Parts  
Wiring Diagram

D-5281-4

| KEY NO. | DESCRIPTION                | PART NO. |
|---------|----------------------------|----------|
| 1       | Battery - 25 AMP HOUR      | 21065    |
| --      | Electrolyte (Battery Acid) | 90665    |
| --      | Battery Caps               | 400262   |
| 2       | Hex Bolt 1/4"-20X5/8"      | 1X38     |
| 3       | Keps Nut 1/4"-20           | 15X66    |
| 4       | Battery Cable - (Black)    | 24X9     |
| 5       | Screw                      | 26X49    |
| 6       | Fuse                       | 54212    |
| 7       | Ammeter Assembly           | 90729    |
| 8       | Ignition Switch and Key    | 21064PA  |
| 8a      | Key and Ring Only          | 20729    |
| 9       | Light Switch               | 90647    |
| 11      | Battery Cable - (Red)      | 24X17    |
| 12      | Screw                      | 26X233   |
| 13      | Solenoid                   | 24285    |
| 13a     | Cover, Solenoid            | 90565    |
| 14      | Limit Switch               | 24273    |
| 15      | Light Socket Assembly      | 90155    |
| 16      | Washer, Light Socket       | 90228    |
| 17      | Headlight Bulb             | 90084    |
| 18      | Wiring Harness             | 90730    |
| --      | Tie Strap                  | 32618    |