




D-6085-2

**BODY & CHASSIS****MODEL NO. 8-39004**

24087F


| KEY NO. | DESCRIPTION                   | PART NO. | KEY NO. | DESCRIPTION                     | PART NO. |
|---------|-------------------------------|----------|---------|---------------------------------|----------|
| 1       | Edge Trim, Hood*              | 21765    | 42      | Screw, Tap                      | 26X214   |
| 2       | Hood Assembly                 | 24084F   | 43      | Cover, Battery                  | 407310   |
| 3       | Screw, Machine No. 10-24X5/8" | 4X21Z    | 44      | Seat Spring                     | 164X17   |
| 4       | Grip, Hood Latch*             | 21434    | 45      | Screw                           | 26X49    |
| 5       | Latch, Right Hood*            | 24081    | 46      | Spring Retainer                 | 90014E   |
| --      | Latch, Left Hood*             | 24080    | 47      | Reflector, Rear                 | 23069    |
| 6       | Washer*                       | 17X17Z   | 50      | Screw                           | 26X197   |
| 7       | Nut, Hex No. 10-24*           | 15X81    | 51      | Keps Nut 1/4"-20                | 15X66    |
| 8       | Baffle, Foam Heat             | 403154   | 52      | Flange Nut 5/16"-18             | 15X79Z   |
| 9       | Reflector, Headlight          | 90009C   | 53      | Right Side Plate                | 23292E   |
| 10      | Lens                          | 90082    | 54      | Left Side Plate                 | 23293E   |
| 11      | Screen, Left Grille           | 24254E   | 56      | Rod, Battery Clamp              | 21762Z   |
| --      | Screen, Right Grille          | 24089E   | 57      | Clamp, Battery                  | 21761Z   |
| 12      | Grille Assembly               | 90668E   | 58      | Locknut, Flange 1/4"-20         | 15X82    |
| 13      | Trim, Headlight               | 90654C   | 59      | Mat, Running Board              | 21710    |
| 14      | Screw, Hex Head Tap           | 26X202   | 60      | Left Running Board              | 23823    |
| 15      | Pivot Bar*                    | 23046    | 61      | Right Running Board             | 23822    |
| 16      | Throttle Control              | 91484    | 62      | Wiring Shield                   | 24321    |
| 18      | Nut, Hex 3/8"-24              | 15X33    | 63      | Bolt, Carriage 5/16"-18X3/4"    | 2X64     |
| 19      | Lockwasher                    | 18X31    | 64      | Running Board Support Assembly  | 24253    |
| 20      | Panel, Control                | 91580E   | 65      | Bolt, Carriage 5/16"-18X5/8"    | 2X53     |
| 21      | Choke & Cable                 | 23780    | 66      | Running Board Support           | 24105    |
| 22      | Screw, Tap                    | 26X159   | 67      | Frame Channel                   | 402054   |
| 23      | Bearing, Steering Post        | 21707    | 68      | Front Axle Assembly             | 21441E   |
| 24      | Screw, Tap                    | 26X186   | 69      | Axle Hanger Assembly            | 23845E   |
| 25      | Seat                          | 91453    | 70      | Pivot Pin                       | 21469    |
| 26      | Support, Seat                 | 91044E   | 71      | Bolt, Carriage 3/8"-16X3"       | 2X60     |
| 27      | Bolt, Hex 5/16"-18X5/8"       | 1X45     | 72      | Pivot Bar Assembly*             | 23088    |
| 28      | Bolt, Shoulder                | 9X17     | 73      | Locknut, Flange 3/8"-16         | 15X84    |
| 29      | Locknut, Flange 5/16"-18      | 15X88    | 74      | Seat Switch Cover               | 56062    |
| 30      | Washer                        | 17X47Z   | --      | Assembly Parts Bag, Tractor     | 91579    |
| 31      | Lockwasher                    | 18X16    | --      | Assembly Parts Bag, Mower Deck  | 24494    |
| 33      | Pivot Bracket, Seat           | 90663E   | --      | Instruction Book, Tractor       | F-88714  |
| 34      | Rear Insert                   | 23026F   | --      | Repair Parts Book, Tractor      | F-88715  |
| 35      | Panel, Top                    | 90662E   | --      | Instruction & Repair Parts Book | F-88716  |
| 36      | Bolt, Hex 1/4"-20X5/8"        | 1X38     | --      | Mower Deck                      |          |
| 37      | Washer                        | 17X37Z   | --      | Decal, Right Hood               | 43X254   |
| 38      | Screw, Machine No. 10-24X3/4" | 4X67     | --      | Decal, Left Hood                | 43X253   |
| 39      | Fender                        | 23006E   | --      | Decal, Grille                   | 58X834   |
| 40      | Panel, Right Side             | 90660E   |         |                                 |          |
| 41      | Panel, Left Side              | 90661E   |         |                                 |          |

\*NOTE: Parts shown with an asterisk (\*) in the description are included when ordering key number 2 when ordering.

-When ordering painted parts see page 3.

# MODEL NO. 8-39004

# DRIVE SYSTEM



**DRIVE SYSTEM****MODEL NO. 8-39004**


| KEY NO. | DESCRIPTION                   | PART NO. | KEY NO. | DESCRIPTION                        | PART NO. |
|---------|-------------------------------|----------|---------|------------------------------------|----------|
| 1       | Engine***                     | ----     | 40      | Shoulder Bolt                      | 9X12     |
| 2       | Screw                         | 25X2     | 41      | Idler Pulley, Clutch               | 91178    |
| 3       | Heat Baffle, Front            | 91571E   | 42      | Idler Bracket Assembly             | 24250E   |
| 4       | Exhaust Pipe Assembly         | 23743E   | 43      | Adjustable Nut                     | 21920    |
| 5       | Woodruff Key No. 6            | 20062    | 44      | Clutch Rod                         | 21918Z   |
| 6       | Oil Drain Extension           | 23783    | 45      | Drive Belt                         | 37X26    |
| 7       | Oil Drain Cap                 | 21651    | 46      | Backside Idler Pulley              | 23238    |
| 8       | Heat Baffle, Rear             | 91372E   | 47      | Drive Pulley                       | 23052    |
| 9       | Fuel Cap                      | 23787    | 48      | Retainer Ring                      | 11X5     |
| 10      | Fuel Tank, Complete           | 23396    | 49      | Pedal, Clutch & Brake              | 21544    |
| 11      | Hose Clamp                    | 23713    | 50      | Lever Assembly, Clutch & Brake     | 91333E   |
| 12      | Fuel Filter                   | 24159    | 51      | Cotter Pin                         | 30X20    |
| 13      | Fuel Line                     | 23714    | 52      | Washer                             | 17X53Z   |
| 15      | Grommet                       | 21268    | 53      | Support Bracket                    | 23358    |
| 16      | Flange Locknut 3/8"-16        | 15X84    | 54      | Parking Brake Arm                  | 24245Z   |
| 17      | Carriage Bolt 1/4"-20         | 2X67     | 55      | Grip, Parking Brake                | 24235    |
| 18      | Flange Locknut 1/4"-20        | 15X89    | 56      | Brake Rod                          | 23728Z   |
| 19      | Fuel Tank Support             | 24331E   | 57      | Link Plate, Brake                  | 24432    |
| 20      | Screw                         | 26X197   | 58      | Adjuster Rod                       | 23735Z   |
| 21      | Right Front Transaxle Bracket | 24244E   | 59      | Spring, Brake                      | 165X41   |
| 22      | Left Front Transaxle Bracket  | 23023E   | 60      | Pin                                | 108X16   |
| 23      | Lockwasher                    | 18X31    | 61      | Disc & Hub Assembly                | 23013    |
| 24      | Hex Bolt 3/8"-16X3/4"         | 1X85     | 62      | Disc Brake Unit                    | 23019    |
| 25      | Hex Bolt 5/16"-24X5/8"        | 1X63     | 63      | Woodruff Key No. 9                 | 20697    |
| 26      | Star Washer                   | 19X6     | 64      | Knob, Shift Lever                  | 20844    |
| 27      | Spring, Drive Idler           | 165X22   | 65      | Transaxle** Peerless ModelNo. 2348 | ---      |
| 28      | Hex Bolt 1/4"-20X5/8"         | 1X38     | 66      | Rear Transaxle Bracket             | 23005E   |
| 29      | Star Washer                   | 19X8     | 67      | Extruded Washer                    | 23041Z   |
| 30      | Hex Bolt, Engine Mount        | 25X6     | 68      | Square Key 1/4"                    | 24039    |
| 31      | Belt Guide                    | 23826Z   | 69      | Wheel Hub                          | 23020    |
| 32      | Keps Nut 1/4"-20              | 15X66    | 70      | Retainer Ring                      | 11X6     |
| 33      | Stack Pulley Assembly         | 23725Z   | 71      | Hex Bolt 7/16"-20X1"               | 1X80     |
| 34      | Screw                         | 26X49    | 72      | Wheel Only                         | 407226   |
| 35      | Belt Guide, Stack Pulley      | 23789Z   | --      | Tire Only: For 23X9.50-12*         | 407920   |
| 36      | Hex Bolt 3/8"-24X1"           | 1X20     | --      | Tube Only                          | 407051   |
| 37      | Internal Tooth Lockwasher     | 19X39    | --      | Valve Stem & Cap                   | 400162   |
| 38      | Washer                        | 10851Z   | 73      | Bushing                            | 23857    |
| 39      | Idler Pulley                  | 91179    | 74      | Screw No. 8X1/2"                   | 26X203   |

\*NOTE: For replacement parts, always give the name of the side of the tire so that the tread pattern will match.

\*\*NOTE: Replacement parts for the transaxle are available from a Tecumseh Authorized Service Center. See the yellow pages under, "Engines, Gasoline" or "Gasoline Engines", in the telephone directory.

\*\*\*NOTE: The engine model, type, and code numbers of the engine are on the engine. All parts to the engine are available from a Briggs & Stratton Service Center. See the yellow pages under, "Engines, Gasoline" or "Gasoline Engines" in the telephone directory.

# MODEL NO. 8-39004      DISC BRAKE REPLACEMENT PARTS




D-5226

| KEY NO. | DESCRIPTION          | PART NO. |
|---------|----------------------|----------|
| 1       | Bolt, Hex            | 402001   |
| 2       | Locknut              | 402002   |
| 3       | Bracket              | 402003   |
| 4       | Lever Assembly       | 402004   |
| 5       | Strator Assembly     | 402008   |
| 6       | Bracket              | 402006   |
| 7       | Spacer               | 402007   |
| --      | Disc Brake, Complete | 23019    |

**MODEL NO. 8-39004**

**STEERING PARTS**



D-6001 5


**STEERING PARTS****MODEL NO. 8-39004**

| KEY NO. | DESCRIPTION                    | PART NO. |
|---------|--------------------------------|----------|
| 1       | Steering Wheel                 | 90577    |
| 3       | Keps Nut 5/16"-18              | 15X76    |
| 4       | Hex Bolt 5/16"-18X1-3/4"       | 1X75     |
| 5       | Steering Post                  | 24345C   |
| 6       | Upper Steering Coupling        | 21489    |
| 7       | Hex Bolt 1/4"-20X7/8"          | 1X95     |
| 8       | Flange Locknut 1/4"-20         | 15X89    |
| 9       | Formed Washer                  | 23039    |
| 10      | Steering Disc                  | 21532    |
| 11      | Flange Locknut 3/8"-16         | 15X84    |
| 12      | Hex Bolt 5/16"-15X5/8"         | 1X45     |
| 13      | Steering Gear Bracket Assembly | 21492    |
| 14      | Bearing                        | 20587    |
| 15      | Hex Bolt 5/16"-15X5/8"         | 1X45     |
| 16      | Steering Bracket               | 21693    |
| 17      | Flange Locknut 5/16"-18        | 15X79    |
| 18      | Steering Gear Assembly         | 21692    |
| 19      | Hex Bolt 3/8"-16X3/4"          | 1X85     |
| 20      | Flange Locknut 5/16"-18        | 15X88    |
| 21      | Hex Nut                        | 15X61    |
| 22      | Steering Ball Joint            | 21031    |
| 23      | Flange Locknut 3/8"-24         | 15X87    |
| 24      | Cotter Pin                     | 30X49    |
| 25      | Washer                         | 17X83Z   |
| 26      | Spindle Bearing                | 23820    |
| 27      | Left Spindle Assembly          | 23149E   |
| 28      | Drag Link Rod                  | 21482    |
| 29      | Sleeve, Drag Link Rod          | 156X2    |
| 30      | Sleeve, Tie Rod                | 156X1    |
| 31      | Tie Rod                        | 21475    |
| 32      | Right Spindle Assembly         | 23148E   |
| 33      | Wheel Only                     | 24413E   |
| --      | Tire Only*                     | 24410    |
| --      | Valve Stem & Cap               | 24373    |
| --      | Wheel Bearing                  | 91334    |
| --      | Tire Tube                      | 407048   |
| 34      | Washer                         | 17X115   |
| 36      | Coupling Plate                 | 21490    |

\*NOTE: For replacement parts, always give the name on the side of the tire so that the tread pattern of the tires will match.

## WIRING DIAGRAM


## MODEL NO. 8-39004



D-6109

| KEY NO. | DESCRIPTION                          | PART NO. | KEY NO. | DESCRIPTION                | PART NO. |
|---------|--------------------------------------|----------|---------|----------------------------|----------|
| 1       | Ammeter Assembly                     | 90829    | 16      | Leaf Spring, Switch        | 91561    |
| 2       | Switch, Ignition                     | 21064    | 17      | Switch, Seat Sensor        | S91031   |
| 2a      | Key Only                             | 20729    | 18      | Wire Harness-Seat Switch   | 250X10   |
| --      | Fuse, Auto Type                      | 54212    | 19      | Switch, Mower Housing      | 91299    |
| --      | Holder, Fuse                         | 407078   | 20      | Boot, Cable                | 24196    |
| 3       | Wire Harness                         | 250X9    | 21      | Switch, Light              | 90647    |
| 4       | Screw                                | 26X49    | 22      | Cable (Solenoid to Engine) | 24X13    |
| 5       | Cable, Battery Ground                | 24X6     | 23      | Socket Assembly, Light     | 90155    |
| 6       | Bolt, Hex 1/4"-20X5/8"               | 1X38     | 24      | Washer, Light Socket       | 90228    |
| 7       | Nut, Keps 1/4"-20                    | 15X66    | 25      | Bulb, Lamp                 | 90084    |
| 8       | Battery Type U1-9                    | 21075    | 26      | Strap, Tie                 | 32618    |
| --      | Acid, Battery (Electrolyte)          | 90665    | 27      | Nut, Hex 3/8"-24           | 15X33    |
| 9       | Cable, Battery (Solenoid to battery) | 24X25    | 28      | Clamp, Wire                | 21980    |
| 10      | Cover, Solenoid                      | 90565    | 29      | Washer, Ignition Switch    | 19X40    |
| 11      | Solenoid                             | 24285    | 30      | Nut, Hex                   | 15X105   |
| 12      | Screw, No. 10X1/2"                   | 26X233   | 31      | Screw, Machine #10-24X5/8" | 3X141    |
| 13      | Switch, Clutch Limit                 | 24273    | 32      | Nut, Hex #10-24            | 15X102   |
| 14      | Switch, Attachment                   | 91070    |         |                            |          |
| 15      | Shield, Switch                       | 91071    |         |                            |          |

MODEL NO. 8-39004 ELECTRICAL SCHEMATIC




- Notes:
- 1. Charging Coil - 2.9 Amps at 3400 RPM  
3.0 Amps DC at 3600 RPM
  - 2. Voltage on this side of Diode is 20 volts AC minimum.
  - 3. AC Coil - 11.9 VAC on 75W of Lights at 3400 RPM

|    |       |                               |    |        |                                |    |     |                     |
|----|-------|-------------------------------|----|--------|--------------------------------|----|-----|---------------------|
| B1 | Black | Engine DC to Ignition Switch  | R2 | Red    | Light Switch to Headlight      | C1 | Red | Solenoid to Starter |
| B2 | Black | Ignition S. to Att. Sensor S. | W  | White  | Engine AC to Light Switch      | C2 | Red | Battery to Solenoid |
| B3 | Black | Att. Sensor S. to P.T.O. S.   | Y1 | Yellow | Seat Switch to Ground          | C3 | Red | Battery to Ground   |
| B4 | Black | P.T.O. S. to Att. Sensor S.   | Y2 | Yellow | Seat Switch to Connector       |    |     |                     |
| B5 | Black | Att. Sensor S. to Clutch S.   | Y3 | Yellow | Connector to P.T.O. Switch     |    |     |                     |
| B6 | Black | Clutch Switch to Solenoid     | Y4 | Yellow | P.T.O. Switch to Ignition S.   |    |     |                     |
| R1 | Red   | Ignition Switch to Solenoid   | Y5 | Yellow | Ignition Switch to Engine Term |    |     |                     |

ELECTRICAL SCHEMATIC

# REPLACEMENT PARTS

# MOWER HOUSING TOP HALF



D-5113-5


**REPLACEMENT PARTS****MOWER HOUSING TOP HALF**

| KEY NO. | DESCRIPTION                         | PART NO. | KEY NO. | DESCRIPTION                 | PART NO. |
|---------|-------------------------------------|----------|---------|-----------------------------|----------|
| 1       | Washer                              | 10851Z   | 31      | Bolt, Hex 5/16"-18X1"       | 1X84     |
| 2       | Washer                              | 17X124   | 32      | Washer                      | 17X57Z   |
| 3       | Pin, Hair                           | 31X2     | 33      | Pin Pull                    | 21912Z   |
| 4       | Rod, Adjuster 7-5/16" Long          | 23824    | 34      | Pin, Cotter                 | 30X20    |
| --      | For 23 inch Diameter Rear Wheels    |          | 35      | Clevis                      | 24073    |
| 4a      | Rod, Adjuster 6-1/4" Long           | 23275Z   | 36      | Cover, Pulley               | 23231    |
| --      | For 18" to 20" Dia. Rear Wheels     |          | 37      | Screw, Tap                  | 26X214   |
| 5       | Bracket, Right Hanger 6-3/8" Long** | 23204Z   | 38      | Belt, Blade Drive           | 37X40    |
| --      | For 23 inch Diameter Rear Wheels    |          | 39      | Guide Belt                  | 23751Z   |
| 5a      | Bracket, Right Hanger 5-1/2" Long** | 23188Z   | 40      | Key, Woodruff No. 6         | 20062    |
| --      | For 18" to 20" Dia. Rear Wheels     |          | 41      | Mandrel                     | 23180    |
| 6       | Nut, Adjustable                     | 21920    | 42      | Pulley, Mandrel             | 20615    |
| 7       | Bolt, Carriage*                     | 2X64     | 43      | Pulley, Backside Idler      | 23238    |
| 8       | Support, Lifter*                    | 23184    | 44      | Bolt, Shoulder 3/8"-16X7/8" | 9X12     |
| 9       | Lifter Assembly*                    | 91482    | 45      | Idler Assembly, Blade Drive | 23179Z   |
| 10      | Bracket, Guide                      | 23192Z   | 46      | Rod, Brake                  | 91593Z   |
| 11      | Bolt, Hex 1/4"-20X7/8"              | 1X95     | 47      | Washer                      | 17X46    |
| 12      | Grip, Engagement Lever              | 91573    | 48      | Rod Assembly, Link          | 23232Z   |
| 13      | Grip, Lifter Latch                  | 23222    | 49      | Link, Engagement            | 23226Z   |
| 14      | Latch, Lifter                       | 23194Z   | 50      | Rod, Engagement Link        | 23228Z   |
| 15      | Spring, Lifter                      | 164X4    | 51      | Spring, Blade Drive         | 165X43   |
| 16      | Washer                              | 17X53Z   | 52      | Mandrel, Short              | 20616    |
| 17      | Bracket, Lifter Guide               | 23193Z   | 53      | Spacer                      | 23213Z   |
| 18      | Nut, Keps 1/4"-20                   | 15X66    | 54      | Pulley, Mandrel             | 23739    |
| 19      | Bolt, Shoulder 3/8"-16              | 9X13     | 55      | Pad Assembly, Brake         | 91592    |
| 20      | Pin, Hair                           | 31X6     | 56      | Belt, Cross Drive           | 37X22    |
| 21      | Locknut, Flange 3/8"-16             | 15X84    | 57      | Pulley, Idler               | 23211    |
| 22      | Locknut, Flange 5/16"-18*           | 15X88    | 58      | Spring, Actuator            | 91480    |
| 23      | Washer                              | 17X47Z   | 59      | Screw                       | 25X2     |
| 24      | Clevis, Adjusting                   | 24471Z   | 60      | Switch, Limit               | 91299    |
| 25      | Pin, Clevis                         | 29X93    | 61      | Screw, Machine #10-24X5/8"  | 3X141    |
| 26      | Nut, Hex 5/16"-18                   | 15X2     | 62      | Nut, Hex #10-24             | 15X102   |
| 27      | Cable, Lifter                       | 24470    |         |                             |          |
| 28      | Brace, Hanger                       | 24472    |         |                             |          |
| 29      | Shoulder                            | 9X14     |         |                             |          |
| 30      | Arm, Support                        | 23185    |         |                             |          |

\*NOTE: Parts that have an asterisk (\*) in the description are included with Mower Housing Assembly on the Lower Half of the mower housing illustration.

\*\*NOTE: These parts are measured from weld pin to weld pin.

# REPLACEMENT PARTS MOWER HOUSING LOWER HALF



D-5000-8

S-1035

**REPLACEMENT PARTS****MOWER HOUSING LOWER HALF**

| KEY NO. | DESCRIPTION                     | PART NO. | KEY NO. | DESCRIPTION                       | PART NO. |
|---------|---------------------------------|----------|---------|-----------------------------------|----------|
| 1       | Nut, Flange 5/16''-18*          | 15X79    | 26      | Spring, Torsion                   | 166X4    |
| 2       | Idler Assembly, Fixed*          | 23177    | 27      | Deflector, Mower Housing          | 23224    |
| 3       | Support, Idler*                 | 23240    | 28      | Locknut, Hex No. 10-24*           | 15X81    |
| 4       | Support, Engagement Link*       | 23241    | 29      | Housing, Mandrel                  | 24384    |
| 5       | Locknut, Flange 3/8''-16        | 15X84    | 30      | Washer                            | 17X140   |
| 6       | Idler Assembly, Cross Drive     | 23178Z   | 31      | Washer                            | 17X141   |
| 7       | Bolt, Shoulder 3/8''-16X7/8''   | 9X15     | 32      | Lockwasher                        | 18X27    |
| 8       | Spring, Cross Drive             | 165X60   | 33      | Nut, Hex 1/2''-20                 | 15X72    |
| 9       | Spring, Blade Brake Torsion     | 166X29   | 34      | Skid*                             | 24070    |
| 10      | Bracket & Pin Assembly          | 91591Z   | 35      | Axle, Roller                      | 23186Z   |
| 11      | Bolt, Shoulder 3/8''-16         | 9X13     | 36      | Shoulder, Rear Roller*            | 23208    |
| 12      | Pulley, Nylon                   | 23187    | 37      | Bolt, Carriage 5/16''-18X2-5/8''* | 2X53     |
| 13      | Guide, Cable                    | 23191Z   | 38      | Roller                            | 23203    |
| 14      | Housing Assembly, Mower         | 91483    | 39      | Pin, Cotter                       | 30X49    |
| 15      | Locknut, Flange 5/16''-18*      | 15X88    | 40      | Key, Woodruff No. 6               | 20062    |
| 16      | Bolt, Carriage 5/16''-18X3/4''* | 2X64     | 41      | Adapter, Blade                    | 54211    |
| 17      | Screw, Tap                      | 26X214   | 42      | Washer                            | 24614Z   |
| 18      | Guide, Cable                    | 21953Z   | 43      | Bolt, Hex 5/16''-18X3/4''         | 1X84     |
| 19      | Deck Stop*                      | 23782    | 44      | Cable, Lifter                     | 24470    |
| 20      | Baffle, Mower Housing*          | 23207    | 45      | Bolt, Hex 1/4''-20X7/8''          | 1X95     |
| 21      | Screw                           | 26X195   | 46      | Support, Front Roller*            | 24009    |
| 22      | Cap, Push On                    | 28X23    | 47      | Guide, Curved Belt                | 24071    |
| 23      | Rod, Deflector                  | 23173Z   | 48      | Locknut, Flange 1/4''-20          | 15X89    |
| 24      | Bracket, Deflector*             | 23172    | 49      | Blade (3 required)                | 24458HT  |
| 25      | Screw, Machine No. 10-24X5/8''* | 4X21     | 50      | Washer                            | 21673Z   |
|         |                                 |          | 51      | Washer, Blade                     | 20663Z   |
|         |                                 |          | --      | Housing Complete, Mower           | 403134   |

\*NOTE: Parts that have an asterisk (\*) in the description are included with Mower Housing Complete (Top & Lower Halves).