
For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 Page 1 of 8



www.mymowerparts.com

Rof #	Part Number	Qty	Description
	32586C	Qty	Cylinder (Incl. 2, 3, 4 & 76) (2-3/4" Bore)
	27652		Pin, Dowel
	27642		Plug, Oil drain
	32630		•
			Seal, Oil
	32783		Intake Valve (Std.) (Incl. 9)
	32784		Intake Valve (1/32" OS) (Incl. 9)
	27878A		Exhaust Valve (Std.) (Incl. 9)
	27880A		Exhaust Valve (1/32" OS) (Incl. 9)
	20810		Pin, Valve spring retainer (Use as re quired)
	27882		Cap, Upper valve spring
	27881		Spring, Valve
	27881		Spring, Valve
	32581		Cap, Lower valve spring
9	32581		Cap, Lower valve spring
10	34242		Dipper, Oil
10A	32590		Plate, Lock & Oil dipper (This plate may be replaced by
			34242 oil dipper but 650662C screw must be used.)
11	32587		Crankshaft (Incl. 12 & 13)
12	29783		Crankshaft Gear Pin (Early production)
13	27884		Gear, Crankshaft (Used in early production) This gear is
			servicable onlywhen it is pinned to the crankshaft.
14A	32592B		Piston & Pin Ass'y. (Std.)(2-3/4")(In cl.16)
	32593B		Piston & Pin Ass'y. (.010" OS) (Incl. 16)
	32594B		Piston & Pin Ass'y. (.020" OS) (Incl. 16)
	34517		Piston, Pin & Ring Set (Std.) (2-3/4" Bore)
	34518		Piston, Pin & Ring Set (.010" OS)
	34519		Piston, Pin & Ring Set (.020" OS)
	32595		Ring Set (Std.) (2-3/4" Bore)
	32596		Ring Set (.010" OS)
	32597		Ring Set (.020" OS)
	27888		Ring, Piston pin retaining
	32591C		O
	650662C		Rod Assy., Connecting (Incl. 10 & 18)
			Screw, Connecting rod (2 each)
	32115		Camshaft (MCR)
	34034		Lifter, Valve
	31303B		Cover, Cylinder (Incl. 24, 106 & 279)
	31546		Bushing, Crankshaft (Use as required)
	28427		Seal, Oil
	29668		Dipstick, Oil (Incl. 30)
	30684		* Gasket, Cylinder cover
	650488		Screw, 1/4-20 x 1-1/4"
	29673		* Gasket, Oil filler
	650489		Screw, 1/4-20 x 5/8"
	32631A		* Gasket, Cylinder head
	30938A		Head, Cylinder
	27793		Clip, Conduit (Use as required)
	28942		Screw, 10-32 x 3/8" (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
	650695A		Screw, 5/16-18 x 2-1/4" (Use as requi red)
	650694A		Screw, 5/16-18 x 2" (Use as required)
	33636		Resistor Spark Plug (RJ-8C)
37	34251		Resistor Spark Plug
38	27896A		* Gasket, Breather cover
	28423		Body, Breather
	28424		Element, Breather
	28425		Cover, Valve spring
	650690		Washer, Belleville (Use as required)
	WWW mymo	T T 7 4	

Washer, Belleville (Use as required) WWW.mymowerparts.com

Ref #	Part Number C)tv	Description
	26073	жıy	Washer (Use as required)
	650691		Washer, Flat (Use as required)
	650128		Screw, 10-24 x 1/2"
	27915A		* Gasket, Intake
	30195A		Flange, Carburetor (Incl. 79 & 80)
47	30196		Screw, 5/16-18 x 3/4"
50	650548		Screw, 8-32 x 5/16"
52	32326A		Lever, Governor (New lever does not need 1 of
-			51,66,132,164,165,207)
55	30205		Bracket, Adjusting
	30206		Link, Throttle
	29216		Nut, Lock, 10-32
	650152		Screw, 8-32 x 3/8"
	29826		
			Screw, 10-32 x 3/4"
	29642		Ring, Retaining
63	30699B		Governor Rod Ass'y. (This one-piece governor rodis no longer
			used. It is replaced by 30699C ass'y.,Ref. no. 63A)
	30699C		Rod Assy., Governor (Incl. 64 & 65)
64	30700		Yoke, Governor
65	650494		Screw, 6-40 x 5/16"
	29918		Lockwasher, #8 E.T.
	35350		Tube, Breather
	29747B		Screw, 5/16-24 x 21/32"
	31754A		
			Housing, Blower
	650815		Washer, Belleville
	8116		Nut, Hex
73	29536		Blower Housing Baffle (without electric starter knock-out)
			(Use as required)
73	35256A		Blower Housing Baffle (with electric starter knock-out) (Use
			as required) (Point Ignition)
74	650561		Screw, 1/4-20 x 5/8"
75	31688A		* Gasket, Carburetor
79	29752		Nut & Lockwasher Assy., 1/4-28
	650572		Screw, 1/4-28 x 1-1/8"
	730164		Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89, 90A & 331B)
<u> </u>			(Use as required)
83	27272A		* Gasket, Air cleaner
	31691		Bracket, Air cleaner NOTE: 130010 thru 10C & 11 used in
O1	31001		early production only.
00	050000		,,
	650399		Screw, 10-32 x 5/8"
	30727		Element, Air cleaner
	31715		Body, Air cleaner
	31902		Ground Wire
98	32924		Spring, Compression
99	650688		Screw, 10-32 x 1"
	31757		Base, Engine mounting
	31845		Shaft, Mechanical governor
	30591		Gear Assy., Governor (Incl. 109)
	30588A		Spool, Governor
	30590A		Washer, Flat
	29193		Ring, Retaining
	30063		Screw, 1/4-20 x 1/2"
	31758		Fuel Tank (Incl. 115)
115	410144B		Fuel Cap (White Plastic)(Std)(As requ ired)

www.mymowerparts.com

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 Page 4 of 8

H70-130008

Engine Parts List #1

343 33239A

Ref # Part Number Qty Description 115 33032 Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile) (Use as required) 115 34210 Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as required) Fuel Cap (Use as required) 115 35355 117A 29683 Valve, Fuel shut-off 118 29774 Fuel Line (Braided 8-1/4" 21 cm)(Use as req.) 118 30705 Fuel Line (Braided 16") (41 cm) (Use as req.) 118 30962 Fuel Line (Braided 32") (81 cm) (Use as req.) Screw, 10-24 x 1/2" (Use as required) 120 650128 121 30622A Extension, Blower housing 124 650542 Screw, 5/16-18 x 3/4" 127 26073 Washer (Use as required) 128 650694A Screw, 5/16-18 x 2" (Use as required) 129 32589 Key, Flywheel 130 31843A Bracket, Governor gear 131 650836 Screw, 10-24 x 1/2" Screw, 1/4-20 x 1-3/4" 133 650493 139 30972 Bracket, Choke control 149 30747 Clip, Shorting 193 610118 Cover, Spark plug (Use as required) 205 650561 Screw, 1/4-20 x 5/8" (Use as required) 209 30939A Cover, Cylinder head 266 26460 Clamp, Fuel line 270 31461 Bushing, Crankshaft (Use as required) 274 610973 Terminal Ass'y. (As req. on late prod uction) 287 27275 Clip, Hi-tension wire (Use as require d) 287 34246 Clip, Ground wire (Use as required) 331B 31752 Decal, Air cleaner 331A 34346 Decal, Instruction 332 30547A Contact Assy., Breaker 333 30548B Condenser Inlet Needle, Seat & Clip Assy. 334 631021 336 631453 Carburetor (Incl. 75) (Refer to Division 5, Section A, page 100 for breakdown) Magneto NOTE: The complete magneto is not available as 337 610689A an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as show in parts list. (Refer to Division 5, Section B, page 24 for

www.mymowerparts.com


breakdown)

Gasket Set (Incl. items marked*)

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983

Page 5 of 8






Pof #	Part Number Qtv	Description
	650489	Screw, 1/4-20 x 5/8"
	27793	Clip, Conduit (Use as required)
	28942	Screw, 10-32 x 3/8" (Use as required)
	650128	Screw, 10-32 x 3/8 (Use as required) Screw, 10-24 x 1/2"
		·
	30206	Link, Throttle
	650815	Washer, Belleville
	8116	Nut, Hex
	650399	Screw, 10-32 x 5/8" (Supplied by OEM)
	30312	Screw, 10-32 x 1/2"
	31879	Link, Governor lever-to-bellcrank
	30712	Lever, Bellcrank
	29530	Bushing, Bellcrank
	28562	Bushing, RPM adjusting lever
	33450	Nut, Lock
	30199A	Bracket, Speed control (Incl. 98 & 99)
	30202	Spring, Extension
	30201A	Lever, Speed control
98	32924	Spring, Compression
99	650688	Screw, 10-32 x 1"
193	610118	Cover, Spark plug (Use as required)
201	730152	Control Bracket (Incl. 92, 92A, 92B,93, 93A,94, 95, 95A &
		96)
263	650764	Nut, "U" Type (Use as required)
274	610973	Terminal Ass'y. (As req. on late prod uction)
	650800	Screw, 10-24 x 5/8"
	650147	Washer, Flat
	28942	Screw, 10-32 x 3/8"
	31755	Bracket, Guard
	650583	Washer, Flat
	31880	Spacer, Screen
	31756	Screen, Air
	31753	Pulley, Rope starter
	32187	Decal, "Super Start"
	33328D	Starter Motor Kit (110-120 Volt) This 110-120 volt starter
0-10	000200	motor kit may have been added to this engine. It can be
		added only if cylinder hasdrilled and tapped starter mounting
		bosses and a ring gear flywheel (see#342). Refer to service
		number stamped on end cap of motor, or on decal, for
		identifica
342	30811A	Flywheel (Ring gear flywheel requiredon engines using
		110-120 volt starter kits listed above)
342	611042	Flywheel (Used on Type letters H and above) (Std. Point
		ignition) (Ring gear flywheel required on engines using
		110-120 volt starter kits listed above)
2/12	611085	Flywheel (Minimum ring gear flywheel required on engines
J 1 ∠	011000	using 110-120 volt starter kits listed above) (Use withSolid
		State ignition)
		State ignition)

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983

Page 7 of 8

Engine Parts List #3



www.mymowerparts.com

Ref #	Part Number	Qty Description
36 36 38 42 42 50 51	27513 650697A 650695A 650694A 27896A 26073 650691 650548 30319 32326A	Lockwasher, 1/4" (Use as required) Screw, 5/16-18 x 2-1/2" (Use as requi red) Screw, 5/16-18 x 2-1/4" (Use as requi red) Screw, 5/16-18 x 2" (Use as required) * Gasket, Breather cover Washer (Use as required) Washer, Flat (Use as required) Screw, 8-32 x 5/16" Rivet, Split (Used in early productio n) Lever, Governor (New lever does not need 1 of 51,66,132,164,165,207)
57 58 59 61 66	30205 730130 30196 29216 29826 29918 730561	Bracket, Adjusting Exh.Adap.Kit (Incl. 58 & 125) (Use as req.) Screw, 5/16-18 x 3/4" (Use as require d) Nut, Lock, 10-32 Screw, 10-32 x 3/4" Lockwasher, #8 E.T. Air cleaner kit (Incl. 38, 67A, 83, 84B, 85,89B, 89C, 90A, 91, 91A, 91B, 91C, 91D, 245 & 331B) (Use only on engines with an externally vented fully adjustable carburetor)
82	730127	Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89A, 90, 238 & 331B) (Use as required)
84	27272A 31988 34819	* Gasket, Air cleaner Elbow, Air cleaner Air Cleaner Elbow (Incl. 84B, 86A, 91, 91A, 91B & 91C) (Use in 730561 assembly only)
88 90 101 103E 103B 104 113 118 118 128 132 148 148 202 203 204 265 266 289 290	650163 650399 31715 29574 391026 31506 28443 30063 29774 30705 30962 650694A 650548 34067 34069 31288 650697A 6021A 32846 26460 730512 31667 31668 31752	Screw, 10-32 x 7/8" Screw, 10-32 x 5/8" Body, Air cleaner Muffler Elbow Opt. Spark Arrest Muffler (Incl.196,1 97,199) Muffler Conduit Nut Screw, 1/4-20 x 1/2" Fuel Line (Braided 8-1/4" 21 cm)(Use as req.) Fuel Line (Braided 16") (41 cm) (Use as req.) Fuel Line (Braided 32") (81 cm) (Use as req.) Screw, 5/16-18 x 2" (Use as required) Screw, 8-32 x 5/16" (Early production) Wire Assy., Alternator adapter (4-1/4") Wire Assy., Alternator adapter (6-3/4") Exh. Adaptor Kit (Incl.125,203,204) (As req.) Screw, 5/16-18 x 2-1/2" (Use as required) Screw, 5/16-18 x 1-1/2" (Use as required) Screw, 5/16-18 x 1-1/2" (Use as required) Screw, 5/16-18 x 1-1/2" (Use as required) Bracket, Heat baffle Clamp, Fuel line Kit. Pre-cleaner (Incl 290 & 291) Spring, Pre-cleaner Decal, Air cleaner