
For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 H70-130013A Engine Parts List #1



www.mymowerparts.com

| | Part Number | Qty Description |
|------------|-------------|-----------------------------------------------------------|
| | 32586C | Cylinder (Incl. 2, 3, 4 & 76) (2-3/4" Bore) |
| | 27652 | Pin, Dowel |
| | 27642 | Plug, Oil drain |
| | 32630 | • |
| | | Seal, Oil |
| | 32783 | Intake Valve (Std.) (Incl. 9) |
| | 32784 | Intake Valve (1/32" OS) (Incl. 9) |
| | 27878A | Exhaust Valve (Std.) (Incl. 9) |
| | 27880A | Exhaust Valve (1/32" OS) (Incl. 9) |
| | 27882 | Cap, Upper valve spring |
| | 20810 | Pin, Valve spring retainer (Use as re quired) |
| | 27881 | Spring, Valve |
| | 27881 | Spring, Valve |
| | 32581 | Cap, Lower valve spring |
| | 32581 | Cap, Lower valve spring |
| 10A | 32590 | Plate, Lock & Oil dipper (This plate may be replaced by |
| | | 34242 oil dipper but 650662C screw must be used.) |
| 10 | 34242 | Dipper, Oil |
| 11 | 32670 | Crankshaft (Incl. 12 & 13) |
| 12 | 29783 | Crankshaft Gear Pin (Early production) |
| 13 | 27884 | Gear, Crankshaft (Used in early produ ction) This gear is |
| | | servicable onlywhen it is pinned to the crankshaft. |
| 14A | 32592B | Piston & Pin Ass'y. (Std.)(2-3/4")(In cl.16) |
| | 32593B | Piston & Pin Ass'y. (.010" OS) (Incl. 16) |
| | 32594B | Piston & Pin Ass'y. (.020" OS) (Incl. 16) |
| | 34517 | Piston, Pin & Ring Set (Std.) (2-3/4" Bore) |
| | 34518 | Piston, Pin & Ring Set (.010" OS) |
| | 34519 | Piston, Pin & Ring Set (.020" OS) |
| | 32595 | Ring Set (Std.) (2-3/4" Bore) |
| | 32596 | Ring Set (.010" OS) |
| | 32597 | Ring Set (.020" OS) |
| | 27888 | Ring, Piston pin retaining |
| | 32591C | Rod Assy., Connecting (Incl. 10 & 18) |
| | 650662C | Screw, Connecting rod (2 each) |
| | 32115 | Camshaft (MCR) |
| | 34034 | Lifter, Valve |
| | 31303B | Cover, Cylinder (Incl. 24, 106 & 279) |
| | 31546 | Bushing, Crankshaft (Use as required) |
| | 28427 | Seal, Oil |
| | 29668 | Dipstick, Oil (Incl. 30) |
| | 30684 | * Gasket, Cylinder cover |
| | 650488 | Screw, 1/4-20 x 1-1/4" |
| | 29673 | * Gasket, Oil filler |
| | 650489 | Screw, 1/4-20 x 5/8" |
| | 32631A | * Gasket, Cylinder head |
| | 30938A | Head, Cylinder |
| | 27793 | Clip, Conduit (Use as required) |
| | 28942 | Screw, 10-32 x 3/8" (Use as required) |
| | 650697A | Screw, 5/16-18 x 2-1/2" (Use as required) |
| | 650695A | Screw, 5/16-18 x 2-1/4" (Use as required) |
| | 650694A | Screw, $5/16-18 \times 2"$ (Use as required) |
| | 33636 | Resistor Spark Plug (RJ-8C) |
| | 34251 | Resistor Spark Plug |
| | 27896A | * Gasket, Breather cover |
| | 28423 | Body, Breather |
| | 28424 | Element, Breather |
| | 28425 | Cover, Valve spring |
| | 26073 | Washer (Use as required) |
| <u>∠</u> ۲ | | wernarts com |

| Dof # | Part Number Qt | / Description |
|-------|----------------|--------------------------------------------------------------|
| | 650691 | Washer, Flat (Use as required) |
| | 650690 | Washer, Belleville (Use as required) |
| | 650128 | Screw, 10-24 x 1/2" |
| | | |
| | 27915A | * Gasket, Intake |
| | 30195A | Flange, Carburetor (Incl. 79 & 80) |
| | 30196 | Screw, 5/16-18 x 3/4" |
| | 29716 | Screw, 1/4-28 x 7/16" |
| | 650548 | Screw, 8-32 x 5/16" |
| 52 | 32326A | Lever, Governor (New lever does not need 1 of |
| | | 51,66,132,164,165,207) |
| 55 | 30205 | Bracket, Adjusting |
| | 31710 | Link, Throttle |
| | | |
| | 29216 | Nut, Lock, 10-32 |
| | 650152 | Screw, 8-32 x 3/8" |
| | 29826 | Screw, 10-32 x 3/4" |
| | 29642 | Ring, Retaining |
| 63A | 30699C | Rod Assy., Governor (Incl. 64 & 65) |
| 63 | 30699B | Governor Rod Ass'y. (This one-piece governor rodis no longer |
| | | used. It is replaced by 30699C ass'y.,Ref. no. 63A) |
| 64 | 30700 | Yoke, Governor |
| | 650494 | Screw, 6-40 x 5/16" |
| | 29918 | |
| | | Lockwasher, #8 E.T. |
| | 35350 | Tube, Breather |
| | 29747B | Screw, 5/16-24 x 21/32" |
| | 32158E | Blower Housing (For elec.star.)(Incl. 134,135) |
| | 650815 | Washer, Belleville |
| 72 | 8116 | Nut, Hex |
| 73 | 29536 | Blower Housing Baffle (without electric starter knock-out) |
| | | (Use as required) |
| 73 | 35256A | Blower Housing Baffle (with electric starter knock-out) (Use |
| | | as required) (Point Ignition) |
| 74 | 650561 | |
| | 650561 | Screw, 1/4-20 x 5/8" |
| | 31688A | * Gasket, Carburetor |
| | 29752 | Nut & Lockwasher Assy., 1/4-28 |
| | 650572 | Screw, 1/4-28 x 1-1/8" |
| 82A | 730164 | Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89, 90A & 331B) |
| | | (Use as required) |
| 83 | 27272A | * Gasket, Air cleaner |
| | 31691 | Bracket, Air cleaner NOTE: 130010 thru 10C & 11 used in |
| 07 | 01001 | early production only. |
| | | |
| | 28820 | Screw, 10-32 x 1/2" |
| 89 | 30727 | Element, Air cleaner |
| 90 | 31715 | Body, Air cleaner |
| 100 | 29538 | Base, Engine mounting |
| | 31845 | Shaft, Mechanical governor |
| | 30591 | Gear Assy., Governor (Incl. 109) |
| | 30588A | Spool, Governor |
| | 30590A | Washer, Flat |
| | 29193 | |
| | | Ring, Retaining |
| | 650561 | Screw, 1/4-20 x 5/8" |
| | 31301 | Fuel Tank (Incl. 115) |
| | 410144B | Fuel Cap (White Plastic)(Std)(As required) |
| 115 | 33032 | Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile) |
| | | (Use as required) |
| | | |


| | | y Description |
|------|---------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 115 | 34210 | Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as required) |
| 115 | 35355 | Fuel Cap (Use as required) |
| | 28584 | Fitting, Fuel strainer & elbow |
| | 29774 | Fuel Line (Braided 8-1/4" 21 cm)(Use as req.) |
| | 30705 | Fuel Line (Braided 16") (41 cm) (Use as req.) |
| | 30962 | Fuel Line (Braided 32") (81 cm) (Use as req.) |
| | 650128 | Screw, 10-24 x 1/2" (Use as required) |
| | 30622A | Extension, Blower housing |
| | 650542 | Screw, 5/16-18 x 3/4" |
| | 26073 | Washer (Use as required) |
| | 650694A | Screw, 5/16-18 x 2" (Use as required) |
| | 32589 | Key, Flywheel |
| | 31843A | Bracket, Governor gear |
| | 650836 | Screw, 10-24 x 1/2" |
| | 650493 | Screw, 1/4-20 x 1-3/4" |
| | 30747 | Clip, Shorting |
| | 650890 | Lockwasher |
| | 610118 | Cover, Spark plug (Use as required) |
| | 27276 | Cover, Spark plug |
| | 650561 | Screw, 1/4-20 x 5/8" (Use as required) |
| | 30939A | Cover, Cylinder head |
| | 32125 | Cup, Starter |
| | 590417 | Screen, Starter cup |
| | 26460 | Clamp, Fuel line |
| | 31461 | Bushing, Crankshaft (Use as required) |
| 274 | 610973 | Terminal Ass'y. (As req. on late prod uction) |
| 287 | 27275 | Clip, Hi-tension wire (Use as require d) |
| 287 | 34246 | Clip, Ground wire (Use as required) |
| 331A | 34346 | Decal, Instruction |
| 331B | 31752 | Decal, Air cleaner |
| 332 | 30547A | Contact Assy., Breaker |
| 333 | 30548B | Condenser |
| 334 | 631021 | Inlet Needle, Seat & Clip Assy. |
| 336 | 631453 | Carburetor (Incl. 75) (Refer to Division 5, Section A, page 100 |
| | | for breakdown) |
| 207 | 610689A | Magnata NOTE: The complete magnate is not evollable as |
| 337 | 010003A | Magneto NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as show in parts list. (Refer to Division 5, Section B, page 24 for breakdown) |
| 338 | 590420 | Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown) |
| 343 | 33239A | Gasket Set (Incl. items marked*) |

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 H70-130013A Engine Parts List #2



| | | | Description |
|-----|--------|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | 650489 | | Screw, 1/4-20 x 5/8" |
| | 27793 | | Clip, Conduit (Use as required) |
| | 28942 | | Screw, 10-32 x 3/8" (Use as required) |
| | 650128 | | Screw, 10-24 x 1/2" |
| | 29716 | | Screw, 1/4-28 x 7/16" |
| | 31710 | | ink, Throttle |
| | 650815 | | Vasher, Belleville |
| | 8116 | | Nut, Hex |
| | 610118 | | Cover, Spark plug (Use as required) |
| | 27276 | | Cover, Spark plug |
| | 33450 | | Nut, Lock |
| | 30845A | | Bolt, Governor adjusting |
| | 30886A | | Spring, Governor bolt |
| | 650764 | | Nut, "U" Type (Use as required) |
| | 610973 | | Ferminal Ass'y. (As req. on late prod uction) |
| 338 | 590420 | | Rewind Starter (Refer to Division 5, Section C, page 25 for preakdown) |
| 340 | 33328D | n a b n | Starter Motor Kit (110-120 Volt) This 110-120 volt starter notor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting posses and a ring gear flywheel (see#342). Refer to service number stamped on end cap of motor, or on decal, for dentifica |
| 342 | 30811A | | Flywheel (Ring gear flywheel requiredon engines using 10-120 volt starter kits listed above) |
| 342 | 611042 | ig | Flywheel (Used on Type letters H and above) (Std. Point gnition) (Ring gear flywheel required on engines using 10-120 volt starter kits listed above) |
| 342 | 611085 | u | Flywheel (Minimum ring gear flywheel required on engines using 110-120 volt starter kits listed above) (Use withSolid State ignition) |

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 H70-130013A Engine Parts List #3



_

| | | Aty Description |
|------|---------|----------------------------------------------------------------|
| | 27513 | Lockwasher, 1/4" (Use as required) |
| | 650697A | Screw, 5/16-18 x 2-1/2" (Use as requi red) |
| 36 | 650695A | Screw, 5/16-18 x 2-1/4" (Use as requi red) |
| 36 | 650694A | Screw, 5/16-18 x 2" (Use as required) |
| 38 | 27896A | * Gasket, Breather cover |
| | 26073 | Washer (Use as required) |
| | 650691 | Washer, Flat (Use as required) |
| | 650548 | Screw, 8-32 x 5/16" |
| | 30319 | Rivet, Split (Used in early productio n) |
| | | |
| 52 | 32326A | Lever, Governor (New lever does not need 1 of |
| | | 51,66,132,164,165,207) |
| 55 | 30205 | Bracket, Adjusting |
| | 730130 | Exh.Adap.Kit (Incl. 58 & 125) (Use as req.) |
| | 30196 | Screw, $5/16-18 \times 3/4"$ (Use as require d) |
| | 29216 | Nut, Lock, 10-32 |
| | 29826 | Screw, 10-32 x 3/4" |
| | | |
| | 29918 | Lockwasher, #8 E.T. |
| 82B | 730561 | Air cleaner kit (Incl. 38, 67A, 83, 84B, 85,89B, 89C, 90A, 91, |
| | | 91A, 91B, 91C, 91D, 245 & 331B) (Use only on engines with |
| | | an externally vented fully adjustable carburetor) |
| 82 | 730127 | Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89A, 90, 238 & |
| 02 | 130121 | 331B) (Use as required) |
| | | JUD (Use as required) |
| 83 | 27272A | * Gasket, Air cleaner |
| 84D | 34819 | Air Cleaner Elbow (Incl. 84B, 86A, 91, 91A, 91B & 91C) (Use |
| | | in 730561 assembly only) |
| | 22222 | |
| | 28820 | Screw, 10-32 x 1/2" |
| | 31715 | Body, Air cleaner |
| | 32394 | Muffler Elbow |
| 102 | 32454 | Muffler Nipple |
| 103E | 391026 | Opt. Spark Arrest Muffler (Incl.196,1 97,199) |
| 104 | 28443 | Conduit Nut |
| 104 | 32862 | Conduit Nut |
| | 31694 | Bracket, Fuel tank |
| | 650561 | Screw, 1/4-20 x 5/8" |
| | 29774 | Fuel Line (Braided 8-1/4" 21 cm)(Use as req.) |
| | 30705 | Fuel Line (Braided 16") (41 cm) (Use as req.) |
| | | |
| | 30962 | Fuel Line (Braided 32") (81 cm) (Use as req.) |
| | 650694A | Screw, 5/16-18 x 2" (Use as required) |
| | 650548 | Screw, 8-32 x 5/16" (Early production) |
| | 650139 | Screw, 8-32 x 1/2" |
| | 34067 | Wire Assy., Alternator adapter (4-1/4 ") |
| 148 | 34069 | Wire Assy., Alternator adapter (6-3/4 ") |
| 189 | 6201 | Screw, 1/4-28 x 7/8" |
| 202 | 31288 | Exh. Adaptor Kit (Incl.125,203,204) (As req.) |
| | 650697A | Screw, 5/16-18 x 2-1/2" (Use as required) |
| | 6021A | Screw, 5/16-18 x 1-1/2" (Use as required) |
| | 31725A | Extension, Governor lever |
| | 29752 | Nut, Lock |
| | | |
| | 26460 | Clamp, Fuel line |
| | 31697 | Strap, Fuel tank |
| | 29212 | Screw, Hex hd. Sems, 1/4-28 x 7/16 |
| 331B | 31752 | Decal, Air cleaner |
| | | |