
For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 H70-130051B



www.mymowerparts.com

Ref #	Part Number	Qty	Description
	32586C		Cylinder (Incl. 2, 3, 4 & 76) (2-3/4" Bore)
2	27652		Pin, Dowel
3	27642		Plug, Oil drain
4	32630		Seal, Oil
5	32783		Intake Valve (Std.) (Incl. 9)
5	32784		Intake Valve (1/32" OS) (Incl. 9)
6	27878A		Exhaust Valve (Std.) (Incl. 9)
6	27880A		Exhaust Valve (1/32" OS) (Incl. 9)
	27882		Cap, Upper valve spring
	20810		Pin, Valve spring retainer (Use as re quired)
	27881		Spring, Valve
	27881		Spring, Valve
	32581		Cap, Lower valve spring
	32581		Cap, Lower valve spring
10A	32590		Plate, Lock & Oil dipper (This plate may be replaced by
			34242 oil dipper but 650662C screw must be used.)
10	34242		Dipper, Oil
11	32773		Crankshaft (Incl. 12 & 13)
12	29783		Crankshaft Gear Pin (Early production)
13	27884		Gear, Crankshaft (Used in early production) This gear is
			servicable onlywhen it is pinned to the crankshaft.
14A	32592B		Piston & Pin Ass'y. (Std.)(2-3/4")(In cl.16)
14A	32593B		Piston & Pin Ass'y. (.010" OS) (Incl. 16)
14A	32594B		Piston & Pin Ass'y. (.020" OS) (Incl. 16)
14	34517		Piston, Pin & Ring Set (Std.) (2-3/4" Bore)
14	34518		Piston, Pin & Ring Set (.010" OS)
14	34519		Piston, Pin & Ring Set (.020" OS)
	32595		Ring Set (Std.) (2-3/4" Bore)
	32596		Ring Set (.010" OS)
	32597		Ring Set (.020" OS)
	27888		Ring, Piston pin retaining
	32591C		Rod Assy., Connecting (Incl. 10 & 18)
	650662C		Screw, Connecting rod (2 each)
	32115		Camshaft (MCR)
	34034		Lifter, Valve Odinder Cover (Incl. 24, 106, 200, 24, 0, 8, 244)
	31451A 28460		Cylinder Cover (Incl.24, 106, 309, 31 0 & 311) Seal, Oil
	31546		Bushing, Crankshaft (Use as required)
	31297		Dipstick, Oil (Incl. 30)
	30684		* Gasket, Cylinder cover
	650488		Screw, 1/4-20 x 1-1/4"
	29673		* Gasket, Oil filler
	650489		Screw, 1/4-20 x 5/8"
	32631A		* Gasket, Cylinder head
	30938A		Head, Cylinder
	27793		Clip, Conduit (Use as required)
	28942		Screw, 10-32 x 3/8" (Use as required)
36	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
	650695A		Screw, 5/16-18 x 2-1/4" (Use as requi red)
	650694A		Screw, 5/16-18 x 2" (Use as required)
	33636		Resistor Spark Plug (RJ-8C)
	34251		Resistor Spark Plug
	27896A		* Gasket, Breather cover
	28423		Body, Breather
	28424		Element, Breather
	28425		Cover, Valve spring
42	26073		Washer (Use as required)


Dat III Date	N	Description
Ref # Part		Description Description
42 6506		Washer, Flat (Use as required)
42A 6506		Washer, Belleville (Use as required)
43 6501		Screw, 10-24 x 1/2"
45 2791		* Gasket, Intake
46 3019		Flange, Carburetor (Incl. 79 & 80)
47 3019		Screw, 5/16-18 x 3/4"
48 2971		Screw, 1/4-28 x 7/16"
50 6505		Screw, 8-32 x 5/16"
52 3232		Lever, Governor (New lever does not need 1 of
		51,66,132,164,165,207)
55 3020	05	Bracket, Adjusting
56 3171		Link, Throttle
59 2921		Nut, Lock, 10-32
60 6501		Screw, 8-32 x 3/8"
61 2982		·
		Screw, 10-32 x 3/4"
62 2964		Ring, Retaining
63 3069		Governor Rod Ass'y. (This one-piece governor rodis no longer
		used. It is replaced by 30699C ass'y.,Ref. no. 63A)
63A 3069	99C	Rod Assy., Governor (Incl. 64 & 65)
64 3070		Yoke, Governor
65 6504		Screw, 6-40 x 5/16"
66 2991		Lockwasher, #8 E.T.
67 3535		Tube, Breather
69 2974		Screw, 5/16-24 x 21/32"
70 3215		Blower Housing (For elec.star.)(Incl. 134,135)
71 6508		Washer, Belleville
72 8116		Nut, Hex
73 2953		Blower Housing Baffle (without electric starter knock-out)
75 2550		(Use as required)
70 000		` '
73 3525		Blower Housing Baffle (with electric starter knock-out) (Use
		as required) (Point Ignition)
74 6505	561	Screw, 1/4-20 x 5/8"
75 3168	88A	* Gasket, Carburetor
79 2975	52	Nut & Lockwasher Assy., 1/4-28
80 6505	572	Screw, 1/4-28 x 1-1/8"
82A 7301	164	Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89, 90A & 331B)
		(Use as required)
83 2727	7 2∧	* Gasket, Air cleaner
87 3169		Bracket, Air cleaner NOTE: 130010 thru 10C & 11 used in
07 3108		·
		early production only.
88 2882	20	Screw, 10-32 x 1/2"
89 3072	27	Element, Air cleaner
90 3171	15	Body, Air cleaner
97 3534	49	Ground Wire
98 2856	69	Spring, Compression
99 2950	00	Screw, 8-32 x 3/4"
100 2953	38	Base, Engine mounting
106 3184		Shaft, Mechanical governor
107 3059		Gear Assy., Governor (Incl. 109)
108 3058		Spool, Governor
109 3059		Washer, Flat
110 2919		Ring, Retaining
113 6505		Screw, 1/4-20 x 5/8"
114 3335		Fuel Tank (Incl. 115 & 117A)
115 4101		Fuel Cap (White Plastic)(Std)(As requ ired)
	111111111 10011100 01110	and out a company of

Ref #	Part Number Qty	Description
	33032	Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile) (Use as required)
115	34210	Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as required)
117 118 118 119 120 121 124 127 128 129 130 131 133 149 150 193 205 209 226 227 246 247 266 270 273 274 275 287 287	35355 33395 29774 30705 30962 33679 650128 30622A 650542 26073 650694A 32589 31843A 650836 650493 30747 650890 610118 650561 30939A 650760 28545 32125 590417 26460 31461 31711B 610973 34043 27275 34246 550223 31752	Fuel Cap (Use as required) Fitting, Fuel strainer & elbow (Incl. 119) Fuel Line (Braided 8-1/4" 21 cm) (Use as req.) Fuel Line (Braided 16") (41 cm) (Use as req.) Fuel Line (Braided 32") (81 cm) (Use as req.) Bushing, Fuel fitting Screw, 10-24 x 1/2" (Use as required) Extension, Blower housing Screw, 5/16-18 x 3/4" Washer (Use as required) Screw, 5/16-18 x 2" (Use as required) Key, Flywheel Bracket, Governor gear Screw, 10-24 x 1/2" Screw, 1/4-20 x 1-3/4" Clip, Shorting Lockwasher Cover, Spark plug (Use as required) Screw, 1/4-20 x 5/8" (Use as required) Cover, Cylinder head Screw, 8-32 x 3/8" Grommet Cup, Starter Cup, Starter Screen, Starter cup Clamp, Fuel line Bushing, Crankshaft (Use as required) Copntrol Bracket (Incl. 98, 99 & 274) Terminal Ass'y. (As req. on late prod uction) Spring, Control lever Clip, Hi-tension wire (Use as required) Decal, Name Decal, Air cleaner
332	34346 30547A	Decal, Instruction Contact Assy., Breaker
334	30548B 631021	Condenser Inlet Needle, Seat & Clip Assy.
336	631453	Carburetor (Incl. 75) (Refer to Division 5, Section A, page 100 for breakdown)
337	610689A	Magneto NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as show in parts list. (Refer to Division 5, Section B, page 24 for breakdown)
338	590420	Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)
343	33239A	Gasket Set (Incl. items marked*)

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983

Page 5 of 8

Engine Parts List #2




For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 $_{\rm Page~6~of~8}$ Engine Parts List #2

Ref #	Part Number	Qty	Description
31	650489		Screw, 1/4-20 x 5/8"
34	27793		Clip, Conduit (Use as required)
35	28942		Screw, 10-32 x 3/8" (Use as required)
43A	650128		Screw, 10-24 x 1/2"
48	29716		Screw, 1/4-28 x 7/16"
56	31710		Link, Throttle
	650815		Washer, Belleville
	8116		Nut, Hex
	9556		Plug, Pipe, 1/8-27
	28569		Spring, Compression
	29500		Screw, 8-32 x 3/4"
	610118		Cover, Spark plug (Use as required)
	650764		Nut, "U" Type (Use as required)
	610973		Terminal Ass'y. (As req. on late prod uction)
	31793		Bearing, Ball
	31855		Retainer, Bearing
	650778		Washer, Lock
	650580		Nut, Lock
	31792		Washer, Thrust
	550223		Decal, Name Revised Starter (Pefecto Division 5, Section C, page 35 for
338	590420		Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)
340	33328D		Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#342). Refer to service number stamped on end cap of motor, or on decal, for identifica
342	30811A		Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above)
342	611042		Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using 110-120 volt starter kits listed above)
342	611085		Flywheel (Minimum ring gear flywheel required on engines using 110-120 volt starter kits listed above) (Use withSolid State ignition)

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983

Page 7 of 8

Engine Parts List #3



www.mymowerparts.com

Ref #	Part Number Qt	y Description
	27513	Lockwasher, 1/4" (Use as required)
36	650697A	Screw, 5/16-18 x 2-1/2" (Use as requi red)
36	650695A	Screw, 5/16-18 x 2-1/4" (Use as requi red)
36	650694A	Screw, 5/16-18 x 2" (Use as required)
38	27896A	* Gasket, Breather cover
	26073	Washer (Use as required)
42	650691	Washer, Flat (Use as required)
	650548	Screw, 8-32 x 5/16"
	30319	Rivet, Split (Used in early productio n)
52	32326A	Lever, Governor (New lever does not need 1 of
		51,66,132,164,165,207)
55	30205	Bracket, Adjusting
57	730130	Exh.Adap.Kit (Incl. 58 & 125) (Use as req.)
58	30196	Screw, 5/16-18 x 3/4" (Use as require d)
59	29216	Nut, Lock, 10-32
61	29826	Screw, 10-32 x 3/4"
66	29918	Lockwasher, #8 E.T.
82B	730561	Air cleaner kit (Incl. 38, 67A, 83, 84B, 85,89B, 89C, 90A, 91,
		91A, 91B, 91C, 91D, 245 & 331B) (Use only on engines with
		an externally vented fully adjustable carburetor)
82	730127	Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89A, 90, 238 &
		331B) (Use as required)
83	27272A	* Gasket, Air cleaner
84D	34819	Air Cleaner Elbow (Incl. 84B, 86A, 91, 91A, 91B & 91C) (Use
		in 730561 assembly only)
88	28820	Screw, 10-32 x 1/2"
90	31715	Body, Air cleaner
101	30209	Elbow, Exhaust (45 degree)
102	30244	Muffler Nipple
103A	29633	Muffler
103E	391026	Opt. Spark Arrest Muffler (Incl.196,1 97,199)
104	32862	Conduit Nut
111B	33353	Bracket, Lower fuel tank
113	650561	Screw, 1/4-20 x 5/8"
116	33352A	Plate, Upper fuel tank mounting
	29774	Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)
	30705	Fuel Line (Braided 16") (41 cm) (Use as req.)
	30962	Fuel Line (Braided 32") (81 cm) (Use as req.)
	650694A	Screw, 5/16-18 x 2" (Use as required)
	650548	Screw, 8-32 x 5/16" (Early production)
	33356	Terminal
	792020	Screw, 1/4-20 x 2-1/4"
	34067	Wire Assy., Alternator adapter (4-1/4 ")
	34069	Wire Assy., Alternator adapter (6-3/4 ")
	31288	Exh. Adaptor Kit (Incl.125,203,204) (As req.)
	650697A	Screw, 5/16-18 x 2-1/2" (Use as requi red)
	6021A	Screw, 5/16-18 x 1-1/2" (Use as requi red)
	650760	Screw, 8-32 x 3/8"
	28545	Grommet
	26460	Clamp, Fuel line
331B	31752	Decal, Air cleaner