
For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983

H70-130054B Page 1 of 8 Engine Parts List #1



www.mymowerparts.com

Pof #	Part Number Qty	Description
	32586C	Cylinder (Incl. 2, 3, 4 & 76) (2-3/4" Bore)
	27652	Pin, Dowel
	27642	Plug, Oil drain
	32630	Seal, Oil
	32783	Intake Valve (Std.) (Incl. 9)
	32784	Intake Valve (3/32" OS) (Incl. 9)
	27878A	Exhaust Valve (Std.) (Incl. 9)
	27880A	Exhaust Valve (31d.) (Incl. 9) Exhaust Valve (1/32" OS) (Incl. 9)
	27882	Cap, Upper valve spring
	20810	Pin, Valve spring retainer (Use as re quired)
	27881	Spring, Valve
	27881	Spring, Valve
	32581	Cap, Lower valve spring
	32581	Cap, Lower valve spring
	32590	Plate, Lock & Oil dipper (This plate may be replaced by
10/1	02000	34242 oil dipper but 650662C screw must be used.)
		,
	34242	Dipper, Oil
	32680A	Crankshaft (Incl. 12 & 13)
	29783	Crankshaft Gear Pin (Early production)
13	27884	Gear, Crankshaft (Used in early production) This gear is
		servicable onlywhen it is pinned to the crankshaft.
14	34517	Piston, Pin & Ring Set (Std.) (2-3/4" Bore)
14	34518	Piston, Pin & Ring Set (.010" OS)
	34519	Piston, Pin & Ring Set (.020" OS)
	32592B	Piston & Pin Ass'y. (Std.)(2-3/4")(In cl.16)
	32593B	Piston & Pin Ass'y. (.010" OS) (Incl. 16)
	32594B	Piston & Pin Ass'y. (.020" OS) (Incl. 16)
	32595	Ring Set (Std.) (2-3/4" Bore)
	32596	Ring Set (.010" OS)
	32597	Ring Set (.020" OS)
	27888	Ring, Piston pin retaining
	32591C	Rod Assy., Connecting (Incl. 10 & 18)
	650662C	Screw, Connecting rod (2 each)
	30968	Nipple, Oil drain
	30969	Cap, Oil drain
	32115	Camshaft (MCR)
	34034 34303B	Lifter, Valve
	31303B	Cover, Cylinder (Incl. 24, 106 & 279)
	28427 31546	Seal, Oil Bushing, Crankshaft (Use as required)
	29668	Dipstick, Oil (Incl. 30)
	30684	* Gasket, Cylinder cover
	650488	Screw, 1/4-20 x 1-1/4"
	29673	* Gasket, Oil filler
	650489	Screw, 1/4-20 x 5/8"
	32631A	* Gasket, Cylinder head
	30938A	Head, Cylinder
	27793	Clip, Conduit (Use as required)
	28942	Screw, 10-32 x 3/8" (Use as required)
	650697A	Screw, 5/16-18 x 2-1/2" (Use as requi red)
	650695A	Screw, 5/16-18 x 2-1/4" (Use as requi red)
	650694A	Screw, 5/16-18 x 2" (Use as required)
	33636	Resistor Spark Plug (RJ-8C)
	34251	Resistor Spark Plug
	27896A	* Gasket, Breather cover
39	28423	Body, Breather
40	28424	Element, Breather
	WWW MUMAN	ornorta com

WWW.mymowerparts.com

		Qty Description
41	28425	Cover, Valve spring
42	26073	Washer (Use as required)
42	650691	Washer, Flat (Use as required)
	650690	Washer, Belleville (Use as required)
	650128	Screw, 10-24 x 1/2"
	27915A	* Gasket, Intake
	30195A	Flange, Carburetor (Incl. 79 & 80)
	30196	Screw, 5/16-18 x 3/4"
	29716	· · · · · · · · · · · · · · · · · · ·
		Screw, 1/4-28 x 7/16"
	650548	Screw, 8-32 x 5/16"
52	32326A	Lever, Governor (New lever does not need 1 of 51,66,132,164,165,207)
55	30205	Bracket, Adjusting
	30824	Link, Throttle
	29216	Nut, Lock, 10-32
	29826 29826	
		Screw, 10-32 x 3/4"
	29642	Ring, Retaining
	30699C	Rod Assy., Governor (Incl. 64 & 65)
63	30699B	Governor Rod Ass'y. (This one-piece governor rodis no longer used. It is replaced by 30699C ass'y.,Ref. no. 63A)
64	30700	Yoke, Governor
	650494	Screw, 6-40 x 5/16"
	29918	Lockwasher, #8 E.T.
	35350	Tube, Breather
	29747B	Screw, 5/16-24 x 21/32"
	32158E	Blower Housing (For elec.star.)(Incl. 134,135)
	650815	
		Washer, Belleville
	8116	Nut, Hex
73	29536	Blower Housing Baffle (without electric starter knock-out) (Use as required)
73	35256A	Blower Housing Baffle (with electric starter knock-out) (Use as required) (Point Ignition)
74	650561	Screw, 1/4-20 x 5/8"
	31688A	* Gasket, Carburetor
	29752	Nut & Lockwasher Assy., 1/4-28
	650572	Screw, 1/4-28 x 1-1/8"
	730164	Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89, 90A & 331B)
OZA	730104	(Use as required)
97	35349	Ground Wire
	29538	Base, Engine mounting
	32401	Muffler
	31845	Shaft, Mechanical governor
	30591	Gear Assy., Governor (Incl. 109)
	30588A	Spool, Governor
	30590A	Washer, Flat
	29193	Ring, Retaining
	650561	Screw, 1/4-20 x 5/8"
	33350	Fuel Tank (Incl. 115 & 117A)
	410144B	Fuel Cap (White Plastic)(Std)(As requ ired)
115	33032	Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile) (Use as required)
115	34210	Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as required)
115	35355	Fuel Cap (Use as required)

www.mymowerparts.com


For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 $_{\rm Page\ 4\ of\ 8}$ Engine Parts List #1

Ref #	Part Number	Qtv	Description
	33351		Valve, Fuel strainer & shut-off (Incl 119)
	29774		Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)
	30705		Fuel Line (Braided 16") (41 cm) (Use as req.)
	30962		Fuel Line (Braided 32") (81 cm) (Use as req.)
	33679		Bushing, Fuel fitting
	650128		Screw, 10-24 x 1/2" (Use as required)
	30622A		Extension, Blower housing
124	650542		Screw, 5/16-18 x 3/4"
125	27930A		Gasket, Exhaust
126	30196		Screw, 5/16-18 x 3/4"
127	26073		Washer (Use as required)
128	650694A		Screw, 5/16-18 x 2" (Use as required)
129	32589		Key, Flywheel
130	31843A		Bracket, Governor gear
131	650836		Screw, 10-24 x 1/2"
133	650493		Screw, 1/4-20 x 1-3/4"
149	30747		Clip, Shorting
193	610118		Cover, Spark plug (Use as required)
205	650561		Screw, 1/4-20 x 5/8" (Use as required)
	30939A		Cover, Cylinder head
246	32125		Cup, Starter
247	590417		Screen, Starter cup
266	26460		Clamp, Fuel line
270	31461		Bushing, Crankshaft (Use as required)
	610973		Terminal Ass'y. (As req. on late prod uction)
	27275		Clip, Hi-tension wire (Use as require d)
	34246		Clip, Ground wire (Use as required)
	34346		Decal, Instruction
	30547A		Contact Assy., Breaker
	30548B		Condenser
	631021		Inlet Needle, Seat & Clip Assy.
336	631440		Carburetor (Incl. 75) (Refer to Division 5, Section A, page 78
			for breakdown)
337	610694A		Magneto (w/ring gear for 110 volt sta rter) NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as show in parts list. (Refer to Division 5, Section B, page 24 for breakdown)
338	590473		Rewind Starter (Refer to Division 5, Section C, page 29 for breakdown)
343	33239A		Gasket Set (Incl. items marked*)

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983

Page 5 of 8

Engine Parts List #2



www.mymowerparts.com


For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 $_{\rm Page~6~of~8}$ Engine Parts List #2

Ref # Part Number	31 34	650489 27793	Screw, 1/4-20 x 5/8"
Cip. Conduit (Use as required)	34	27793	·
35 28942 43A 650128 43 29716 56 30824 12" 16 56 30824 12" 17 650315 17 8116 18 18 18 18 18 18 18 18 18 18 18 18 18 1			Clip. Conduit (Use as required)
43A 650128 48 29716 56 30824 1.Ink, Throttle 71 650815 Washer, Belleville Nut, Hex 76 9556 Plug, Pipe, 1/8-27 134 33013 Cover, Bubble Screw, 10-16 x 3/8" 193 610118 Cover, Spark plug (Use as required) Cover, Carburetor Screw, 10-16 x 3/8" Cover, Carburetor Screw, 10-22 x 1/2" Cover, Carburetor Screw, 10-32 x 1/2" Screw,	30	28942	
48 29716 56 30824 11			
56 30824 71 650815 72 8116 73 8116 74 8156 75 9556 76 9556 76 Plug, Pipe, 1/8-27 77 813 33013 78 650736 80 50737 80 5073			·
71 650815 72 8116 72 8116 73 9556 80			•
72 8116 76 9556 76 9556 Plug, Pipe, 1/8-27 Cover, Bubble Screw, 10-16 x 3/8" 193 610118 Cover, Spark plug (Use as required) Control Bracket (Incl. 224 & 274) Spring, Extension Screw, 8-32 x 5/16" Cover, Spark plug (Use as required) Control Bracket (Incl. 224 & 274) Spring, Extension Screw, 8-32 x 5/16" Cover, Carburetor Screw, 8-32 x 5/16" Cover, Carburetor Screw, 8-32 x 3/8" Screw, 10-32 x 1/2" S66 650760 Screw, 8-32 x 3/8" Screw, 10-32 x 1/2" Plug, Cover Aut, "U" Type (Use as required) Terminal Assy. (As req. on late prod uction) Plate Assy., Choke Spring, Choke stop Knob, Choke Guard, Starter Salt 3118 S1682 Salt 31718 Decal, Choke Decal, Instruction Starter (Refer to Division 5, Section C, page 29 for breakdown) Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added on this penjine. It can be added only if cylinder hasdfilled and tapped starter motor kit may have been added to this engine. It can be added only if cylinder hasdfilled and tapped starter mounting bosses and a ring gear flywheel (see#342). Refer to service number stamped on end cap of motor, or on decal, for identifica 342 30811A Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter stamped on end cap of motor, or on decal, for identifica Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using 110-120 volt starter starnged on engines using 150 point ignition) (Ring gear flywheel required on engines using 110-120 volt starter starnged on engines using 150 point 15			·
76 9556 134 33013 135 650736 137 650736 138 610118 139 610118 130 6200 33108A 130 6200 33108A 130 650257 130 650257 131 6200 650257 131 6200 650257 131 6200 650257 132 6200 650257 132 6200 650257 132 6200 650257 132 6200 650257 132 6200 650257 132 6200 650257 132 6200 650257 132 6200 650257 132 6200 650257 132 6200 650257 132 6200 650257 132 6200 650257 132 6200 650257 132 6200 650250 132 6200 650250 132 6200 650250 132 6200 650250 132 6200 650250 132 6200 650250 132 6200 650250 132 6200 650250 132 6200 650250 132 6200 650250 132 6200 650250 132 6200 650250 132 6200 650250 133 6200 650250 134 6200 6			·
134 33013 Cover, Bubble Screw, 10-16 x 3/8" Cover, Spark plug (Use as required) Cover, Carburetor Screw, 8-32 x 5/16" Cover, Carburetor Screw, 8-32 x 5/16" Cover, Carburetor Screw, 8-32 x 3/8" Cover, Carburetor Screw, 10-32 x 1/2" Cover, 10-32 x 1/2"			,
135 650736 Screw, 10-16 x 3/8" Cover, Spark plug (Use as required)			
193 610118 200 33108A 204 30826 224 30826 230 650257 231 32395 254 32398 255 28820 256 650760 256A 650765 257 31291 263 650764 274 610973 283 32399 284 32400 292 31680 293 32576 331680 293 32576 331680 293 32576 331680 293 32576 33168 331718 3318 31682 3338D 340 33328D Cover, Spark plug (Use as required) Control Bracket, (Incl. 224 & 274) Spring, Extension Cover, Carburetor Screw, 8-32 x 5/16" Cover, Carburetor Screw, 8-32 x 5/16" Cover, Carburetor Screw, 8-32 x 5/16" Cover, Carburetor Screw, 10-32 x 1/2" Plug, Cover Nut, "U" Type (Use as required) Ferminal Assy., (As req. on late prod uction) Plate Assy., Choke Spring, Choke stop Knob, Choke Guard, Starter Seal, Snow guard Decal, Choke Decal, Instruction Rewind Starter (Refer to Division 5, Section C, page 29 for breakdown) Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#342). Refer to service number stamped on end cap of motor, or on decal, for identifica 342 30811A Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above) Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using 110-120 volt starter kits listed above)			
200 33108A 224 30826 230 650257 Spring, Extension Screw, 8-32 x 5/16" 231 32395 Cover, Carburetor Bracket, Choke 255 28820 Screw, 10-32 x 1/2" 256 650760 Screw, 8-32 x 3/8" 256A 650765 Screw, 10-32 x 1/2" 263 650764 Nut, "U" Type (Use as required) 274 610973 Plug, Cover 283 32399 Plate Assy, Choke 293 32397 Plate Assy, Choke 293 32576 Spring, Choke stop Knob, Choke 292 31680 Suray, 10-32 x 1/2" Seal, Snow guard 293 3113 3114 31682 Sall, Snow guard Sall, Instruction Rewind Starter (Refer to Division 5, Section C, page 29 for breakdown) Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#342). Refer to service number stamped on end cap of motor, or on decal, for identifica 342 30811A Flywheel (Ring gear flywheel required on engines using 110-120 volt) Starter Hand above) (Std. Point ignition) (Ring gear flywheel required on engines using 110-120 volt starter kits listed above)			•
224 30826 Spring, Extension Screw, 8-32 x 5/16"			
230 650257 231 32395 254 32398 255 28820 256 650760 257 31291 256 650765 257 31291 263 650764 274 610973 282 32397 283 32399 283 32399 284 32400 292 31680 292 31680 293 32576 331G 31718 311 31682 338 590473 Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#342). Refer to service number stamped on end cap of motor, or on decal, for identifica 342 30811A Flywheel (Ring gear flywheel required on engines using 110-120 volt starter sting listed above) Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using 150 points) (Std. Point ignition) (Ring gear flywheel required on engines using 150 points) (Std. Point ignition) (Ring gear flywheel required on engines using 150 points) (Std. Point ignition) (Ring gear flywheel required on engines using 150 points) (Ring gear flywheel required on engines using 150 points) (Ring gear flywheel required on engines using 150 points) (Ring gear flywheel required on engines using 150 points) (Ring gear flywheel required on engines using 150 points) (Ring gear flywheel required on engines using 150 points) (Ring gear flywheel required on engines using 150 points) (Ring gear flywheel required on engines using 150 points) (Ring gear flywheel required on engines using 150 points) (Ring gear flywheel required on engines using 150 points) (Ring gear flywheel required on engines using 150 points) (Ring gear flywheel required on engines using 150 points) (Ring gear flywheel required on engines using 150 points) (Ring gear flywheel required on engines using 150 points) (Ring gear flywheel required on engines using 150 points) (Ring gear flywheel required on engines using 150 points) (Ring gear flywheel required on engines using 150 points) (Ring gear flywheel required on engines using 150 points) (Ring gear flywheel required on engines using 150 points) (Ring points) (Ring			· · · · · · · · · · · · · · · · · · ·
231 32395 254 32398 Bracket, Choke 256 650760 Screw, 10-32 x 1/2" 256 650765 Screw, 10-32 x 1/2" 263 650764 Nut, "U" Type (Use as required) 274 610973 Plate Assy., Choke 283 32399 Spring, Choke stop 284 32400 Knob, Choke 292 31680 293 32576 Seal, Snow guard 331G 31718 331H 31682 3331H 31682 3338D Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#342). Refer to service number stamped on end cap of motor, or on decal, for identifica 342 30811A Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above) Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using			
254 32398 255 28820 256 650760 25cew, 10-32 x 1/2" 256A 650765 257 31291 263 650764 274 610973 282 32397 283 32399 284 32400 292 31680 292 31680 292 31680 293 32576 331G 31718 331H 31682 333H 31682 338 590473 340 33328D Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#342). Refer to service number stamped on end cap of motor, or on decal, for identifica 342 30811A Flywheel (Ring gear flywheel required on engines using 110-120 volt starter H and above) (Std. Point ignition) (Ring gear flywheel required on engines using position) (Ring gear flywheel required on engines using position) (Ring gear flywheel required on engines using position) (Ring gear flywheel required on engines using ignition) (Ring gear flywheel required on engines using ignition) (Ring gear flywheel required on engines using ignition) (Ring gear flywheel required on engines using			
255 28820 256 650760 Screw, 8-32 x 3/8" 256A 650765 Screw, 10-32 x 1/2" 257 31291 Plug, Cover Nut, "U" Type (Use as required) 274 610973 Plate Assy., (As req. on late prod uction) 282 32397 Plate Assy., Choke 293 31290 Spring, Choke stop Knob, Choke 292 31680 Guard, Starter 293 32576 Seal, Snow guard 331G 31718 Decal, Choke 331H 31682 Decal, Instruction Rewind Starter (Refer to Division 5, Section C, page 29 for breakdown) 340 33328D Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#342). Refer to service number stamped on end cap of motor, or on decal, for identifica 342 30811A Flywheel (Ring gear flywheel required on engines using 110-120 volt starter kits listed above) Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using			·
256 650760 256A 650765 256A 650765 257 31291 263 650764 274 610973 282 32397 283 32399 284 32400 292 31680 293 32576 331H 31682 331H 31682 338 590473 340 33328D Screw, 8-32 x 3/8" Screw, 10-32 x 1/2" Plug, Cover Nut, "U" Type (Use as required) Terminal Ass'y. (As req. on late prod uction) Plate Assy., Choke Spring, Choke stop Knob, Choke Guard, Starter Seal, Snow guard Decal, Choke Decal, Instruction Rewind Starter (Refer to Division 5, Section C, page 29 for breakdown) Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#342). Refer to service number stamped on end cap of motor, or on decal, for identifica 342 30811A Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above) Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using			
256A 650765 257 31291 263 650764 274 610973 274 610973 282 32397 283 32399 284 32400 292 31680 292 31680 293 32576 331G 31718 331H 31682 338 590473 290 340 330 330 330 330 330 330 330 330 33			
257 31291 263 650764 Nut, "U" Type (Use as required) Terminal Assy. (As req. on late prod uction) Plate Assy., Choke 232 32397 Plate Assy., Choke stop Xnob, Choke stop Xnob, Choke stop Xnob, Choke 292 31680 Seal, Snow guard Sattler 293 32576 Seal, Snow guard Decal, Choke 331H 31682 Decal, Instruction Rewind Starter (Refer to Division 5, Section C, page 29 for breakdown) Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#342). Refer to service number stamped on end cap of motor, or on decal, for identifica 342 30811A Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above) Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using			
263 650764 274 610973 274 610973 282 32397 283 32399 284 32400 285 32400 286 32576 287 Spring, Choke 290 31680 291 31718 291 32718 292 31718 293 32576 294 331H 31682 295 Spring, Choke 296 31H 31682 296 Seal, Snow guard 297 Decal, Instruction 298 32576 299 Spring, Choke 299 31680 290 Starter 291 32576 291 Seal, Snow guard 292 Decal, Instruction 293 32576 294 Seal, Snow guard 295 Seal, Snow guard 296 Seal, Snow guard 297 Seal, Snow guard 298 Seal, Snow guard 299 Seal, Snow guard 299 Seal, Snow guard 290 Seal, Snow guard 290 Decal, Instruction 301 Starter (Refer to Division 5, Section C, page 29 for breakdown) 310 Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#342). Refer to service number stamped on end cap of motor, or on decal, for identifica 342 30811A 342 Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above) 343 Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using			·
Terminal Ass'y. (As req. on laté prod uction) Plate Assy., Choke 32397 Plate Assy., Choke Spring, Choke stop Knob, Choke Guard, Starter Seal, Snow guard Decal, Choke 331H 31682 Decal, Instruction Rewind Starter (Refer to Division 5, Section C, page 29 for breakdown) Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#342). Refer to service number stamped on end cap of motor, or on decal, for identifica 342 30811A Flywheel (Ring gear flywheel required on engines using 110-120 volt starter kits listed above) Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using			•
282 32397 283 32399 284 32400 285 Spring, Choke stop 286 Xnob, Choke 287 31680 288 3276 289 32576 289 Seal, Snow guard 280 32576 281, Snow guard 281 31718 282 Decal, Choke 283 31H 31682 338 590473 338 590473 340 33328D Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#342). Refer to service number stamped on end cap of motor, or on decal, for identifica 342 30811A Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above) Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using			Nut, "U" Type (Use as required)
Spring, Choke stop Knob, Choke Guard, Starter Seal, Snow guard Starter Seal, Snow guard Decal, Choke Guard, Starter Seal, Snow guard Decal, Instruction Rewind Starter (Refer to Division 5, Section C, page 29 for breakdown) Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#342). Refer to service number stamped on end cap of motor, or on decal, for identifica 342 30811A Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above) Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using			Terminal Ass'y. (As req. on late prod uction)
284 32400 Knob, Choke 292 31680 Guard, Starter 293 32576 Seal, Snow guard 331G 31718 Decal, Choke 331H 31682 Decal, Instruction 340 33328D Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#342). Refer to service number stamped on end cap of motor, or on decal, for identifica 342 30811A Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above) Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using	282	32397	Plate Assy., Choke
292 31680 293 32576 331G 31718 31H 31682 338 590473 340 33328D Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#342). Refer to service number stamped on end cap of motor, or on decal, for identifica 342 30811A Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above) Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using	283	32399	Spring, Choke stop
293 32576 331G 31718 Decal, Choke 331H 31682 Decal, Instruction Rewind Starter (Refer to Division 5, Section C, page 29 for breakdown) 340 33328D Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#342). Refer to service number stamped on end cap of motor, or on decal, for identifica 342 30811A Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above) Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using	284	32400	Knob, Choke
331G 31718 331H 31682 338 590473 340 33328D Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#342). Refer to service number stamped on end cap of motor, or on decal, for identifica 342 30811A Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above) Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using	292	31680	Guard, Starter
331G 31718 331H 31682 338 590473 340 33328D Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#342). Refer to service number stamped on end cap of motor, or on decal, for identifica 342 30811A Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above) Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using	293	32576	Seal, Snow guard
Rewind Starter (Refer to Division 5, Section C, page 29 for breakdown) 340 33328D Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#342). Refer to service number stamped on end cap of motor, or on decal, for identifica 342 30811A Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above) Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using	331G	31718	Decal, Choke
Rewind Starter (Refer to Division 5, Section C, page 29 for breakdown) 340 33328D Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#342). Refer to service number stamped on end cap of motor, or on decal, for identifica 342 30811A Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above) Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using	331H	31682	Decal, Instruction
breakdown) 340 33328D Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#342). Refer to service number stamped on end cap of motor, or on decal, for identifica 342 30811A Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above) Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using	338	590473	
340 33328D Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#342). Refer to service number stamped on end cap of motor, or on decal, for identifica 342 30811A Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above) Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using			` · · · · · · · · · · · · · · · · · · ·
motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#342). Refer to service number stamped on end cap of motor, or on decal, for identifica 342 30811A Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above) Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using	0.40	00000 D	,
added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#342). Refer to service number stamped on end cap of motor, or on decal, for identifica 342 30811A Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above) Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using	340	33328D	
bosses and a ring gear flywheel (see#342). Refer to service number stamped on end cap of motor, or on decal, for identifica 342 30811A Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above) Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using			•
number stamped on end cap of motor, or on decal, for identifica 342 30811A Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above) Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using			
identifica 342 30811A Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above) 342 611042 Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using			
342 30811A Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above) 342 611042 Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using			
110-120 volt starter kits listed above) 342 611042 Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using			identifica
110-120 volt starter kits listed above) 342 611042 Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using	3/12	30811Δ	Flywheel (Ring gear flywheel requiredon engines using
342 611042 Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using	072	30011A	
ignition) (Ring gear flywheel required on engines using			110-120 voit starter hits listed above
	342	611042	Flywheel (Used on Type letters H and above) (Std. Point
110-120 volt starter kits listed above)			ignition) (Ring gear flywheel required on engines using
			110-120 volt starter kits listed above)
342 611085 Flywheel (Minimum ring gear flywheel required on engines	240	611095	Flushool (Minimum ring goar flushool required on enginee
342 611085 Flywheel (Minimum ring gear flywheel required on engines using 110-120 volt starter kits listed above) (Use with Solid	342	011000	
, ,			, ,
State ignition)			State Ignition)

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983

Page 7 of 8

Engine Parts List #3



www.mymowerparts.com

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 $_{\rm Page~8~of~8}$ Engine Parts List #3

Ref #	Part Number	Qty Description
36 36 38 42 42 50	27513 650697A 650695A 650694A 27896A 26073 650691 650548 30319 32326A	Lockwasher, 1/4" (Use as required) Screw, 5/16-18 x 2-1/2" (Use as requi red) Screw, 5/16-18 x 2-1/4" (Use as requi red) Screw, 5/16-18 x 2" (Use as required) * Gasket, Breather cover Washer (Use as required) Washer, Flat (Use as required) Screw, 8-32 x 5/16" Rivet, Split (Used in early productio n) Lever, Governor (New lever does not need 1 of 51,66,132,164,165,207)
57 58 59 61 66	30205 730130 30196 29216 29826 29918 730561	Bracket, Adjusting Exh.Adap.Kit (Incl. 58 & 125) (Use as req.) Screw, 5/16-18 x 3/4" (Use as require d) Nut, Lock, 10-32 Screw, 10-32 x 3/4" Lockwasher, #8 E.T. Air cleaner kit (Incl. 38, 67A, 83, 84B, 85,89B, 89C, 90A, 91, 91A, 91B, 91C, 91D, 245 & 331B) (Use only on engines with an externally vented fully adjustable carburetor)
82	730127	Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89A, 90, 238 & 331B) (Use as required)
84D	34819	Air Cleaner Elbow (Incl. 84B, 86A, 91, 91A, 91B & 91C) (Use in 730561 assembly only) NOTE: 130010 thru 10C & 11 used in early production only.
111B 113 116 118 118 118 125 126 128 132 146 148 202 203 204	391026 33353 650561 33352A 29774 30705 30962 27930A 30196 650694A 650548 792020 34067 34069 31288 650697A 6021A 26460	Opt. Spark Arrest Muffler (Incl.196,1 97,199) Bracket, Lower fuel tank Screw, 1/4-20 x 5/8" Plate, Upper fuel tank mounting Fuel Line (Braided 8-1/4" 21 cm)(Use as req.) Fuel Line (Braided 32") (41 cm) (Use as req.) Fuel Line (Braided 32") (81 cm) (Use as req.) Gasket, Exhaust Screw, 5/16-18 x 3/4" Screw, 5/16-18 x 2" (Use as required) Screw, 8-32 x 5/16" (Early production) Screw, 1/4-20 x 2-1/4" Wire Assy., Alternator adapter (4-1/4") Wire Assy., Alternator adapter (6-3/4") Exh. Adaptor Kit (Incl.125,203,204) (As req.) Screw, 5/16-18 x 2-1/2" (Use as required) Screw, 5/16-18 x 1-1/2" (Use as required) Clamp, Fuel line