
For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983

H70-130057B Page 1 of 8 Engine Parts List #1



www.mymowerparts.com

	Part Number	Qty Des		
	32586C		inder (Incl. 2, 3, 4 & 76) (2-3/4" Bore)	
2	27652	Pin,	, Dowel	
3	27642	Plug	g, Oil drain	
4	32630	Sea	al, Oil	
5	32783	Intal	ake Valve (Std.) (Incl. 9)	
5	32784		ake Valve (1/32" OS) (Incl. 9)	
	27878A		naust Valve (Std.) (Incl. 9)	
	27880A		naust Valve (1/32" OS) (Incl. 9)	
	27882		o, Upper valve spring	
	20810		, Valve spring retainer (Use as re quired)	
	27881		ing, Valve	
	27881		ing, valve	
	32581	•	•	
		•	o, Lower valve spring	
	32581		o, Lower valve spring	
	34242		per, Oil	
TUA	32590		te, Lock & Oil dipper (This plate may be replaced by	
		342	242 oil dipper but 650662C screw must be used.)	
11	32587	Crar	ankshaft (Incl. 12 & 13)	
	29783		ankshaft Gear Pin (Early production )	
	27884		ar, Crankshaft (Used in early production) This gear is	
10	27001		vicable onlywhen it is pinned to the crankshaft.	
			·	
	34517		ton, Pin & Ring Set (Std.) (2-3/4" Bore)	
14	34518	Pisto	ton, Pin & Ring Set (.010" OS)	
14	34519	Pisto	ton, Pin & Ring Set (.020" OS)	
14A	32592B	Pisto	ton & Pin Ass'y. (Std.)(2-3/4")(In cl.16)	
14A	32593B	Pisto	ton & Pin Ass'y. (.010" OS) (Incl. 16)	
14A	32594B	Pisto	ton & Pin Ass'y. (.020" OS) (Incl. 16)	
15	32595		g Set (Std.) (2-3/4" Bore)	
	32596		g Set (.010" OS)	
	32597		g Set (.020" OS)	
	27888		g, Piston pin retaining	
	32591C		d Assy., Connecting (Incl. 10 & 18)	
	650662C		rew, Connecting rod (2 each)	
	30968		ple, Oil drain	
	30969		o, Oil drain	
	32115		mshaft (MCR)	
	34034		er, Valve	
	31303B		ver, Cylinder (Incl. 24, 106 & 279)	
	28427		al, Oil	
	31546			
			shing, Crankshaft (Use as required)	
	29668	•	stick, Oil (Incl. 30)	
	30684		asket, Cylinder cover	
	650488		rew, 1/4-20 x 1-1/4"	
	29673		asket, Oil filler	
	650489		rew, 1/4-20 x 5/8"	
	32631A		asket, Cylinder head	
	30938A		ad, Cylinder	
	27793		o, Conduit (Use as required)	
	28942	Scre	ew, 10-32 x 3/8" (Use as required)	
	650697A		ew, 5/16-18 x 2-1/2" (Use as requi red)	
	650695A		ew, 5/16-18 x 2-1/4" (Use as requi red)	
	650694A		ew, 5/16-18 x 2" (Use as required)	
37	33636	Res	sistor Spark Plug (RJ-8C)	
37	34251	Res	sistor Spark Plug	
	27896A		asket, Breather cover	
	28423		dy, Breather	
	28424		ment, Breather	
www.mymowerparts.com				
	** ** ** *** ##10	* * • • •		

Ref #	Part Number Q	ty Description
41	28425	Cover, Valve spring
42	26073	Washer (Use as required)
42	650691	Washer, Flat (Use as required)
42A	650690	Washer, Belleville (Use as required)
	650128	Screw, 10-24 x 1/2"
	27915A	* Gasket, Intake
	30195A	Flange, Carburetor (Incl. 79 & 80)
	30196	Screw, 5/16-18 x 3/4"
	29716	Screw, 1/4-28 x 7/16"
	650548	Screw, 8-32 x 5/16"
	32326A	
52	32320A	Lever, Governor (New lever does not need 1 of 51,66,132,164,165,207)
55	30205	Bracket, Adjusting
	30824	Link, Throttle
	29216	Nut, Lock, 10-32
	650152	Screw, 8-32 x 3/8"
	29826	
		Screw, 10-32 x 3/4"
	29642	Ring, Retaining
	30699C	Rod Assy., Governor (Incl. 64 & 65)
63	30699B	Governor Rod Ass'y. (This one-piece governor rodis no longer used. It is replaced by 30699C ass'y.,Ref. no. 63A)
64	30700	Yoke, Governor
	650494	Screw, 6-40 x 5/16"
	29918	
		Lockwasher, #8 E.T.
	35350 20747D	Tube, Breather
	29747B	Screw, 5/16-24 x 21/32"
	32158E	Blower Housing (For elec.star.)(Incl. 134,135)
	650815	Washer, Belleville
	8116	Nut, Hex
73	29536	Blower Housing Baffle (without electric starter knock-out) (Use as required)
73	35256A	Blower Housing Baffle (with electric starter knock-out) (Use
		as required) (Point Ignition)
74	650561	Screw, 1/4-20 x 5/8"
75	31688A	* Gasket, Carburetor
79	29752	Nut & Lockwasher Assy., 1/4-28
80	650572	Screw, 1/4-28 x 1-1/8"
	730164	Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89, 90A & 331B)
		(Use as required)
83	27272A	* Gasket, Air cleaner
87	31691	Bracket, Air cleaner NOTE: 130010 thru 10C & 11 used in
		early production only.
88	28820	Screw, 10-32 x 1/2"
	30727	Element, Air cleaner
	31715	Body, Air cleaner
	35349	Ground Wire
	31757	Base, Engine mounting
	31845	Shaft, Mechanical governor
		<u> </u>
	30591	Gear Assy., Governor (Incl. 109)
	30588A	Spool, Governor
	30590A	Washer, Flat
	29193	Ring, Retaining
	30063	Screw, 1/4-20 x 1/2"
115	410144B	Fuel Cap (White Plastic)(Std)(As requ ired)

## www.mymowerparts.com


## For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 $_{\rm Page\ 4\ of\ 8}$ Engine Parts List #1

Ref #	Part Number Qt	y Description
115	33032	Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile) (Use as required)
115	34210	Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as required)
118 118 118 120 121 124 127 128 129 130 131 133 149 193 205 209 246 247 266 270 274 287 287 331A 331B 332 333	35355 29774 30705 30962 650128 30622A 650542 26073 650694A 32589 31843A 650836 650493 30747 610118 650561 30939A 32125 590417 26460 31461 610973 27275 34246 34346 31752 30547A 30548B	Fuel Cap (Use as required) Fuel Line (Braided 8-1/4" 21 cm)(Use as req.) Fuel Line (Braided 16") (41 cm) (Use as req.) Fuel Line (Braided 32") (81 cm) (Use as req.) Screw, 10-24 x 1/2" (Use as required) Extension, Blower housing Screw, 5/16-18 x 3/4" Washer (Use as required) Screw, 5/16-18 x 2" (Use as required) Key, Flywheel Bracket, Governor gear Screw, 10-24 x 1/2" Screw, 1/4-20 x 1-3/4" Clip, Shorting Cover, Spark plug (Use as required) Screw, 1/4-20 x 5/8" (Use as required) Cover, Cylinder head Cup, Starter Screen, Starter cup Clamp, Fuel line Bushing, Crankshaft (Use as required) Terminal Ass'y. (As req. on late prod uction) Clip, Hi-tension wire (Use as required) Decal, Instruction Decal, Air cleaner Contact Assy., Breaker Condenser
	631021 631454	Inlet Needle, Seat & Clip Assy. Carburetor (Incl. 75) (Refer to Division 5, Section A, page 100 for breakdown)
337	610689A	Magneto NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as show in parts list. (Refer to Division 5, Section B, page 24 for breakdown)
338	590420	Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)
343	33239A	Gasket Set (Incl. items marked*)

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983

Page 5 of 8

Engine Parts List #2



www.mymowerparts.com

## For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 $_{\rm Page~6~of~8}$ Engine Parts List #2


		Qty	Description
	650489		Screw, 1/4-20 x 5/8"
	27793		Clip, Conduit (Use as required)
	28942		Screw, 10-32 x 3/8" (Use as required)
43A	650128		Screw, 10-24 x 1/2"
	29716		Screw, 1/4-28 x 7/16"
56	30824		Link, Throttle
	650815		Washer, Belleville
	8116		Nut, Hex
193	610118		Cover, Spark plug (Use as required)
	33110A		Control Bracket (Incl. 224 & 274)
	30826		Spring, Extension
	30820		Baffle, Heat
	28942		Screw, 10-32 x 3/8"
	650764		Nut, "U" Type (Use as required)
	610973		Terminal Ass'y. (As req. on late prod uction)
	32179		Decal, "Super Start"
338	590420		Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)
340	33328D		Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#342). Refer to service number stamped on end cap of motor, or on decal, for identifica
342	30811A		Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above)
342	611042		Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using 110-120 volt starter kits listed above)
342	611085		Flywheel (Minimum ring gear flywheel required on engines using 110-120 volt starter kits listed above) (Use withSolid State ignition)

## www.mymowerparts.com

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983

Page 7 of 8

Engine Parts List #3



www.mymowerparts.com

Ref #	Part Number (	Qty Description
27	27513	Lockwasher, 1/4" (Use as required)
36	650697A	Screw, 5/16-18 x 2-1/2" (Use as requi red)
36	650695A	Screw, 5/16-18 x 2-1/4" (Use as requi red)
	650694A	Screw, 5/16-18 x 2" (Use as required)
	27896A	* Gasket, Breather cover
	26073	Washer (Use as required)
	650691	Washer, Flat (Use as required)
	650548	Screw, 8-32 x 5/16"
	30319	Rivet, Split (Used in early productio n)
	32326A	Lever, Governor (New lever does not need 1 of
32	32320A	51,66,132,164,165,207)
55	30205	Bracket, Adjusting
57	730130	Exh.Adap.Kit (Incl. 58 & 125) (Use as req.)
	30196	Screw, 5/16-18 x 3/4" (Use as require d)
	29216	Nut, Lock, 10-32
	29826	Screw, 10-32 x 3/4"
	29918	Lockwasher, #8 E.T.
	730561	Air cleaner kit (Incl. 38, 67A, 83, 84B, 85,89B, 89C, 90A, 91,
OLD	700001	91A, 91B, 91C, 91D, 245 & 331B) (Use only on engines with
		an externally vented fully adjustable carburetor)
		, , , , , , , , , , , , , , , , , , , ,
82	730127	Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89A, 90, 238 &
		331B) (Use as required)
83	27272A	* Gasket, Air cleaner
84	31988	Elbow, Air cleaner
84D	34819	Air Cleaner Elbow (Incl. 84B, 86A, 91, 91A, 91B & 91C) (Use
		in 730561 assembly only)
85	650163	Screw, 10-32 x 7/8"
88	28820	Screw, 10-32 x 1/2"
90	31715	Body, Air cleaner
	29574	Muffler Elbow
	391026	Opt. Spark Arrest Muffler (Incl.196,1 97,199)
	28443	Conduit Nut
	32862	Conduit Nut
	30063	Screw, 1/4-20 x 1/2"
	29774	Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)
	30705	Fuel Line (Braided 16") (41 cm) (Use as req.)
	30962	Fuel Line (Braided 32") (81 cm) (Use as req.)
	650694A	Screw, 5/16-18 x 2" (Use as required)
	650548	Screw, 8-32 x 5/16" (Early production )
	34067	Wire Assy., Alternator adapter (4-1/4")
	34069	Wire Assy., Alternator adapter (6-3/4")
	31288	Exh. Adaptor Kit (Incl.125,203,204) ( As req.)
	650697A	Screw, 5/16-18 x 2-1/2" (Use as requi red)
	6021A	Screw, 5/16-18 x 1-1/2" (Use as requi red)
	26460	Clamp, Fuel line
	730512	Kit. Pre-cleaner (Incl 290 & 291)
	31667	Spring, Pre-cleaner bag
	31668	Bag, Pre-cleaner
331B	31752	Decal, Air cleaner