
For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 H70-130067A Page 1 of 8



www.mymowerparts.com

1 3259GC					
2 27662 3 27642 4 32630 5 2763 5 32784 2 Plug, Oil drain 5 32783 5 32784 6 27878A 6 27878A 6 27878A 6 27880A 6 27880A 7 20810 7 27882 8 2 Plug, Oil drain 7 27882 8 2 Plug, Oil drain 7 27882 8 27881 9 32581 9 32581 9 32581 9 32581 9 32581 10 34242 10 2 Ploper, Oil 11 32680A Crankshaft (Incat 12 & 13) 12 29783 Crankshaft (Incat 12 & 13) 13 27884 Crankshaft (Incat 12 & 13) 14 32593 14 32593B Piston & Pin Assy, (2014) (234") (Incl. 16) 14 34517 14 34517 15 32686 Piston, Pin A Ring, Set (102") (10") (23") (10"					
3 27642 4 32630 5 32783 Intake Valve (Std.) (Ind. 9) Intake Valve (Std.) (Ind. 9) 6 27878A 6 27878A 6 27880A 7 27880 7 27882 8 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2					
4 32630 5 32783 1 Intake Valve (Std.) (Incl. 9) 1 Intake Valve (Std.) (Incl. 9) 6 27878A 6 27878A 6 27880A 6 27880A 7 20610 7 27882 8 27881 8 27881 8 27881 9 32581 9 32581 9 32581 10 34242 10 34252 10 34252 11 32680A 11 32680A 12 29783 13 27884 Cap. Lover valve spring 13 34242 10 32590 Plate, Lock & Oil dipper (This plate may be replaced by 34242 oil dipper but 650662C sorew must be used.) 11 32680A 12 29783 Crankshaft (Incl. 12 & 13) 12 27884 Cap. Lover valve spring Dipper, Oil 14 32593B Plato, A 32593B				•	
5 32784				-	
5 32784 Intake Valve (132' OS) (Incl. 9) 6 27878A Exhaust Valve (132' OS) (Incl. 9) 6 27880A Exhaust Valve (132' OS) (Incl. 9) 7 27882 Cap. Upper valve spring retainer (Use as re quired) 7 27881 Spring, Valve 8 27881 Spring, Valve 9 32281 Cap. Lower valve spring 10 34242 Dipper, Oil 11 32680A Cankshaft (Incl. 12 & 13) 12 29783 Cap. Lower valve spring 13 27884 Cap. Lower valve spring 14 32680A Cankshaft (Incl. 12 & 13) 15 27884 Cap. Lower valve spring 16 29783 Cap. Lower valve spring 17 32690 Plate, Lock & Oil dipper (This plate may be replaced by 34242 oil dipper but 650662C sorew must be used.) 18 29783 Crankshaft (Incl. 12 & 13) 19 27884 Crankshaft (Incl. 12 & 13) 10 27884 Crankshaft (Incl. 12 & 13) 10 27884 Crankshaft (Incl. 12 & 13) 11 32593B Piston & Pin Assy, (101' OS) (Incl. 16) 11 34517 Piston, Pin Assy, (101' OS) (Incl. 16) 12 34518 Piston & Pin Assy, (100' OS) (Incl. 16) 13 434517 Piston, Pin & Ring Set (101' OS) (Incl. 16) 14 34519 Piston, Pin & Ring Set (101' OS) 15 32595 Ring Set (101' OS) 15 32596 Ring Set (101' OS) 16 27888 Ring Piston pin retaining 17 22591C Rod Assy, Connecting (Incl. 10 & 18) 18 650662C Screw, Connecting (Incl. 10 & 279) 19 30668 Oil drain Cankshaft (Use as required) 20 30696 Cap. Oil drain Cankshaft (Use as required) 21 32115 Cankshaft (Use as required) 22 34034 Ufter, Valve Core, Cylinder (Incl. 24, 106 & 279) 23 31303B Core, Cylinder (Incl. 24, 106 & 279) 24 28427 Seel (101' OS) 25 31297 Dipstick, Oil (Incl. 30) 26 50694 Cap. Oil drain Cankshaft (Use as required) 27 32514 Cap. Oil drain Ca				·	
6 27880A 6 27880A Exhaust Valve (ISIZ) (Ind. 9) 7 27882 Bx 27881 Bx 27881 Spring Valve 9 32581 Cxa, Upper valve spring Spring, Valve 9 32581 Cxa, Upper valve spring Spring, Valve 9 32581 Cxa, Upper valve spring Spring, Valve Spring, Valve Cxa, Upper valve spring Spring, Valve Spring, Valve Cxa, Upper valve spring Dxper, Oil 10 34242 Dxy Cxa, Lower valve spring Dxy				` , ` ,	
6 27880A Exhaust Valve (1/32* OS) (incl. 9) 7 A 20810 7 27882 8 A 27881 8 27881 9 27881 9 27881 9 32581 9 32581 10 34242 10 Dipper, Old Pick, Lock & Old dipper (This plate may be replaced by 34242 old dipper but 6506622 Screw must be used.) 11 32680A 12 29783 13 27884 14 32590 15 29783 16 27884 17 2 29783 18 27884 19 257884 19 257884 19 257884 11 32592B 11 32592B 11 32592B 11 32592B 11 32592B 11 32593B 11 32 27884 11 32593B 11 32 27884 11 32593B 11 32 27884 11 32594B 11 3					
7A. 20810 7. 27882 8A. 27881 8. 27881 8. 27881 8. 27881 8. 27881 9. 32581 9. 32581 9. 32581 9. 32581 9. 32581 10. 34242 10. 32590 Plate, Lock & Oil dipper (This plate may be replaced by 34242 dipper but 650662C screw must be used.) 11. 32680A Crankshaft (Just Production) 12. 29783 Crankshaft (Just Production) 13. 27884 Crankshaft (Just Production) 14. 32592B Plate, Lock & Oil dipper (This plate may be replaced by 34242 dipper but 650662C screw must be used.) 14. 32592B Plate, Lock & Oil dipper (This plate may be replaced by 34242 dipper but 650662C screw must be used.) 15. 32692B Plate, Lock & Oil dipper (This plate may be replaced by 34242 dipper but 650662C screw must be used.) 16. 14. 32592B Plate, Lock & Oil dipper production) 17. 32694 Plate, Lock & Oil dipper production) 18. 432594B Plate, Pla				, , ,	
7 27881 8 A 27881 8 A 27881 8 A 27881 8 A 27881 8 27881 9 32581 9 32581 9 32581 9 32581 10 34242 10 32590 11 32680A 12 29783 12 29783 13 27884 14 32592B 14 32592B 14 32592B 14 32592B 14 32592B 14 32593B 14 32593B 15 14 32594B 16 27884 17 27884 18 27884 18 27884 19 27884 19 27884 19 28 28 28 28 28 28 28 28 28 28 28 28 28					
8A 27881 8 27881 8 27881 8 27881 8 27881 8 27881 8 27881 9 32581 9 32581 10 34242 10 32590 Plate, Lock & Old ipper (This plate may be replaced by 34242 oil dipper but 650662C screw must be used.) 11 32680A Crankshaft (Incl. 12 & 13) Crankshaft (Gear Pin (Early production) Gear, Crankshaft (Sear Pin (Early production) Gear Pin					
8 27881 Spring Valve 9 32581 Cap, Lower valve spring 9 32581 Cap, Lower valve spring Cap, Lower valve spring Dipper, Oil 10 32422 Dipper, Oil 11 32590 Pales, Lock & Oil dipper (This plate may be replaced by 34242 oil dipper but 650662C screw must be used.) 11 32690A Crankshaft (Incl. 12 & 13) Crankshaft (Incl. 12 & 13) Crankshaft (Incl. 12 & 13) Crankshaft (Bear Pin (Early production) This gear is servicable onlywhen it is pinned to the crankshaft. 12 29783 Crankshaft (Bear Pin (Early production) This gear is servicable onlywhen it is pinned to the crankshaft. 14 32592B Piston & Pin Assy, (Std.) (2-34" (Incl. 16) Piston & Pin Assy, (Jo10" OS) (Incl. 16) Piston & Pin Assy, (Jo20" OS) (Incl. 16) Piston & Pin Assy, (Jo20" OS) (Incl. 16) Piston, Pin & Ring Set (Jo10" OS) (Incl. 16) Piston, Pin & Ring Set (Jo10" OS) Piston, Pin & Ring Set (Jo10"					
9 32581 Cap, Lower valve spring 10 34242 Dipper, Oil 10A 32590 Plate, Lock & Oil dipper (This plate may be replaced by 34242 oil dipper but 650662C screw must be used.) 11 32680A Crankshaft (Incl. 12 & 13) 12 29783 Crankshaft (Used in early production) 13 27884 Gear, Crankshaft (Used in early production) 14A 32592B Piston & Pin Assy. (Std.)(2-3/4") (Incl. 16) 14A 32593B Piston & Pin Assy. (Std.)(2-3/4") (Incl. 16) 14A 32593B Piston & Pin Assy. (J.010" OS) (Incl. 16) 14A 32594B Piston & Pin Assy. (J.02" OS) (Incl. 16) 14A 34517 Piston & Pin Assy. (DS Set (Std.) (2-3/4" Bore) 14 34518 Piston Pin & Ring Set (Std.) (2-3/4" Bore) 15 32596 Ring Set (Std.) (2-3/4" Bore) 16 32596 Ring Set (J.010" OS) 17 32591 Ring Set (J.010" OS) 18 650662C Screw, Connecting (Incl. 10 & 18) 27 32591 Rod Assy. Connecting (Incl. 10 & 18) 28 31303B Cover, Connecting (Incl. 10 & 18) 28 31546 Bushing, Crankshaft (Use as required) 28 42 3427 Sel. Oil (Incl. 30) 28 63648 Screw, 1/4-20 x 5/8" 38 28942 Screw, 1/4-20 x 5/8" 39 28423 Bory, Brack, Bracket, Fred Connecting (Incl. 10 & 10 & 10 & 10 & 10 & 10 & 10 & 10					
9A 32581 10 34242 10 34242 10 32590 10 32590 11 32680A 12 29783 12 29783 13 27884 14 32592B 15 27884 16 25783 16 25784 17 27884 17 27884 18 25928 19 29 29 29 29 29 29 29 29 29 29 29 29 29					
10 34242 Dipper, Oil Plate, Lock & Oil dipper (This plate may be replaced by 34242 oil dipper but 650662C screw must be used.) 34242 oil dipper but 650662C screw must be used.) 34242 oil dipper but 650662C screw must be used.) 34242 oil dipper but 650662C screw must be used.) 34242 oil dipper but 650662C screw must be used.) 34262 oil dipper but 650662C screw must be used.) 34262 oil dipper but 650662C screw must be used.) 34262 oil dipper but 650662C screw must be used.) 34262 oil dipper but 650662C screw, 2642 oil dipper but 650662C screw 6662				• •	
Piaie, Lock & Oil dipper (This plate may be replaced by 34242 oil dipper th 650662C screw must be used.) 11 32690A					
34242 oil dipper but 650662C screw must be used.) 11 32680A 12 29783				• •	
12 29783 13 27884 Crankshaft (Gear Pin (Early production) This gear is servicable onlywhen it is pinned to the crankshaft. 14A 32592B 14A 32594B 15		5_555			
12 29783 13 27884 Crankshaft (Gear Pin (Early production) This gear is servicable onlywhen it is pinned to the crankshaft. 14A 32592B 14A 32594B 15	11	32680A	(Crankshaft (Incl. 12 & 13)	
Gear, Crankshaft (Used in early production) This gear is servicable onlywhen it is pinned to the crankshaft. 14A 32593B Piston & Pin Assy. (10° OS) (Incl. 16) Piston & Pin Assy. (00° OS) (Incl. 16) Piston & Pin Assy. (00° OS) (Incl. 16) Piston & Pin Assy. (10° OS) (Incl. 16) Piston & Pin Assy. (10° OS) (Incl. 16) Piston & Pin & Ring Set (5tt.) (2°34° Bore) Piston, Pin & Ring Set (10° OS) Piston Pin Retail Piston P				,	
Piston & Pin Ass'y. (Std.)(2-3/4*)(In cl.16)	13	27884			
14A 32593B			5	servicable onlywhen it is pinned to the crankshaft.	
14A 32594B					
14 34517 18 9iston, Pin & Ring Set (Std.) (2-3/4" Bore) 14 34518 14 34519 15 32595 15 32595 16 32596 17 32597 18 Ring Set (010" OS) 18 Ring Set (010" OS) 18 Ring Set (010" OS) 19 Ring Set (010" OS) 19 Ring Set (010" OS) 10 Ring Set (010" OS) 11 Ring Set (010" OS) 12 Ring Set (010" OS) 18 Ring Set (010" OS) 19 Ring Red (020" OS) 10 Ring Set (020" OS)					
14 34518 14 34519 15 32595 15 32596 17 32597 18 18 60662C 19 30968 20 30969 21 32115 22 34034 22 34313338 23 32542 24 28427 25 31297 26 30684 27 32597 28 30988 29 30989 20 30989 21 32115 22 34034 23 1546 24 28427 25 31297 25 31297 26 30684 27 32637 28 313038 29 32631A 30 30989 20 30989 20 30989 21 32115 22 34034 23 313038 25 28942 26 30684 27 39 3088 28 360488 29 37 3884, Cylinder cover 26 30689 27 32631A 38 30338 28 32793 29 32631A 39 30338 20 30697 30 30689 30 30699 30 30699 30 30699 30 30699 30 30690 30 3069				• , , , ,	
14 34519					
15 32595 16 32596 17 32596 18 32597 18 32597 18 32597 18 32597 18 32597 18 32591 18 27888 19 27888 19 278288 20 32591 21 32591 22 34034 23 31303B 20 30369 21 32115 22 34034 23 31546 24 28427 25 31297 26 30684 27 28 31297 28 31297 29 30684 29 30684 20 30689 20 30689 21 32115 22 34034 23 31303B 20 20ver, Cylinder (Incl. 24, 106 & 279) 24 31546 25 31297 26 30684 27 31297 28 31297 29 31297 20 30684 29 650488 20 30684 20 30684 21 650488 22 32631A 23 32331A 31 650489 32 32631A 33 30938A 34 27793 35 28942 36 650695A 37 34251 38 27896A 39 28423 40 28423 40 28423 40 28424 40 28423 40 28424 41 28423 40 28424 41 28 3243 40 28424 41 28 3243 40 28424 41 28 3243 40 28424 41 28 3251 41 2793 41 2793 42 2794 43 2793 44 27793 45 2794 47 2794 48 27793 48 27793 49 27793 49 27794 40 28424 40 28424 41 2842					
15 32596				· · · · · · · · · · · · · · · · · · ·	
15 32597 Ring Set (.020" OS) 16 27888 Ring, Piston pin retaining 17 32591C Rod Assy., Connecting (Incl. 10 & 18) 18 650662C Screw, Connecting rod (2 each) 19 30968 Nipple, Oil drain 21 32115 Camshaft (MCR) 22 34034 Lifter, Valve 23 31303B Cover, Cylinder (Incl. 24, 106 & 279) 24B 31546 Bushing, Crankshaft (Use as required) 24 28427 Seal, Oil 25 31297 Dipstick, Oil (Incl. 30) 26 30684 Screw, 104-20 x 1-1/4" 30 29673 * Gasket, Cylinder cover 28 650489 Screw, 114-20 x 1-1/4" 31 650489 Screw, 114-20 x 5/8" 32 32631A * Gasket, Cylinder ead 33 30938A Head, Cylinder 34 27793 Cip, Conduit (Use as required) 35 28942 Screw, 516-18 x 2-1/2" (Use as required) 36 650697A Screw, 516-18 x 2-1/2" (Use as required) 36 650695A </td <td></td> <td></td> <td></td> <td></td>					
16 27888 Ring, Piston pin retaining 17 32591C Rod Assy., Connecting (Incl. 10 & 18) 18 650662C Screw, Connecting rod (2 each) 19 30968 Nipple, Oil drain 20 30969 Cap, Oil drain 21 32115 Camshaft (MCR) 22 34034 Lifter, Valve 23 31303B Cover, Cylinder (Incl. 24, 106 & 279) 24B 31546 Bushing, Crankshaft (Use as required) 24 28427 Seal, Oil 25 31297 Dipstick, Oil (Incl. 30) 26 30684 * Gasket, Cylinder cover 28 650488 Screw, 1/4-20 x 1-1/4" 30 29673 * Gasket, Oil filler 31 650489 Screw, 1/4-20 x 5/8" 32 32631A * Gasket, Oylinder head 43 27793 Clip, Conduit (Use as required) 35 28942 Screw, 5/16-18 x 2-1/2" (Use as required) 36 650697A Screw, 5/16-18 x 2-1/4" (Use as required) 36 650694A Screw, 5/16-18 x 2-1/4" (Use as required) 37				g (
17 32591C 18 650662C Screw, Connecting (Incl. 10 & 18) 18 650662C Screw, Connecting rod (2 each) 19 30968 Nipple, Oil drain 20 30969 Cap, Oil drain 21 32115 Camshaft (MCR) Lifter, Valve 23 31303B Cover, Cylinder (Incl. 24, 106 & 279) 24B 31546 Bushing, Crankshaft (Use as required) 24 28427 Seal, Oil 25 31297 Dipstick, Oil (Incl. 30) 26 30684 Screw, 1/4-20 x 1-1/4" 30 29673 Screw, 1/4-20 x 5/8" 31 650489 Screw, 1/4-20 x 5/8" 32 32631A Screw, 1/4-20 x 5/8" 33 30938A Head, Cylinder 34 27793 Clip, Conduit (Use as required) 35 28942 Screw, 10-32 x 3/8" (Use as required) 36 650697A Screw, 5/16-18 x 2-1/2" (Use as required) 36 650695A Screw, 5/16-18 x 2-1/2" (Use as required) 37 33636 Resistor Spark Plug					
18 650662C 19 30968 Nipple, Oil drain 20 30969 Cap, Oil drain Camshaft (MCR) Lifter, Valve Cay 31303B Cover, Cylinder (Incl. 24, 106 & 279) Lifter, Valve Cover, Cylinder (Incl. 24, 106 & 279) Lifter, Valve Cover, Cylinder (Incl. 30) Lifter, Valve Cover, Cylinder cover Seal, Oil Dipstick, Oil (Incl. 30) Lifter, Valve Cover, Cylinder cover Seal, Oil Lifter, Valve Cover, Cylinder (Incl. 24, 106 & 279) Lifter, Valve Lifter, Valve Cover, Cylinder (Incl. 24, 106 & 279) Lifter, Valve Cover, Cylinder (Incl. 24, 106 & 279) Lifter, Valve Cover, Cylinder (Incl. 24, 106 & 279) Lifter, Valve Cover, Cylinder (Incl. 24, 106 & 279) Lifter, Valve Seal, Oil Lifter, Valve Lifter, Valve Cover, Cylinder (Incl. 24, 106 & 279) Lifter, Valve Lifter, Valve Lifter, Valve Cover, Cylinder (Incl. 24, 106 & 279) Lifter, Valve Lose as required) Screw, 1/4-20 x 5/8" Lifter, Valve Lifter, Valve Lifter, Valve Lose as required Lifter, Valve Lose as required Lifter, Valve Lose as required Lose as requi				· · · · · ·	
19 30968 20 30969 21 32115 22 34034 23 31303B 20 cover, Cylinder (Incl. 24, 106 & 279) 24B 31546 24 28427 25 31297 26 30684 27 6 30684 28 650488 29 650488 30 29673 31 650489 32 32631A 33 30938A 34 27793 35 28942 36 650695A 36 650695A 37 34251 38 27896A 39 28423 40 Seal, Oil drain Cap, Oil de, Sea required) Cap, Oil drain Cap, Oil de, Sea required) Cap, Oil drain Cap, Oil de, Oil d					
20 30969 21 32115 22 34034 23 31303B 20				• • •	
21 32115				··	
22 34034				•	
23 31303B				· ·	
24 28427					
24 28427					
26 30684 * Ġasket, Cylinder cover 28 650488 Screw, 1/4-20 x 1-1/4" 30 29673 * Gasket, Oil filler 31 650489 Screw, 1/4-20 x 5/8" 32 32631A * Gasket, Cylinder head 33 30938A Head, Cylinder 34 27793 Clip, Conduit (Use as required) 35 28942 Screw, 10-32 x 3/8" (Use as required) 36 650697A Screw, 5/16-18 x 2-1/2" (Use as requi red) 36 650695A Screw, 5/16-18 x 2-1/4" (Use as requi red) 36 650694A Screw, 5/16-18 x 2" (Use as required) 37 33636 Resistor Spark Plug (RJ-8C) 37 34251 Resistor Spark Plug (RJ-8C) 38 27896A * Gasket, Breather cover 39 28423 Body, Breather 40 28424 Element, Breather			9	Seal, Oil	
28 650488				• • • • • • • • • • • • • • • • • • • •	
30 29673 * Gasket, Oil filler 31 650489 Screw, 1/4-20 x 5/8" 32 32631A * Gasket, Cylinder head 33 30938A Head, Cylinder 34 27793 Clip, Conduit (Use as required) 35 28942 Screw, 10-32 x 3/8" (Use as required) 36 650697A Screw, 5/16-18 x 2-1/2" (Use as required) 36 650695A Screw, 5/16-18 x 2-1/4" (Use as required) 36 650694A Screw, 5/16-18 x 2" (Use as required) 37 34251 Resistor Spark Plug (RJ-8C) 37 34251 Resistor Spark Plug 38 27896A * Gasket, Breather cover 39 28423 Body, Breather 40 28424 Element, Breather					
31 650489 32 32631A 33 30938A 34 277793 35 28942 36 650697A 36 650695A 37 33636 38 27896A 39 28423 30 Screw, 1/4-20 x 5/8" * Gasket, Cylinder head * Head, Cylinder * Clip, Conduit (Use as required) * Screw, 10-32 x 3/8" (Use as required) * Screw, 5/16-18 x 2-1/2" (Use as requi red) * Screw, 5/16-18 x 2-1/4" (Use as requi red) * Screw, 5/16-18 x 2" (Use as required) * Resistor Spark Plug (RJ-8C) * Resistor Spark Plug * Gasket, Breather cover * Body, Breather * Element, Breather				·	
32 32631A * Gasket, Cylinder head 33 30938A Head, Cylinder 34 27793 Clip, Conduit (Use as required) 35 28942 Screw, 10-32 x 3/8" (Use as required) 36 650697A Screw, 5/16-18 x 2-1/2" (Use as requi red) 36 650695A Screw, 5/16-18 x 2" (Use as required) 36 650694A Screw, 5/16-18 x 2" (Use as required) 37 33636 Resistor Spark Plug (RJ-8C) 37 34251 Resistor Spark Plug 38 27896A * Gasket, Breather cover 39 28423 Body, Breather 40 28424 Element, Breather				•	
33 30938A Head, Cylinder 34 27793 Clip, Conduit (Use as required) 35 28942 Screw, 10-32 x 3/8" (Use as required) 36 650697A Screw, 5/16-18 x 2-1/2" (Use as requi red) 36 650695A Screw, 5/16-18 x 2-1/4" (Use as requi red) 37 33636 Screw, 5/16-18 x 2" (Use as required) 38 27896A Resistor Spark Plug 39 28423 Resistor Spark Plug 39 28424 Body, Breather 40 28424 Element, Breather				·	
34 27793 Clip, Conduit (Use as required) 35 28942 Screw, 10-32 x 3/8" (Use as required) 36 650697A Screw, 5/16-18 x 2-1/2" (Use as requi red) 36 650695A Screw, 5/16-18 x 2" (Use as required) 36 650694A Screw, 5/16-18 x 2" (Use as required) 37 33636 Resistor Spark Plug (RJ-8C) 37 34251 Resistor Spark Plug 38 27896A * Gasket, Breather cover 39 28423 Body, Breather 40 28424 Element, Breather					
35 28942 Screw, 10-32 x 3/8" (Use as required) 36 650697A Screw, 5/16-18 x 2-1/2" (Use as required) 36 650695A Screw, 5/16-18 x 2" (Use as required) 36 650694A Screw, 5/16-18 x 2" (Use as required) 37 33636 Resistor Spark Plug (RJ-8C) 37 34251 Resistor Spark Plug 38 27896A * Gasket, Breather cover 39 28423 Body, Breather 40 28424 Element, Breather					
36 650697A Screw, 5/16-18 x 2-1/2" (Use as requi red) 36 650695A Screw, 5/16-18 x 2-1/4" (Use as requi red) 36 650694A Screw, 5/16-18 x 2" (Use as required) 37 33636 Resistor Spark Plug (RJ-8C) 37 34251 Resistor Spark Plug 38 27896A * Gasket, Breather cover 39 28423 Body, Breather 40 28424 Element, Breather				·	
36 650695A Screw, 5/16-18 x 2-1/4" (Use as required) 36 650694A Screw, 5/16-18 x 2" (Use as required) 37 33636 Resistor Spark Plug (RJ-8C) 37 34251 Resistor Spark Plug 38 27896A * Gasket, Breather cover 39 28423 Body, Breather 40 28424 Element, Breather				·	
36 650694A Screw, 5/16-18 x 2" (Use as required) 37 33636 Resistor Spark Plug (RJ-8C) 37 34251 Resistor Spark Plug 38 27896A * Gasket, Breather cover 39 28423 Body, Breather 40 28424 Element, Breather					
37 33636 Resistor Spark Plug (RJ-8C) 37 34251 Resistor Spark Plug 38 27896A * Gasket, Breather cover 39 28423 Body, Breather 40 28424 Element, Breather				. ,	
37 34251 Resistor Spark Plug 38 27896A * Gasket, Breather cover 39 28423 Body, Breather 40 28424 Element, Breather				·	
38 27896A * Gasket, Breather cover 39 28423 Body, Breather 40 28424 Element, Breather				,	
39 28423 Body, Breather 40 28424 Element, Breather				·	
40 28424 Element, Breather				·	
www.mymowerparts.com	40	28424	E	Element, Breather	
	www.mymowerparts.com				

Ref #	Part Number	Qty	Description
41	28425		Cover, Valve spring
42	26073		Washer (Use as required)
42	650691		Washer, Flat (Use as required)
42A	650690		Washer, Belleville (Use as required)
	650128		Screw, 10-24 x 1/2"
	27915A		* Gasket, Intake
	30195A		Flange, Carburetor (Incl. 79 & 80)
	30196		Screw, 5/16-18 x 3/4"
	29716		Screw, 1/4-28 x 7/16"
	650548		Screw, 8-32 x 5/16"
	32326A		Lever, Governor (New lever does not need 1 of
02	G20207 (51,66,132,164,165,207)
	30205		Bracket, Adjusting
56	30824		Link, Throttle
59	29216		Nut, Lock, 10-32
61	29826		Screw, 10-32 x 3/4"
62	29642		Ring, Retaining
63A	30699C		Rod Assy., Governor (Incl. 64 & 65)
63	30699B		Governor Rod Ass'y. (This one-piece governor rodis no longer
			used. It is replaced by 30699C ass'y.,Ref. no. 63A)
64	30700		Yoke, Governor
65	650494		Screw, 6-40 x 5/16"
66	29918		Lockwasher, #8 E.T.
	35350		Tube, Breather
	29747B		Screw, 5/16-24 x 21/32"
	32158E		Blower Housing (For elec.star.)(Incl. 134,135)
	650815		Washer, Belleville
	8116		Nut, Hex
	29536		Blower Housing Baffle (without electric starter knock-out)
_			(Use as required)
73	35256A		Blower Housing Baffle (with electric starter knock-out) (Use
			as required) (Point Ignition)
7/	650561		Screw, 1/4-20 x 5/8"
	31688A		* Gasket, Carburetor
	29752		
	650572		Nut & Lockwasher Assy., 1/4-28
			Screw, 1/4-28 x 1-1/8" Air Cleaner Acety (Incl. 60, 83, 87, 88, 90, 004, 8, 334B)
62A	730164		Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89, 90A & 331B)
			(Use as required)
83	27272A		* Gasket, Air cleaner
87	31691		Bracket, Air cleaner NOTE: 130010 thru 10C & 11 used in
			early production only.
97	35349		Ground Wire
	29538		Base, Engine mounting
	32401		Muffler
	31845		Shaft, Mechanical governor
	30591		Gear Assy., Governor (Incl. 109)
	30588A		Spool, Governor
	30590A		Washer, Flat
	29193		Ring, Retaining
	650561		Screw, 1/4-20 x 5/8"
	31301		
	410144B		Fuel Cap (White Plactic)(Std)(As required)
			Fuel Cap (White Plastic)(Std)(As required) Fuel Cap (Charged Plastic) (Spurt resistant Low profile)
115	33032		Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile)
			(Use as required)

www.mymowerparts.com


For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 $_{\rm Page\ 4\ of\ 8}$ Engine Parts List #1

Ref #	Part Number Qt	y Description
115	34210	Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as required)
115	35355	Fuel Cap (Use as required)
117A	29683	Valve, Fuel shut-off
118	29774	Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)
118	30705	Fuel Line (Braided 16") (41 cm) (Use as req.)
118	30962	Fuel Line (Braided 32") (81 cm) (Use as req.)
	650128	Screw, 10-24 x 1/2" (Use as required)
	30622A	Extension, Blower housing
	650542	Screw, 5/16-18 x 3/4"
	27930A	Gasket, Exhaust
	30196	Screw, 5/16-18 x 3/4"
	26073	Washer (Use as required)
	650694A	Screw, 5/16-18 x 2" (Use as required)
	32589	Key, Flywheel
	31843A	Bracket, Governor gear
	650836	Screw, 10-24 x 1/2"
	650493	Screw, 1/4-20 x 1-3/4"
	30747	Clip, Shorting
	610118	Cover, Spark plug (Use as required)
	650561	Screw, 1/4-20 x 5/8" (Use as required)
	30939A	Cover, Cylinder head
	32125	Cup, Starter
	590417	Screen, Starter cup
	26460	Clamp, Fuel line
	31461	Bushing, Crankshaft (Use as required)
	610973	Terminal Ass'y. (As req. on late prod uction)
	27275	Clip, Hi-tension wire (Use as require d)
	34246	Clip, Ground wire (Use as required)
	34346	Decal, Instruction
	30547A	Contact Assy., Breaker
	30548B 631021	Condenser
	631440	Inlet Needle, Seat & Clip Assy. Carburetor (Incl. 75) (Refer to Division 5, Section A, page 78
330	031440	for breakdown)
337	610694A	Magneto (w/ring gear for 110 volt sta rter) NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as show in parts list. (Refer to Division 5, Section B, page 24 for breakdown)
338	590473	Rewind Starter (Refer to Division 5, Section C, page 29 for breakdown)
343	33239A	Gasket Set (Incl. items marked*)

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983

Page 5 of 8

Engine Parts List #2




www.mymowerparts.com

Pof #	Part Number	Qty	Description
	650489	Qty	Screw, 1/4-20 x 5/8"
	27793		Clip, Conduit (Use as required)
	28942		Screw, 10-32 x 3/8" (Use as required)
	650128		Screw, 10-24 x 1/2"
	29716		Screw, 1/4-28 x 7/16"
	30824		Link, Throttle
	650815		Washer, Belleville
	8116		Nut, Hex
	33013		Cover, Bubble
	650736		Screw, 10-16 x 3/8"
	610118		Cover, Spark plug (Use as required)
	33108A		Control Bracket (Incl. 224 & 274)
	30826		Spring, Extension
	650257		Screw, 8-32 x 5/16"
	32395		Cover, Carburetor
	32398		Bracket, Choke
	28820		Screw, 10-32 x 1/2"
	650760		Screw, 8-32 x 3/8"
	650765		Screw, 10-32 x 1/2"
	31291		Plug, Cover
	650764		Nut, "U" Type (Use as required)
	610973		Terminal Ass'y. (As req. on late prod uction)
	32397		Plate Assy., Choke
	32399		Spring, Choke stop
	32400		Knob, Choke
	31680		Guard, Starter
	32576		Seal, Snow guard
	31718		Decal, Choke
	31682		Decal, Instruction
	590473		Rewind Starter (Refer to Division 5, Section C, page 29 for
330	000110		breakdown)
340	33328D		Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#342). Refer to service number stamped on end cap of motor, or on decal, for identifica
342	30811A		Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above)
342	611042		Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using 110-120 volt starter kits listed above)
342	611085		Flywheel (Minimum ring gear flywheel required on engines using 110-120 volt starter kits listed above) (Use withSolid State ignition)

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983

Page 7 of 8

Engine Parts List #3



www.mymowerparts.com

		Qty Description
	27513	Lockwasher, 1/4" (Use as required)
36	650697A	Screw, 5/16-18 x 2-1/2" (Use as requi red)
36	650695A	Screw, 5/16-18 x 2-1/4" (Use as requi red)
36	650694A	Screw, 5/16-18 x 2" (Use as required)
38	27896A	* Gasket, Breather cover
42	26073	Washer (Use as required)
42	650691	Washer, Flat (Use as required)
50	650548	Screw, 8-32 x 5/16"
	30319	Rivet, Split (Used in early productio n)
	32326A	Lever, Governor (New lever does not need 1 of
_		51,66,132,164,165,207)
55	30205	Bracket, Adjusting
	730130	Exh.Adap.Kit (Incl. 58 & 125) (Use as req.)
	30196	Screw, 5/16-18 x 3/4" (Use as require d)
	29216	Nut, Lock, 10-32
	29826	Screw, 10-32 x 3/4"
	29918	Lockwasher, #8 E.T.
	730561	Air cleaner kit (Incl. 38, 67A, 83, 84B, 85,89B, 89C, 90A, 91,
3		91A, 91B, 91C, 91D, 245 & 331B) (Use only on engines with
		an externally vented fully adjustable carburetor)
00	720427	, , ,
62	730127	Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89A, 90, 238 & 331B) (Use as required)
	27272A	* Gasket, Air cleaner
84D	34819	Air Cleaner Elbow (Incl. 84B, 86A, 91, 91A, 91B & 91C) (Use
		in 730561 assembly only)
103E	391026	Opt. Spark Arrest Muffler (Incl.196,1 97,199)
111	31694	Bracket, Fuel tank
113	650561	Screw, 1/4-20 x 5/8"
118	29774	Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)
118	30705	Fuel Line (Braided 16") (41 cm) (Use as req.)
118	30962	Fuel Line (Braided 32") (81 cm) (Use as req.)
125	27930A	Gasket, Exhaust
126	30196	Screw, 5/16-18 x 3/4"
128	650694A	Screw, 5/16-18 x 2" (Use as required)
	650548	Screw, 8-32 x 5/16" (Early production)
	34067	Wire Assy., Alternator adapter (4-1/4 ")
	34069	Wire Assy., Alternator adapter (6-3/4 ")
	6201	Screw, 1/4-28 x 7/8"
	31288	Exh. Adaptor Kit (Incl.125,203,204) (As req.)
	650697A	Screw, 5/16-18 x 2-1/2" (Use as requi red)
	6021A	Screw, 5/16-18 x 1-1/2" (Use as requi red)
	29752	Nut, Lock
	26460	Clamp, Fuel line
	31697	Strap, Fuel tank
	29212	Screw, Hex hd. Sems, 1/4-28 x 7/16
211		Outow, Floatia, Octio, 1/7-20 A // 10