
For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 H70-130073A Page 1 of 8



www.mymowerparts.com

Ref #	Part Number C	Qty Description
	32586C	Cylinder (Incl. 2, 3, 4 & 76) (2-3/4" Bore)
	27652	Pin, Dowel
	27642	Plug, Oil drain
	28582	Plug, Oil drain
	32630	
		Seal, Oil
	32783	Intake Valve (Std.) (Incl. 9)
	32784	Intake Valve (1/32" OS) (Incl. 9)
	27878A	Exhaust Valve (Std.) (Incl. 9)
	27880A	Exhaust Valve (1/32" OS) (Incl. 9)
7	27882	Cap, Upper valve spring
7A	20810	Pin, Valve spring retainer (Use as re quired)
8A	27881	Spring, Valve
8	27881	Spring, Valve
9A	32581	Cap, Lower valve spring
9	32581	Cap, Lower valve spring
10	34242	Dipper, Oil
	32590	Plate, Lock & Oil dipper (This plate may be replaced by
		34242 oil dipper but 650662C screw must be used.)
11	32921	Crankshaft (Incl. 12 & 13)
	29783	
		Crankshaft Gear Pin (Early production)
13	27884	Gear, Crankshaft (Used in early production) This gear is
		servicable onlywhen it is pinned to the crankshaft.
14	34517	Piston, Pin & Ring Set (Std.) (2-3/4" Bore)
14	34518	Piston, Pin & Ring Set (.010" OS)
14	34519	Piston, Pin & Ring Set (.020" OS)
	32592B	Piston & Pin Ass'y. (Std.)(2-3/4")(In cl.16)
	32593B	Piston & Pin Ass'y. (.010" OS) (Incl. 16)
	32594B	Piston & Pin Ass'y. (.020" OS) (Incl. 16)
	32595	Ring Set (Std.) (2-3/4" Bore)
	32596	Ring Set (.010" OS)
	32597	Ring Set (.020" OS)
	27888	Ring, Piston pin retaining
	32591C	Rod Assy., Connecting (Incl. 10 & 18)
	650662C	Screw, Connecting (incl. 10 & 18)
	32115	, ,
		Camshaft (MCR)
	34034 34303B	Lifter, Valve
	31303B	Cover, Cylinder (Incl. 24, 106 & 279)
	31546	Bushing, Crankshaft (Use as required)
	28427	Seal, Oil
	31297	Dipstick, Oil (Incl. 30)
	30684	* Gasket, Cylinder cover
	650488	Screw, 1/4-20 x 1-1/4"
	29673	* Gasket, Oil filler
	650489	Screw, 1/4-20 x 5/8"
32	32631A	* Gasket, Cylinder head
33	30938A	Head, Cylinder
34	27793	Clip, Conduit (Use as required)
35	28942	Screw, 10-32 x 3/8" (Use as required)
36	650697A	Screw, 5/16-18 x 2-1/2" (Use as requi red)
	650695A	Screw, 5/16-18 x 2-1/4" (Use as requi red)
	650694A	Screw, 5/16-18 x 2" (Use as required)
	33636	Resistor Spark Plug (RJ-8C)
	34251	Resistor Spark Plug
	27896A	* Gasket, Breather cover
	28423	Body, Breather
	28424	Element, Breather
		·
41	28425	Cover, Valve spring

www.mymowerparts.com

Dof #	Part Number Qtv	Description
	26073	Washer (Use as required)
	650691	Washer, Flat (Use as required)
	650690	Washer, Belleville (Use as required)
43	650128	Screw, 10-24 x 1/2"
45	27915A	* Gasket, Intake
	30195A	Flange, Carburetor (Incl. 79 & 80)
	30196	Screw, 5/16-18 x 3/4"
	29716	Screw, 1/4-28 x 7/16"
	650548	Screw, 8-32 x 5/16"
52	32326A	Lever, Governor (New lever does not need 1 of
		51,66,132,164,165,207)
55	30205	Bracket, Adjusting
		·
	30824	Link, Throttle
	29216	Nut, Lock, 10-32
61	29826	Screw, 10-32 x 3/4"
62	29642	Ring, Retaining
63A	30699C	Rod Assy., Governor (Incl. 64 & 65)
	30699B	Governor Rod Ass'y. (This one-piece governor rodis no longer
99	30030B	used. It is replaced by 30699C ass'y., Ref. no. 63A)
		used. It is replaced by 30033C assy., Net. 110. 03A)
64	30700	Yoke, Governor
65	650494	Screw, 6-40 x 5/16"
	29918	Lockwasher, #8 E.T.
	35350	Tube, Breather
	29747B	Screw, 5/16-24 x 21/32"
	32158E	Blower Housing (For elec.star.)(Incl. 134,135)
71	650815	Washer, Belleville
72	8116	Nut, Hex
73	29536	Blower Housing Baffle (without electric starter knock-out)
		(Use as required)
70	050504	` '
/3	35256A	Blower Housing Baffle (with electric starter knock-out) (Use
		as required) (Point Ignition)
74	650561	Screw, 1/4-20 x 5/8"
	31688A	* Gasket, Carburetor
	29752	Nut & Lockwasher Assy., 1/4-28
	650572	Screw, 1/4-28 x 1-1/8"
82A	730164	Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89, 90A & 331B)
		(Use as required)
۵7	35349	Ground Wire
	29538	
		Base, Engine mounting
	32401	Muffler
	31845	Shaft, Mechanical governor
107	30591	Gear Assy., Governor (Incl. 109)
108	30588A	Spool, Governor
	30590A	Washer, Flat
	29193	Ring, Retaining
	650561	Screw, 1/4-20 x 5/8"
	31321	Fuel Tank (Incl. 115)
	410144B	Fuel Cap (White Plastic)(Std)(As required)
115	33032	Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile)
		(Use as required)
11 <i>E</i>	34210	Fuel Can (Ped Plactic) (Sourt registrant High profile) (Heads
115	34210	Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as
		required)
115	35355	Fuel Cap (Use as required)
	29774	Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)
110	··	/


www.mymowerparts.com

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 $_{\rm Page\ 4\ of\ 8}$ Engine Parts List #1

Ref #	Part Number	Qtv	Description
	30705		Fuel Line (Braided 16") (41 cm) (Use as req.)
	30962		Fuel Line (Braided 32") (81 cm) (Use as req.)
	650128		Screw, 10-24 x 1/2" (Use as required)
	30622A		Extension, Blower housing
122	34174		Deflector, Exhaust
123	650665		Screw, 1/4-15 x 7/8"
124	650542		Screw, 5/16-18 x 3/4"
125	27930A		Gasket, Exhaust
126	30196		Screw, 5/16-18 x 3/4"
127	26073		Washer (Use as required)
128	650694A		Screw, 5/16-18 x 2" (Use as required)
129	32589		Key, Flywheel
130	31843A		Bracket, Governor gear
131	650836		Screw, 10-24 x 1/2"
133	650493		Screw, 1/4-20 x 1-3/4"
	30747		Clip, Shorting
193	610118		Cover, Spark plug (Use as required)
	650561		Screw, 1/4-20 x 5/8" (Use as required)
	30939A		Cover, Cylinder head
	32125		Cup, Starter
	590417		Screen, Starter cup
	26460		Clamp, Fuel line
	31461		Bushing, Crankshaft (Use as required)
	610973		Terminal Ass'y. (As req. on late prod uction)
	27275		Clip, Hi-tension wire (Use as require d)
	34246		Clip, Ground wire (Use as required)
	550223		Decal, Name
	34346		Decal, Instruction
	30547A		Contact Assy., Breaker
	30548B		Condenser
	631021		Inlet Needle, Seat & Clip Assy.
336	631459		Carburetor (Incl. 75) (Refer to Division 5, Section A, page 100
			for breakdown)
337	610689A		Magneto NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as show in parts list. (Refer to Division 5, Section B, page 24 for breakdown)
338	590473		Rewind Starter (Refer to Division 5, Section C, page 29 for breakdown)
343	33239A		Gasket Set (Incl. items marked*)

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983

Page 5 of 8




For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 $_{\rm Page~6~of~8}$ Engine Parts List #2

		Qty	Description
	650489		Screw, 1/4-20 x 5/8"
	27793		Clip, Conduit (Use as required)
	28942		Screw, 10-32 x 3/8" (Use as required)
	650128		Screw, 10-24 x 1/2"
	29716		Screw, 1/4-28 x 7/16"
	30824		Link, Throttle
	650815		Washer, Belleville
72	8116		Nut, Hex
193	610118		Cover, Spark plug (Use as required)
200	33109A		Control Bracket (Incl. 224 & 274)
224	30826		Spring, Extension
230	650257		Screw, 8-32 x 5/16"
231	33134		Cover, Carburetor
254	32398		Bracket, Choke
255	28820		Screw, 10-32 x 1/2"
256A	650765		Screw, 10-32 x 1/2"
256	650760		Screw, 8-32 x 3/8"
	650764		Nut, "U" Type (Use as required)
	610973		Terminal Ass'y. (As req. on late prod uction)
	32397		Plate Assy., Choke
	32399		Spring, Choke stop
	32400		Knob, Choke
	31680		Guard, Starter
	32576		Seal, Snow guard
	550223		Decal, Name
	31682		Decal, Instruction
	31683		Decal, Choke
	35344		Decal, Control
	590473		Rewind Starter (Refer to Division 5, Section C, page 29 for
			breakdown)
340	33328D		Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be
			added only if cylinder hasdrilled and tapped starter mounting
			bosses and a ring gear flywheel (see#342). Refer to service
			number stamped on end cap of motor, or on decal, for
			identifica
242	20011 /		Chaubaal (Ding goor flaubaal requireden engines using
342	30811A		Flywheel (Ring gear flywheel requiredon engines using
			110-120 volt starter kits listed above)
342	611042		Flywheel (Used on Type letters H and above) (Std. Point
			ignition) (Ring gear flywheel required on engines using
			110-120 volt starter kits listed above)
2/12	611085		Flywheel (Minimum ring gear flywheel required on engines
342	011000		using 110-120 volt starter kits listed above) (Use with Solid
			State ignition)
			otate ignition)

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983

Page 7 of 8

Engine Parts List #3



www.mymowerparts.com

	Part Number	Qty Description
36 36 38 42 42 50 51	27513 650697A 650695A 650694A 27896A 26073 650691 650548 30319 32326A	Lockwasher, 1/4" (Use as required) Screw, 5/16-18 x 2-1/2" (Use as requi red) Screw, 5/16-18 x 2-1/4" (Use as requi red) Screw, 5/16-18 x 2" (Use as required) * Gasket, Breather cover Washer (Use as required) Washer, Flat (Use as required) Screw, 8-32 x 5/16" Rivet, Split (Used in early productio n) Lever, Governor (New lever does not need 1 of 51,66,132,164,165,207)
57 58 59 61 66	30205 730130 30196 29216 29826 29918 730561	Bracket, Adjusting Exh.Adap.Kit (Incl. 58 & 125) (Use as req.) Screw, 5/16-18 x 3/4" (Use as require d) Nut, Lock, 10-32 Screw, 10-32 x 3/4" Lockwasher, #8 E.T. Air cleaner kit (Incl. 38, 67A, 83, 84B, 85,89B, 89C, 90A, 91, 91A, 91B, 91C, 91D, 245 & 331B) (Use only on engines with an externally vented fully adjustable carburetor)
82	730127	Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89A, 90, 238 & 331B) (Use as required)
84D	34819	Air Cleaner Elbow (Incl. 84B, 86A, 91, 91A, 91B & 91C) (Use in 730561 assembly only) NOTE: 130010 thru 10C & 11 used in early production only.
111 113 118 118 118 125 126 128 132 148 148 202 203 204 258 259 260 261	391026 31300 650561 29774 30705 30962 27930A 30196 650694A 650548 34067 34069 31288 650697A 6021A 31298 31299 650168 650561 650516	Opt. Spark Arrest Muffler (Incl.196,1 97,199) Bracket, Fuel tank Screw, 1/4-20 x 5/8" Fuel Line (Braided 8-1/4" 21 cm)(Use as req.) Fuel Line (Braided 16") (41 cm) (Use as req.) Fuel Line (Braided 32") (81 cm) (Use as req.) Gasket, Exhaust Screw, 5/16-18 x 3/4" Screw, 5/16-18 x 2" (Use as required) Screw, 8-32 x 5/16" (Early production) Wire Assy., Alternator adapter (4-1/4") Wire Assy., Alternator adapter (6-3/4") Exh. Adaptor Kit (Incl.125,203,204) (As req.) Screw, 5/16-18 x 2-1/2" (Use as required) Screw, 5/16-18 x 1-1/2" (Use as required) Screw, 5/16-18 x 1-1/2" (Use as required) Strip, Vibration Brace, Fuel tank Washer, Flat Screw, 1/4-20 x 5/8" Nut, Lock 1/4-20 Clamp, Fuel line