
For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 H70-130089 Engine Parts List #1



www.mymowerparts.com

D-f "	Dort Number	04	Departmention
	Part Number	Qty	Description
	32586C		Cylinder (Incl. 2, 3, 4 & 76) (2-3/4" Bore)
	27652		Pin, Dowel
	28582		Plug, Oil drain
	32630		Seal, Oil
	32783		Intake Valve (Std.) (Incl. 9)
	32784		Intake Valve (1/32" OS) (Incl. 9)
	27878A		Exhaust Valve (Std.) (Incl. 9)
	27880A		Exhaust Valve (1/32" OS) (Incl. 9)
	20810		Pin, Valve spring retainer (Use as re quired)
	27882		Cap, Upper valve spring
	27881		Spring, Valve
8A	27881		Spring, Valve
9A	32581		Cap, Lower valve spring
9	32581		Cap, Lower valve spring
10A	32590		Plate, Lock & Oil dipper (This plate may be replaced by
			34242 oil dipper but 650662C screw must be used.)
10	34242		Dipper, Oil
	32782		Crankshaft (Incl. 12 &13)
	29783		Crankshaft Gear Pin (Early production)
	27884		Gear, Crankshaft (Used in early production) This gear is
10	21004		servicable onlywhen it is pinned to the crankshaft.
	04547		
	34517		Piston, Pin & Ring Set (Std.) (2-3/4" Bore)
	34518		Piston, Pin & Ring Set (.010" OS)
	34519		Piston, Pin & Ring Set (.020" OS)
	32592B		Piston & Pin Ass'y. (Std.)(2-3/4")(In cl.16)
	32593B		Piston & Pin Ass'y. (.010" OS) (Incl. 16)
	32594B		Piston & Pin Ass'y. (.020" OS) (Incl. 16)
	32595		Ring Set (Std.) (2-3/4" Bore)
	32596		Ring Set (.010" OS)
	32597		Ring Set (.020" OS)
	27888		Ring, Piston pin retaining
	32591C		Rod Assy., Connecting (Incl. 10 & 18)
18	650662C		Screw, Connecting rod (2 each)
21	32115		Camshaft (MCR)
22	34034		Lifter, Valve
23	31451A		Cylinder Cover (Incl.24, 106, 309, 31 0 & 311)
24	28460		Seal, Oil
24B	31546		Bushing, Crankshaft (Use as required)
25	31297		Dipstick, Oil (Incl. 30)
	30684		* Gasket, Cylinder cover
	650488		Screw, 1/4-20 x 1-1/4"
	29673		* Gasket, Oil filler
	650489		Screw, 1/4-20 x 5/8"
	32631A		* Gasket, Cylinder head
	30938A		Head, Cylinder
	27793		Clip, Conduit (Use as required)
	28942		Screw, 10-32 x 3/8" (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as required)
	650695A		Screw, 5/16-18 x 2-1/4" (Use as required)
	650694A		Screw, 5/16-18 x 2" (Use as required)
	33636		Resistor Spark Plug (RJ-8C)
	34251		Resistor Spark Plug
	27896A		* Gasket, Breather cover
	28423		Body, Breather
	28424		Element, Breather
	28425		Cover, Valve spring
	26073		Washer (Use as required)
42	www mvmc	<b>\\</b> \	

	650691		asher, Flat (Use as required)
	650690		asher, Belleville (Use as required)
	650128		rew, 10-24 x 1/2"
	27915A		Gasket, Intake
46	30195A	Flai	ange, Carburetor (Incl. 79 & 80)
47	30196	Scr	rew, 5/16-18 x 3/4"
48	29716	Scr	rew, 1/4-28 x 7/16"
50	650548	Scr	rew, 8-32 x 5/16"
52	32326A	Lev	ver, Governor (New lever does not need 1 of
			,66,132,164,165,207)
55	30205	Bra	acket, Adjusting
	30206		ik, Throttle
	29216		it, Lock, 10-32
	650152		
			rew, 8-32 x 3/8"
	29826		rew, 10-32 x 3/4"
	29642		ng, Retaining
63	30699B		vernor Rod Ass'y. (This one-piece governor rodis no longer
		USE	ed. It is replaced by 30699C ass'y.,Ref. no. 63A)
	30699C		d Assy., Governor (Incl. 64 & 65)
64	30700	Yoł	ke, Governor
65	650494	Scr	rew, 6-40 x 5/16"
66	29918		ckwasher, #8 E.T.
	35350		be, Breather
	29747B		rew, 5/16-24 x 21/32"
	32158E		ower Housing (For elec.star.)(Incl. 134,135)
	650815		asher, Belleville
	8116		it, Hex
	29536		ower Housing Baffle (without electric starter knock-out)
13	23550		se as required)
73	35256A		ower Housing Baffle (with electric starter knock-out) (Use
		as	required) (Point Ignition)
74	650561	Scr	rew, 1/4-20 x 5/8"
75	31688A		Sasket, Carburetor
79	29752	Nut	t & Lockwasher Assy., 1/4-28
	650572		rew, 1/4-28 x 1-1/8"
	730164		Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89, 90A & 331B)
			se as required)
<b>2</b> 3	27272A	* С	Gasket, Air cleaner
	31691		acket, Air cleaner NOTE: 130010 thru 10C & 11 used in
07	31031		rly production only.
	28820		rew, 10-32 x 1/2"
	30727		ement, Air cleaner
	31715		dy, Air cleaner
97	30831	Gro	ound Wire (Incl. 137)
98	32924		ring, Compression
	650688		rew, 10-32 x 1"
	29538		se, Engine mounting
	31845		aft, Mechanical governor
	30591		ear Assy., Governor (Incl. 109)
	30588A		ool, Governor
	30590A		asher, Flat
	29193		ng, Retaining
	30063		rew, 1/4-20 x 1/2"
	410144B		el Cap (White Plastic)(Std)(As required)
CLI		1-UE	$ = \nabla a p ( with the that a since ( O(u) (A s the quilled)) $


		Description
115	33032	Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile)
		(Use as required)
115	34210	Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as
110		required)
115	25255	• /
	35355	Fuel Cap (Use as required)
	29774	Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)
	30705	Fuel Line (Braided 16") (41 cm) (Use as req.)
	30962	Fuel Line (Braided 32") (81 cm) (Use as req.)
	650128	Screw, 10-24 x 1/2" (Use as required)
	30622A	Extension, Blower housing
	650542	Screw, 5/16-18 x 3/4"
	26073	Washer (Use as required)
	650694A	Screw, 5/16-18 x 2" (Use as required)
	32589	Key, Flywheel
	31843A	Bracket, Governor gear
	650836	Screw, 10-24 x 1/2"
	650493	Screw, 1/4-20 x 1-3/4"
	30747	Clip, Shorting
	610118	Cover, Spark plug (Use as required)
	27276	Cover, Spark plug
	650561	Screw, 1/4-20 x 5/8" (Use as required )
	30939A	Cover, Cylinder head
	650760	Screw, 8-32 x 3/8"
	28545	Grommet
	32125	Cup, Starter
	590417	Screen, Starter cup
	31461	Bushing, Crankshaft (Use as required)
	610973	Terminal Ass'y. (As req. on late prod uction)
	27275	Clip, Hi-tension wire (Use as require d)
287	34246	Clip, Ground wire (Use as required)
331A	34346	Decal, Instruction
331B	31752	Decal, Air cleaner
331	550223	Decal, Name
332	30547A	Contact Assy., Breaker
333	30548B	Condenser
334	631021	Inlet Needle, Seat & Clip Assy.
336	631453	Carburetor (Incl. 75) (Refer to Division 5, Section A, page 100
		for breakdown)
337	610689A	Magneto NOTE: The complete magneto is not available as
557	010009A	an assembly. The magneto number is shown for reference
		purposes only. Order component parts individually, as show
		in parts list. (Refer to Division 5, Section B, page 24 for
		breakdown)
	500.400	,
338	590420	Rewind Starter (Refer to Division 5, Section C, page 25 for
		breakdown)
343	33239A	Gasket Set (Incl. items marked*)
		· · · · · · · · · · · · · · · · · · ·

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 H70-130089 Engine Parts List #2



Ref #	Part Number Qt	y Description
31	650489	Screw, 1/4-20 x 5/8"
34	27793	Clip, Conduit (Use as required)
35	28942	Screw, 10-32 x 3/8" (Use as required)
	650128	Screw, 10-24 x 1/2"
48	29716	Screw, 1/4-28 x 7/16"
	30206	Link, Throttle
	650815	Washer, Belleville
	8116	Nut, Hex
	31879	Link, Governor lever-to-bellcrank
	650399	Screw, 10-32 x 5/8" (Supplied by OEM)
	30312	Screw, 10-32 x 1/2"
	30712	Lever, Bellcrank
	29530	Bushing, Bellcrank
	28562	Bushing, RPM adjusting lever
	30199A	Bracket, Speed control (Incl. 98 & 99)
	33450	Nut, Lock
	30202	Spring, Extension
	32977	Spring, Torsion
	30201A	Lever, Speed control
	32924	Spring, Compression
	650688	Screw, 10-32 x 1"
	610118	Cover, Spark plug (Use as required)
	27276	Cover, Spark plug
	730152	Control Bracket (Incl. 92, 92A, 92B,93, 93A,94, 95, 95A &
201	100102	96)
	650764	Nut, "U" Type (Use as required)
	610973	Terminal Ass'y. (As req. on late prod uction)
	31793	Bearing, Ball
	31855	Retainer, Bearing
	650778	Washer, Lock
	650580	Nut, Lock
	31792	Washer, Thrust
	550223	Decal, Name
338	590420	Rewind Starter (Refer to Division 5, Section C, page 25 for
		breakdown)
340	33328D	Starter Motor Kit (110-120 Volt) This 110-120 volt starter
		motor kit may have been added to this engine. It can be
		added only if cylinder hasdrilled and tapped starter mounting
		bosses and a ring gear flywheel (see#342). Refer to service
		number stamped on end cap of motor, or on decal, for
		identifica
0.40	000111	
342	30811A	Flywheel (Ring gear flywheel requiredon engines using
		110-120 volt starter kits listed above)
342	611042	Flywheel (Used on Type letters H and above) (Std. Point
		ignition) (Ring gear flywheel required on engines using
		110-120 volt starter kits listed above)
- ·-	244225	,
342	611085	Flywheel (Minimum ring gear flywheel required on engines
		using 110-120 volt starter kits listed above) (Use withSolid
		State ignition)

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 H70-130089 Engine Parts List #3



\_

Dof #	Part Number	011	Description
	Part Number 27513	Qly	Description Lockwasher, 1/4" (Use as required)
	650697A		Screw, $5/16-18 \times 2-1/2$ " (Use as required)
	650695A		Screw, 5/16-18 x 2-1/2" (Use as required) Screw, 5/16-18 x 2-1/4" (Use as required)
	650694A		Screw, 5/16-18 x 2" (Use as required)
	27896A		* Gasket, Breather cover
	26073		Washer (Use as required)
	650691		Washer, Flat (Use as required)
	650548		Screw, 8-32 x 5/16"
	30319		Rivet, Split (Used in early productio n)
52	32326A		Lever, Governor (New lever does not need 1 of
			51,66,132,164,165,207)
55	30205		Bracket, Adjusting
57	730130		Exh.Adap.Kit (Incl. 58 & 125) (Use as req.)
58	30196		Screw, 5/16-18 x 3/4" (Use as require d)
59	29216		Nut, Lock, 10-32
61	29826		Screw, 10-32 x 3/4"
66	29918		Lockwasher, #8 E.T.
82B	730561		Air cleaner kit (Incl. 38, 67A, 83, 84B, 85,89B, 89C, 90A, 91,
			91A, 91B, 91C, 91D, 245 & 331B) (Use only on engines with
			an externally vented fully adjustable carburetor)
82	730127		Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89A, 90, 238 &
02	100121		331B) (Use as required)
	27272A		* Gasket, Air cleaner
84D	34819		Air Cleaner Elbow (Incl. 84B, 86A, 91, 91A, 91B & 91C) (Use
			in 730561 assembly only)
88	28820		Screw, 10-32 x 1/2"
90	31715		Body, Air cleaner
101	30209		Elbow, Exhaust (45 degree)
103E	391026		Opt. Spark Arrest Muffler (Incl.196,1 97,199)
103C	31287		Muffler
104	28443		Conduit Nut
	32862		Conduit Nut
	30063		Screw, 1/4-20 x 1/2"
	29774		Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)
	30705		Fuel Line (Braided 16") (41 cm) (Use as req.)
	30962		Fuel Line (Braided 32") (81 cm) (Use as req.)
	650694A		Screw, 5/16-18 x 2" (Use as required)
	650548		Screw, 8-32 x 5/16" (Early production )
	33356		Terminal
	34067		Wire Assy., Alternator adapter (4-1/4 ")
	34069		Wire Assy., Alternator adapter (6-3/4 ")
	31288		Exh. Adaptor Kit (Incl.125,203,204) ( As req.)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as required)
	6021A		Screw, 5/16-18 x 1-1/2" (Use as required)
	650760		Screw, 8-32 x 3/8"
	28545		Grommet
331B	31752		Decal, Air cleaner