
For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 H70-130098 Engine Parts List #1



www.mymowerparts.com

	Part Number	Otv	Description
	32586C	Qty	Cylinder (Incl. 2, 3, 4 & 76) (2-3/4" Bore)
	27652		Pin, Dowel
	27642		•
			Plug, Oil drain
	32630		Seal, Oil
	32783		Intake Valve (Std.) (Incl. 9)
	32784		Intake Valve (1/32" OS) (Incl. 9)
	27878A		Exhaust Valve (Std.) (Incl. 9)
	27880A		Exhaust Valve (1/32" OS) (Incl. 9)
	20810		Pin, Valve spring retainer (Use as re quired)
	27882		Cap, Upper valve spring
	27881		Spring, Valve
8A	27881		Spring, Valve
9A	32581		Cap, Lower valve spring
9	32581		Cap, Lower valve spring
10A	32590		Plate, Lock & Oil dipper (This plate may be replaced by
			34242 oil dipper but 650662C screw must be used.)
10	34242		Dipper, Oil
	32587		Crankshaft (Incl. 12 & 13)
	29783		Crankshaft Gear Pin (Early production)
13	27884		Gear, Crankshaft (Used in early production) This gear is
			servicable onlywhen it is pinned to the crankshaft.
14	34517		Piston, Pin & Ring Set (Std.) (2-3/4" Bore)
14	34518		Piston, Pin & Ring Set (.010" OS)
14	34519		Piston, Pin & Ring Set (.020" OS)
14A	32592B		Piston & Pin Ass'y. (Std.)(2-3/4")(In cl.16)
14A	32593B		Piston & Pin Ass'y. (.010" OS) (Incl. 16)
14A	32594B		Piston & Pin Ass'y. (.020" OS) (Incl. 16)
	32595		Ring Set (Std.) (2-3/4" Bore)
	32596		Ring Set (.010" OS)
	32597		Ring Set (.020" OS)
	27888		Ring, Piston pin retaining
	32591C		Rod Assy., Connecting (Incl. 10 & 18)
	650662C		Screw, Connecting rod (2 each)
	32115		Camshaft (MCR)
	34034		Lifter, Valve
	31303B		Cover, Cylinder (Incl. 24, 106 & 279)
	28427		
			Seal, Oil Buching, Crankshoft (Line on required)
	31546		Bushing, Crankshaft (Use as required)
	29668		Dipstick, Oil (Incl. 30) * Casket, Orlinder cover
	30684		* Gasket, Cylinder cover
	650488		Screw, 1/4-20 x 1-1/4"
	29673		* Gasket, Oil filler
	650489		Screw, 1/4-20 x 5/8"
	32631A		* Gasket, Cylinder head
	30938A		Head, Cylinder
	27793		Clip, Conduit (Use as required)
	28942		Screw, 10-32 x 3/8" (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as required)
	650695A		Screw, 5/16-18 x 2-1/4" (Use as required)
	650694A		Screw, 5/16-18 x 2" (Use as required)
37	33636		Resistor Spark Plug (RJ-8C)
37	34251		Resistor Spark Plug
38	27896A		* Gasket, Breather cover
	28423		Body, Breather
	28424		Element, Breather
	28425		Cover, Valve spring
	26073		Washer (Use as required)
	www.mvmo	XX/	

Dof # Dort Number			
Ref # Part Number 42 650691	Qty Description Washer, Flat (Use as required)		
42 030091 42A 650690	Washer, Belleville (Use as required)		
43 650128	Screw, 10-24 x $1/2$ "		
45 27915A	* Gasket, Intake		
46 30195A	Flange, Carburetor (Incl. 79 & 80)		
47 30196	Screw, 5/16-18 x 3/4"		
48 29716	Screw, 1/4-28 x 7/16"		
50 650548	Screw, 8-32 x 5/16"		
52 32326A	Lever, Governor (New lever does not need 1 of		
52 32320A	51,66,132,164,165,207)		
55,00005	· · · · · ,		
55 30205	Bracket, Adjusting		
56 30206	Link, Throttle		
59 29216	Nut, Lock, 10-32		
60 650152	Screw, 8-32 x 3/8"		
61 29826	Screw, 10-32 x 3/4"		
62 29642	Ring, Retaining		
63A 30699C	Rod Assy., Governor (Incl. 64 & 65)		
63 30699B	Governor Rod Ass'y. (This one-piece governor rodis no longer		
	used. It is replaced by 30699C ass'y.,Ref. no. 63A)		
64 30700	Yoke, Governor		
65 650494	Screw, 6-40 x 5/16"		
66 29918	Lockwasher, #8 E.T.		
67 35350	Tube, Breather		
69 29747B	Screw, 5/16-24 x 21/32"		
70 32158E	Blower Housing (For elec.star.)(Incl. 134,135)		
71 650815	Washer, Belleville		
72 8116	Nut, Hex		
73 29536	Blower Housing Baffle (without electric starter knock-out)		
	(Use as required)		
73 35256A	Blower Housing Baffle (with electric starter knock-out) (Use		
	as required) (Point Ignition)		
74 650561	Screw, 1/4-20 x 5/8"		
75 31688A	* Gasket, Carburetor		
79 29752	Nut & Lockwasher Assy., 1/4-28		
80 650572	Screw, 1/4-28 x 1-1/8"		
82A 730164	Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89, 90A & 331B)		
	(Use as required)		
00 070704			
83 27272A	* Gasket, Air cleaner		
87 31691	Bracket, Air cleaner NOTE: 130010 thru 10C & 11 used in early production only.		
	early production only.		
88 650521	Screw, 10-32 x 1-1/8"		
89 30727	Element, Air cleaner		
90 31715	Body, Air cleaner		
98 32924	Spring, Compression		
99 650688	Screw, 10-32 x 1"		
100	Base, Engine mounting (Supplied by OE M)		
103 32401	Muffler		
106 31845	Shaft, Mechanical governor		
107 30591	Gear Assy., Governor (Incl. 109)		
108 30588A	Spool, Governor		
109 30590A	Washer, Flat		
110 29193	Ring, Retaining		
113 650561	Screw, 1/4-20 x 5/8"		
114 31301	Fuel Tank (Incl. 115)		
115 410144B	Fuel Cap (White Plastic)(Std)(As required)		
www.mymowerparts.com			


Ref #	Part Number Qty	Description
115	33032	Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile)
		(Use as required)
115	34210	Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as
		required)
445		• •
	35355	Fuel Cap (Use as required)
	29683	Valve, Fuel shut-off
	29774	Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)
	30705 30962	Fuel Line (Braided 16") (41 cm) (Use as req.) Fuel Line (Braided 32") (81 cm) (Use as req.)
	650128	Screw, $10-24 \times 1/2$ " (Use as required)
	30622A	Extension, Blower housing
	650427	Screw, 5/16-18 x 1"
	27930A	Gasket, Exhaust
	30196	Screw, 5/16-18 x 3/4"
	26073	Washer (Use as required)
	650694A	Screw, 5/16-18 x 2" (Use as required)
	32589	Key, Flywheel
	31843A	Bracket, Governor gear
131	650836	Screw, 10-24 x 1/2"
133	650493	Screw, 1/4-20 x 1-3/4"
147	8274	Lockwasher
149	30747	Clip, Shorting
	650890	Lockwasher
	31778	Spring, Breather tube
	610118	Cover, Spark plug (Use as required)
	650561	Screw, 1/4-20 x 5/8" (Use as required)
	30939A	Cover, Cylinder head
	32125	Cup, Starter
	590417	Screen, Starter cup
	26460	Clamp, Fuel line
	31461	Bushing, Crankshaft (Use as required)
	610973	Terminal Ass'y. (As req. on late prod uction)
	27275 34246	Clip, Hi-tension wire (Use as require d)
	34346	Clip, Ground wire (Use as required) Decal, Instruction
	550223	Decal, Name
	31752	Decal, Air cleaner
	30547A	Contact Assy., Breaker
	30548B	Condenser
	631021	Inlet Needle, Seat & Clip Assy.
	631453	Carburetor (Incl. 75) (Refer to Division 5, Section A, page 100
		for breakdown)
700	610680.0	,
337	610689A	Magneto NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference
		purposes only. Order component parts individually, as show
		in parts list. (Refer to Division 5, Section B, page 24 for
		breakdown)
		,
338	590420	Rewind Starter (Refer to Division 5, Section C, page 25 for
		breakdown)
343	33239A	Gasket Set (Incl. items marked*)
		· · · · · · · · · · · · · · · · · · ·

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 H70-130098 Engine Parts List #2



Ref #	Part Number	Qtv	Description
	650489		Screw, 1/4-20 x 5/8"
34	27793		Clip, Conduit (Use as required)
35	28942		Screw, 10-32 x 3/8" (Use as required)
43A	650128		Screw, 10-24 x 1/2"
48	29716		Screw, 1/4-28 x 7/16"
56	30206		Link, Throttle
71	650815		Washer, Belleville
72	8116		Nut, Hex
92C	31879		Link, Governor lever-to-bellcrank
92B	30712		Lever, Bellcrank
92A	650399		Screw, 10-32 x 5/8" (Supplied by OEM)
92	30312		Screw, 10-32 x 1/2"
93	29530		Bushing, Bellcrank
93A	28562		Bushing, RPM adjusting lever
94	30199A		Bracket, Speed control (Incl. 98 & 99)
	33450		Nut, Lock
	30202		Spring, Extension
	30201A		Lever, Speed control
	32924		Spring, Compression
	650688		Screw, 10-32 x 1"
	31778		Spring, Breather tube
	610118		Cover, Spark plug (Use as required)
201	730152		Control Bracket (Incl. 92, 92A, 92B,93, 93A,94, 95, 95A &
			96)
263	650764		Nut, "U" Type (Use as required)
	610973		Terminal Ass'y. (As req. on late prod uction)
	550223		Decal, Name
338	590420		Rewind Starter (Refer to Division 5, Section C, page 25 for
			breakdown)
340	33328D		Starter Motor Kit (110-120 Volt) This 110-120 volt starter
			motor kit may have been added to this engine. It can be
			added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#342). Refer to service
			number stamped on end cap of motor, or on decal, for
			identifica
342	30811A		Flywheel (Ring gear flywheel requiredon engines using
			110-120 volt starter kits listed above)
342	611042		Flywheel (Used on Type letters H and above) (Std. Point
			ignition) (Ring gear flywheel required on engines using
			110-120 volt starter kits listed above)
342	611085		Flywheel (Minimum ring gear flywheel required on engines
			using 110-120 volt starter kits listed above) (Use with Solid
			State ignition)

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 H70-130098 Engine Parts List #3



27 36 36 36 38 42 42 50 51	Part Number 27513 650697A 650695A 650694A 27896A 26073 650691 650548 30319 32326A	Qty	Description Lockwasher, 1/4" (Use as required) Screw, 5/16-18 x 2-1/2" (Use as required) Screw, 5/16-18 x 2" (Use as required) * Gasket, Breather cover Washer (Use as required) Washer, Flat (Use as required) Screw, 8-32 x 5/16" Rivet, Split (Used in early productio n) Lever, Governor (New lever does not need 1 of 51,66,132,164,165,207)
57 58 59 61 66	30205 730130 30196 29216 29826 29918 730127		Bracket, Adjusting Exh.Adap.Kit (Incl. 58 & 125) (Use as req.) Screw, 5/16-18 x 3/4" (Use as require d) Nut, Lock, 10-32 Screw, 10-32 x 3/4" Lockwasher, #8 E.T. Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89A, 90, 238 & 331B) (Use as required)
82B	730561		Air cleaner kit (Incl. 38, 67A, 83, 84B, 85,89B, 89C, 90A, 91, 91A, 91B, 91C, 91D, 245 & 331B) (Use only on engines with an externally vented fully adjustable carburetor)
84A	27272A 30708 34819		* Gasket, Air cleaner Elbow, Air Cleaner (Incl. 85) Air Cleaner Elbow (Incl. 84B, 86A, 91, 91A, 91B & 91C) (Use in 730561 assembly only)
86 88 90 103E 111 113 118 118 118 125 126 128 132 138 148 148 148 148 148 202 203 204 204 262 266	650163 30709 650521 31715 391026 31694 650561 29774 30705 30962 27930A 30196 650694A 650548 30936 34067 34069 6201 31288 650697A 6021A 29752 26460 31697		Screw, 10-32 x 7/8" Fitting, Breather tube Screw, 10-32 x 1-1/8" Body, Air cleaner Opt. Spark Arrest Muffler (Incl.196,1 97,199) Bracket, Fuel tank Screw, 1/4-20 x 5/8" Fuel Line (Braided 8-1/4" 21 cm)(Use as req.) Fuel Line (Braided 16") (41 cm) (Use as req.) Fuel Line (Braided 32") (81 cm) (Use as req.) Gasket, Exhaust Screw, 5/16-18 x 3/4" Screw, 5/16-18 x 2" (Use as required) Screw, 8-32 x 5/16" (Early production) Flange, Air cleaner Wire Assy., Alternator adapter (4-1/4 ") Wire Assy., Alternator adapter (6-3/4 ") Screw, 1/4-28 x 7/8" Exh. Adaptor Kit (Incl.125,203,204) (As req.) Screw, 5/16-18 x 2-1/2" (Use as required) Nut, Lock Clamp, Fuel line Strap, Fuel line
277 289 290 291	29212 730512 31667 31668 31752		Screw, Hex hd. Sems, 1/4-28 x 7/16 Kit. Pre-cleaner (Incl 290 & 291) Spring, Pre-cleaner bag Bag, Pre-cleaner Decal, Air cleaner