
For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 H70-130101A Engine Parts List #1



www.mymowerparts.com

Qty Description
Cylinder (Incl. 2, 3, 4 & 76) (2-3/4" Bore)
Pin, Dowel
Plug, Oil drain
Seal, Oil
Intake Valve (Std.) (Incl. 9)
Intake Valve (1/32" OS) (Incl. 9)
Exhaust Valve (Std.) (Incl. 9)
Exhaust Valve (1/32" OS) (Incl. 9)
Cap, Upper valve spring
Pin, Valve spring retainer (Use as re quired)
Spring, Valve
Spring, Valve
Cap, Lower valve spring
Cap, Lower valve spring
Dipper, Oil
Plate, Lock & Oil dipper (This plate may be replaced by 34242 oil dipper but 650662C screw must be used.)
Crankshaft (Incl. 12 & 13)
Crankshaft Gear Pin (Early production)
Gear, Crankshaft (Used in early production) This gear is
servicable onlywhen it is pinned to the crankshaft.
Piston, Pin & Ring Set (Std.) (2-3/4" Bore)
Piston, Pin & Ring Set (.010" OS)
Piston, Pin & Ring Set (.020" OS)
Piston & Pin Ass'y. (Std.)(2-3/4")(In cl.16)
Piston & Pin Ass'y. (.010" OS) (Incl. 16)
Piston & Pin Ass'y. (.020" OS) (Incl. 16)
Ring Set (Std.) (2-3/4" Bore)
Ring Set (.010" OS)
Ring Set (.020" OS)
Ring, Piston pin retaining
Rod Assy., Connecting (Incl. 10 & 18)
Screw, Connecting rod (2 each)
Camshaft (MCR)
Lifter, Valve
Cover, Cylinder (Incl. 24, 106 & 279)
Seal, Oil
Bushing, Crankshaft (Use as required)
Dipstick, Oil (Incl. 30)
* Gasket, Cylinder cover
Screw, 1/4-20 x 1-1/4"
* Gasket, Oil filler
Screw, 1/4-20 x 5/8"
* Gasket, Cylinder head
Head, Cylinder
Clip, Conduit (Use as required)
Screw, 10-32 X 3/8 (Use as required)
Screw, 10-32 x 3/8" (Use as required) Screw, 5/16-18 x 2-1/2" (Use as required)
Screw, 5/16-18 x 2-1/2" (Use as requi red)
Screw, 5/16-18 x 2-1/2" (Use as requi red) Screw, 5/16-18 x 2-1/4" (Use as requi red)
Screw, 5/16-18 x 2-1/2" (Use as requi red) Screw, 5/16-18 x 2-1/4" (Use as requi red) Screw, 5/16-18 x 2" (Use as required)
Screw, 5/16-18 x 2-1/2" (Use as requi red) Screw, 5/16-18 x 2-1/4" (Use as requi red) Screw, 5/16-18 x 2" (Use as required) Resistor Spark Plug (RJ-8C)
Screw, 5/16-18 x 2-1/2" (Use as required) Screw, 5/16-18 x 2-1/4" (Use as required) Screw, 5/16-18 x 2" (Use as required) Resistor Spark Plug (RJ-8C) Resistor Spark Plug
Screw, 5/16-18 x 2-1/2" (Use as required) Screw, 5/16-18 x 2-1/4" (Use as required) Screw, 5/16-18 x 2" (Use as required) Resistor Spark Plug (RJ-8C) Resistor Spark Plug * Gasket, Breather cover
Screw, 5/16-18 x 2-1/2" (Use as required) Screw, 5/16-18 x 2-1/4" (Use as required) Screw, 5/16-18 x 2" (Use as required) Resistor Spark Plug (RJ-8C) Resistor Spark Plug * Gasket, Breather cover Body, Breather
Screw, 5/16-18 x 2-1/2" (Use as required) Screw, 5/16-18 x 2-1/4" (Use as required) Screw, 5/16-18 x 2" (Use as required) Resistor Spark Plug (RJ-8C) Resistor Spark Plug * Gasket, Breather cover Body, Breather Element, Breather
Screw, 5/16-18 x 2-1/2" (Use as required) Screw, 5/16-18 x 2-1/4" (Use as required) Screw, 5/16-18 x 2" (Use as required) Resistor Spark Plug (RJ-8C) Resistor Spark Plug * Gasket, Breather cover Body, Breather

	Part Number	Qty	Description
	650691		Washer, Flat (Use as required)
	650690		Washer, Belleville (Use as required)
43	650128		Screw, 10-24 x 1/2"
45	27915A		* Gasket, Intake
46	30195A		Flange, Carburetor (Incl. 79 & 80)
	30196		Screw, 5/16-18 x 3/4"
	29716		Screw, 1/4-28 x 7/16"
	650548		Screw, 8-32 x 5/16"
52	32326A		Lever, Governor (New lever does not need 1 of
			51,66,132,164,165,207)
55	30205		Bracket, Adjusting
	30824		Link, Throttle
	29216		Nut, Lock, 10-32
	29826		
			Screw, 10-32 x 3/4"
	29642		Ring, Retaining
	30699C		Rod Assy., Governor (Incl. 64 & 65)
63	30699B		Governor Rod Ass'y. (This one-piece governor rodis no longer
			used. It is replaced by 30699C ass'y.,Ref. no. 63A)
64	30700		Yoke, Governor
	650494		Screw, 6-40 x 5/16"
	29918		Lockwasher, #8 E.T.
	35350		Tube, Breather
69	29747B		Screw, 5/16-24 x 21/32"
70	32158E		Blower Housing (For elec.star.)(Incl. 134,135)
71	650815		Washer, Belleville
72	8116		Nut, Hex
	29536		Blower Housing Baffle (without electric starter knock-out)
	20000		(Use as required)
			· · /
73	35256A		Blower Housing Baffle (with electric starter knock-out) (Use
			as required) (Point Ignition)
7/	650561		Screw, 1/4-20 x 5/8"
	31688A		* Gasket, Carburetor
	29752		Nut & Lockwasher Assy., 1/4-28
	650572		Screw, 1/4-28 x 1-1/8"
82A	730164		Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89, 90A & 331B)
			(Use as required)
ح 0	35340		Ground Wire
	35349		
	29538		Base, Engine mounting
	32401		Muffler
	31845		Shaft, Mechanical governor
	30591		Gear Assy., Governor (Incl. 109)
108	30588A		Spool, Governor
109	30590A		Washer, Flat
	29193		Ring, Retaining
	650561		Screw, 1/4-20 x 5/8"
	31301		Fuel Tank (Incl. 115)
	410144B		Fuel Cap (White Plastic)(Std)(As required)
	33032		
CII			Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile) (Use as required)
115	34210		Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as
			required)
115	35355		Fuel Cap (Use as required)
117A	29683		Valve, Fuel shut-off
	29774		Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)


		Qty	Description
	30705		Fuel Line (Braided 16") (41 cm) (Use as req.)
	30962		Fuel Line (Braided 32") (81 cm) (Use as req.)
	650128		Screw, 10-24 x 1/2" (Use as required)
	30622A		Extension, Blower housing
	650542		Screw, 5/16-18 x 3/4"
	27930A		Gasket, Exhaust
	30196		Screw, 5/16-18 x 3/4"
	26073		Washer (Use as required)
	650694A		Screw, 5/16-18 x 2" (Use as required)
	32589		Key, Flywheel
	31843A		Bracket, Governor gear
	650836		Screw, 10-24 x 1/2"
133	650493		Screw, 1/4-20 x 1-3/4"
	30747		Clip, Shorting
193	610118		Cover, Spark plug (Use as required)
205	650561		Screw, 1/4-20 x 5/8" (Use as required)
	30939A		Cover, Cylinder head
	32125		Cup, Starter
	590417		Screen, Starter cup
266	26460		Clamp, Fuel line
	31461		Bushing, Crankshaft (Use as required)
274	610973		Terminal Ass'y. (As req. on late prod uction)
	27275		Clip, Hi-tension wire (Use as require d)
	34246		Clip, Ground wire (Use as required)
	34346		Decal, Instruction
	32679		Decal, 7 HP
332	30547A		Contact Assy., Breaker
	30548B		Condenser
	631021		Inlet Needle, Seat & Clip Assy.
336	631459		Carburetor (Incl. 75) (Refer to Division 5, Section A, page 100
			for breakdown)
337	610694A		Magneto (w/ring gear for 110 volt sta rter) NOTE: The
557	01000-1		complete magneto is not available as an assembly. The
			magneto number is shown for reference purposes only.
			Order component parts individually, as show in parts list.
			(Refer to Division 5, Section B, page 24 for breakdown)
338	590473		Rewind Starter (Refer to Division 5, Section C, page 29 for
			breakdown)
2/12	33239A		Gasket Set (Incl. items marked*)
040			Casher Oer (indi. items mained)

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 H70-130101A Page 5 of 8 Engine Parts List #2



Ref #	Part Number	Qty	Description
31	650489		Screw, 1/4-20 x 5/8"
34	27793		Clip, Conduit (Use as required)
35	28942		Screw, 10-32 x 3/8" (Use as required)
	650128		Screw, 10-24 x 1/2"
	29716		Screw, 1/4-28 x 7/16"
	30824		Link, Throttle
	650815		Washer, Belleville
	8116		Nut, Hex
	33013		Cover, Bubble
	650736		Screw, 10-16 x 3/8"
	610118		Cover, Spark plug (Use as required)
	33109A		Control Bracket (Incl. 224 & 274)
	30826		
			Spring, Extension
	650257		Screw, 8-32 x 5/16"
	33134		Cover, Carburetor
	32398		Bracket, Choke
	28820		Screw, 10-32 x 1/2"
	650765		Screw, 10-32 x 1/2"
	650760		Screw, 8-32 x 3/8"
	650764		Nut, "U" Type (Use as required)
	610973		Terminal Ass'y. (As req. on late prod uction)
	32397		Plate Assy., Choke
	32399		Spring, Choke stop
	32400		Knob, Choke
	31680		Guard, Starter
	32576		Seal, Snow guard
	31683		Decal, Choke
	32679		Decal, 7 HP
331H	31682		Decal, Instruction
331E	35344		Decal, Control
338	590473		Rewind Starter (Refer to Division 5, Section C, page 29 for
			breakdown)
340	33328D		Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#342). Refer to service number stamped on end cap of motor, or on decal, for identifica
342	30811A		Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above)
342	611042		Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using 110-120 volt starter kits listed above)
342	611085		Flywheel (Minimum ring gear flywheel required on engines using 110-120 volt starter kits listed above) (Use withSolid State ignition)

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 H70-130101A Engine Parts List #3



_

Ref #	Part Number	Oty Description
27 36 36 38 42 42 50 51	Part Number 27513 650697A 650695A 650694A 27896A 26073 650691 650548 30319 32326A	QtyDescriptionLockwasher, 1/4" (Use as required)Screw, 5/16-18 x 2-1/2" (Use as required)Screw, 5/16-18 x 2-1/4" (Use as required)Screw, 5/16-18 x 2" (Use as required)* Gasket, Breather coverWasher (Use as required)Washer, Flat (Use as required)Screw, 8-32 x 5/16"Rivet, Split (Used in early productio n)Lever, Governor (New lever does not need 1 of51,66,132,164,165,207)
57 58 59 61 66	30205 730130 30196 29216 29826 29918 730561	Bracket, Adjusting Exh.Adap.Kit (Incl. 58 & 125) (Use as req.) Screw, 5/16-18 x 3/4" (Use as require d) Nut, Lock, 10-32 Screw, 10-32 x 3/4" Lockwasher, #8 E.T. Air cleaner kit (Incl. 38, 67A, 83, 84B, 85,89B, 89C, 90A, 91, 91A, 91B, 91C, 91D, 245 & 331B) (Use only on engines with an externally vented fully adjustable carburetor)
82	730127	Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89A, 90, 238 & 331B) (Use as required)
84D	34819	Air Cleaner Elbow (Incl. 84B, 86A, 91, 91A, 91B & 91C) (Use in 730561 assembly only) NOTE: 130010 thru 10C & 11 used in early production only.
111 113 118 118 118 125 126 128 132 148 148 148 148 148 148 202 203 204 262 266 276	391026 31694 650561 29774 30705 30962 27930A 30196 650694A 650548 34067 34069 6201 31288 650697A 6021A 29752 26460 31697 29212	Opt. Spark Arrest Muffler (Incl.196,1 97,199) Bracket, Fuel tank Screw, 1/4-20 x 5/8" Fuel Line (Braided 8-1/4" 21 cm)(Use as req.) Fuel Line (Braided 16") (41 cm) (Use as req.) Fuel Line (Braided 32") (81 cm) (Use as req.) Gasket, Exhaust Screw, 5/16-18 x 3/4" Screw, 5/16-18 x 2" (Use as required) Screw, 8-32 x 5/16" (Early production) Wire Assy., Alternator adapter (4-1/4 ") Wire Assy., Alternator adapter (6-3/4 ") Screw, 1/4-28 x 7/8" Exh. Adaptor Kit (Incl.125,203,204) (As req.) Screw, 5/16-18 x 2-1/2" (Use as required) Screw, 5/16-18 x 1-1/2" (Use as required) Nut, Lock Clamp, Fuel line Strap, Fuel line Strap, Fuel tank Screw, Hex hd. Sems, 1/4-28 x 7/16