
For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 H70-130104 Page 1 of 8



www.mymowerparts.com

Ref # Part Number	Qty Description
1 32586C	Cylinder (Incl. 2, 3, 4 & 76) (2-3/4" Bore)
2 27652	Pin, Dowel
3 27642	Plug, Oil drain
4 32630	Seal, Oil
5 32783	Intake Valve (Std.) (Incl. 9)
5 32784	Intake Valve (1/32" OS) (Incl. 9)
6 27878A	Exhaust Valve (Std.) (Incl. 9)
6 27880A	Exhaust Valve (1/32" OS) (Incl. 9)
7 27882	Cap, Upper valve spring
7A 20810	Pin, Valve spring retainer (Use as re quired)
8 27881	Spring, Valve
8A 27881	Spring, Valve
9 32581	Cap, Lower valve spring
9A 32581	Cap, Lower valve spring
10A 32590	
10A 32390	Plate, Lock & Oil dipper (This plate may be replaced by
	34242 oil dipper but 650662C screw must be used.)
10 34242	Dipper, Oil
11 32670	Crankshaft (Incl. 12 & 13)
12 29783	Crankshaft Gear Pin (Early production)
13 27884	Gear, Crankshaft (Used in early production) This gear is
10 27004	servicable onlywhen it is pinned to the crankshaft.
	servicable orlywher it is pirified to the crafikshart.
14A 32592B	Piston & Pin Ass'y. (Std.)(2-3/4")(In cl.16)
14A 32593B	Piston & Pin Ass'y. (.010" OS) (Incl. 16)
14A 32594B	Piston & Pin Ass'y. (.020" OS) (Incl. 16)
14 34517	Piston, Pin & Ring Set (Std.) (2-3/4" Bore)
14 34518	Piston, Pin & Ring Set (.010" OS)
14 34519	Piston, Pin & Ring Set (.020" OS)
15 32595	Ring Set (Std.) (2-3/4" Bore)
15 32596	Ring Set (.010" OS)
15 32597	Ring Set (.020" OS)
16 27888	Ring, Piston pin retaining
17 32591C	
	Rod Assy., Connecting (Incl. 10 & 18)
18 650662C	Screw, Connecting rod (2 each)
21 32115	Camshaft (MCR)
22 34034	Lifter, Valve
23 31303B	Cover, Cylinder (Incl. 24, 106 & 279)
24B 31546	Bushing, Crankshaft (Use as required)
24 28427	Seal, Oil
25 31297	Dipstick, Oil (Incl. 30)
26 30684	* Gasket, Cylinder cover
28 650488	Screw, 1/4-20 x 1-1/4"
30 29673	* Gasket, Oil filler
31 650489	Screw, 1/4-20 x 5/8"
32 32631A	* Gasket, Cylinder head
33 30938A	Head, Cylinder
34 27793	Clip, Conduit (Use as required)
35 28942	Screw, 10-32 x 3/8" (Use as required)
36 650697A	Screw, 5/16-18 x 2-1/2" (Use as required)
36 650695A	
	Screw, 5/16-18 x 2-1/4" (Use as required)
36 650694A	Screw, 5/16-18 x 2" (Use as required)
37 33636	Resistor Spark Plug (RJ-8C)
37 34251	Resistor Spark Plug
38 27896A	* Gasket, Breather cover
39 28423	Body, Breather
40 28424	Element, Breather
41 28425	Cover, Valve spring
42 26073	Washer (Use as required)

www.mymowerparts.com


Ref #	Part Number	Qtv De	escription
	650691		asher, Flat (Use as required)
	650690		asher, Belleville (Use as required)
	650128		crew, 10-24 x 1/2"
	27915A		Gasket, Intake
	30195A		ange, Carburetor (Incl. 79 & 80)
	30196		crew, 5/16-18 x 3/4"
	29716		rew, 1/4-28 x 7/16"
	650548		crew, 8-32 x 5/16"
52	32326A		ever, Governor (New lever does not need 1 of
		51,	,66,132,164,165,207)
55	30205	Bra	acket, Adjusting
	31710		nk, Throttle
	29216		ıt, Lock, 10-32
	650152		xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx
	29826		·
			crew, 10-32 x 3/4"
	29642		ng, Retaining
	30699C		od Assy., Governor (Incl. 64 & 65)
63	30699B		overnor Rod Ass'y. (This one-piece governor rodis no longer
		US	ed. It is replaced by 30699C ass'y.,Ref. no. 63A)
64	30700	Yο	oke, Governor
	650494		crew, 6-40 x 5/16"
	29918		ockwasher, #8 E.T.
	35350		•
			ube, Breather
	29747B		crew, 5/16-24 x 21/32"
	32158E		ower Housing (For elec.star.)(Incl. 134,135)
	650815		asher, Belleville
	8116		rt, Hex
73	29536		ower Housing Baffle (without electric starter knock-out)
		(Us	se as required)
73	35256A	Blo	ower Housing Baffle (with electric starter knock-out) (Use
			required) (Point Ignition)
7/	650561	90	crew, 1/4-20 x 5/8"
	31688A		Gasket, Carburetor
	29752		ut & Lockwasher Assy., 1/4-28
	650572		rew, 1/4-28 x 1-1/8"
82A	730164		r Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89, 90A & 331B)
		(Us	se as required)
83	27272A	* C	Gasket, Air cleaner
	31691		acket, Air cleaner NOTE: 130010 thru 10C & 11 used in
•			rly production only.
			•
	28820		crew, 10-32 x 1/2"
	30727		ement, Air cleaner
	31715		ody, Air cleaner
	29538		ase, Engine mounting
	32401	Mι	uffler
106	31845	Sh	naft, Mechanical governor
107	30591		ear Assy., Governor (Incl. 109)
	30588A		pool, Governor
	30590A	•	asher, Flat
	29193		ng, Retaining
	650561		orew, 1/4-20 x 5/8"
	31301		iel Tank (Incl. 115)
	410144B		iel Cap (White Plastic)(Std)(As required)
113	טדוטוד	ıu	iei Oap (vvilile i lasiio)(Ola)(As iegu ilea)

www.mymowerparts.com

		Qty Description
115	33032	Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile) (Use as required)
115	34210	Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as required)
117 118 118 118 118 120 121 124 125 126 127 128 129 130 131 133 149 150 193 205 209 246 247 266 270 274 287 287 331B 331A 332 333 334	35355 28584 29774 30705 30962 650128 30622A 650542 27930A 30196 26073 650694A 32589 31843A 650836 650493 30747 650890 610118 650561 30939A 32125 590417 26460 31461 610973 27275 34246 31752 34346 30547A 30548B 631021 631453	Fuel Cap (Use as required) Fitting, Fuel strainer & elbow Fuel Line (Braided 8-1/4" 21 cm) (Use as req.) Fuel Line (Braided 16") (41 cm) (Use as req.) Fuel Line (Braided 32") (81 cm) (Use as req.) Screw, 10-24 x 1/2" (Use as required) Extension, Blower housing Screw, 5/16-18 x 3/4" Gasket, Exhaust Screw, 5/16-18 x 3/4" Washer (Use as required) Screw, 5/16-18 x 2" (Use as required) Key, Flywheel Bracket, Governor gear Screw, 10-24 x 1/2" Screw, 1/4-20 x 1-3/4" Clip, Shorting Lockwasher Cover, Spark plug (Use as required) Screw, 1/4-20 x 5/8" (Use as required) Cover, Cylinder head Cup, Starter Screen, Starter cup Clamp, Fuel line Bushing, Crankshaft (Use as required) Terminal Ass'y. (As req. on late prod uction) Clip, Hi-tension wire (Use as required) Decal, Air cleaner Decal, Instruction Contact Assy., Breaker Condenser Inlet Needle, Seat & Clip Assy. Carburetor (Incl. 75) (Refer to Division 5, Section A, page 100
337	610689A	for breakdown) Magneto NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as show in parts list. (Refer to Division 5, Section B, page 24 for breakdown)
338	590420	Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)
343	33239A	Gasket Set (Incl. items marked*)

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983

Page 5 of 8




For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 $_{\rm Page~6~of~8}$ Engine Parts List #2

Ref #	Part Number	Qty	Description
31	650489		Screw, 1/4-20 x 5/8"
34	27793		Clip, Conduit (Use as required)
35	28942		Screw, 10-32 x 3/8" (Use as required)
43A	650597		Screw, 10-24 x 5/8"
48	29716		Screw, 1/4-28 x 7/16"
53	32328		Bracket, Speed adjusting (Incl. 239)
	8269		Washer, Lock (Can be purchased locall y)
	31710		Link, Throttle
	650815		Washer, Belleville
	8116		Nut, Hex
	610118		Cover, Spark plug (Use as required)
	33450		Nut, Lock
	30845A		Bolt, Governor adjusting
	30886A		Spring, Governor bolt
	650764		Nut, "U" Type (Use as required)
	610973		Terminal Ass'y. (As req. on late prod uction)
338	590420		Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)
340	33328D		Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#342). Refer to service number stamped on end cap of motor, or on decal, for identifica
342	30811A		Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above)
342	611042		Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using 110-120 volt starter kits listed above)
342	611085		Flywheel (Minimum ring gear flywheel required on engines using 110-120 volt starter kits listed above) (Use withSolid State ignition)

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983

Page 7 of 8

Engine Parts List #3



www.mymowerparts.com

Ref #	Part Number	Qty Description
36 36 38 42 42 50 51	27513 650697A 650695A 650694A 27896A 26073 650691 650548 30319 32326A	Lockwasher, 1/4" (Use as required) Screw, 5/16-18 x 2-1/2" (Use as requi red) Screw, 5/16-18 x 2-1/4" (Use as requi red) Screw, 5/16-18 x 2" (Use as required) * Gasket, Breather cover Washer (Use as required) Washer, Flat (Use as required) Screw, 8-32 x 5/16" Rivet, Split (Used in early production) Lever, Governor (New lever does not need 1 of 51,66,132,164,165,207)
57 58 59 61 66	30205 730130 30196 29216 29826 29918 730561	Bracket, Adjusting Exh.Adap.Kit (Incl. 58 & 125) (Use as req.) Screw, 5/16-18 x 3/4" (Use as require d) Nut, Lock, 10-32 Screw, 10-32 x 3/4" Lockwasher, #8 E.T. Air cleaner kit (Incl. 38, 67A, 83, 84B, 85,89B, 89C, 90A, 91, 91A, 91B, 91C, 91D, 245 & 331B) (Use only on engines with an externally vented fully adjustable carburetor)
82	730127	Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89A, 90, 238 & 331B) (Use as required)
	27272A 34819	* Gasket, Air cleaner Air Cleaner Elbow (Incl. 84B, 86A, 91, 91A, 91B & 91C) (Use in 730561 assembly only)
90 103E 111 113 118 118 118 125 126 128 132 132 148 148 149 202 203 204 207 262 266 276 277	28820 31715 391026 31694 650561 29774 30705 30962 27930A 30196 650694A 650548 650139 34067 34069 6201 31288 650697A 6021A 31725A 29752 26460 31697 29212 31752	Screw, 10-32 x 1/2" Body, Air cleaner Opt. Spark Arrest Muffler (Incl.196,1 97,199) Bracket, Fuel tank Screw, 1/4-20 x 5/8" Fuel Line (Braided 8-1/4" 21 cm)(Use as req.) Fuel Line (Braided 32") (81 cm) (Use as req.) Fuel Line (Braided 32") (81 cm) (Use as req.) Gasket, Exhaust Screw, 5/16-18 x 3/4" Screw, 5/16-18 x 2" (Use as required) Screw, 8-32 x 5/16" (Early production) Screw, 8-32 x 1/2" Wire Assy., Alternator adapter (4-1/4") Wire Assy., Alternator adapter (6-3/4") Screw, 1/4-28 x 7/8" Exh. Adaptor Kit (Incl.125,203,204) (As req.) Screw, 5/16-18 x 2-1/2" (Use as required) Screw, 5/16-18 x 1-1/2" (Use as required) Extension, Governor lever Nut, Lock Clamp, Fuel line Strap, Fuel tank Screw, Hex hd. Sems, 1/4-28 x 7/16 Decal, Air cleaner