For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983  $\,$  Page 1 of 8 Engine Parts List #1

ILLUSTRATION SHOWS TYPICAL PARTS ONLY, ORDER BY PART NUMBER, PARTS NOT LISTED ARE SUPPLIED BY DEM. 333 247 √)-331B 82A 335

www.mymowerparts.com

D-/ "	Dort Number	O4	Description
	Part Number 32586C	Qty	Description  Cylinder (Incl. 2, 3, 4 & 76) (2-3/4" Bore)
	27652		Pin, Dowel
	27642		Plug, Oil drain
	32630		Seal, Oil
	32783		Intake Valve (Std.) (Incl. 9)
	32784		Intake Valve (31.3) (Incl. 9)
	27878A		Exhaust Valve (Std.) (Incl. 9)
	27880A		Exhaust Valve (3.0.3) (Incl. 9)
	27882		Cap, Upper valve spring
	20810		Pin, Valve spring retainer (Use as re quired)
	27881		Spring, Valve
	27881		Spring, Valve
	32581		Cap, Lower valve spring
	32581		Cap, Lower valve spring
	32590		Plate, Lock & Oil dipper (This plate may be replaced by
	0_500		34242 oil dipper but 650662C screw must be used.)
40	04040		,
	34242		Dipper, Oil Crankshaft (Incl. 13.8.13)
	32670 29783		Crankshaft (Incl. 12 & 13)
	29763 27884		Crankshaft Gear Pin (Early production )
13	27004		Gear, Crankshaft (Used in early production) This gear is servicable onlywhen it is pinned to the crankshaft.
			,
	32592B		Piston & Pin Ass'y. (Std.)(2-3/4")(In cl.16)
	32593B		Piston & Pin Ass'y. (.010" OS) (Incl. 16)
	32594B		Piston & Pin Ass'y. (.020" OS) (Incl. 16)
	34517		Piston, Pin & Ring Set (Std.) (2-3/4" Bore)
	34518		Piston, Pin & Ring Set (.010" OS)
	34519		Piston, Pin & Ring Set (.020" OS)
	32595		Ring Set (Std.) (2-3/4" Bore)
	32596		Ring Set (.010" OS)
	32597		Ring Set (.020" OS)
	27888		Ring, Piston pin retaining
	32591C		Rod Assy., Connecting (Incl. 10 & 18)
	650662C		Screw, Connecting rod (2 each)
	32115 34034		Camshaft (MCR) Lifter, Valve
	31303B		
	31546		Cover, Cylinder (Incl. 24, 106 & 279) Bushing, Crankshaft (Use as required)
	28427		Seal, Oil
	29668		Dipstick, Oil (Incl. 30)
	30684		* Gasket, Cylinder cover
	650488		Screw, 1/4-20 x 1-1/4"
	29673		* Gasket, Oil filler
	650489		Screw, 1/4-20 x 5/8"
	32631A		* Gasket, Cylinder head
	30938A		Head, Cylinder
	27793		Clip, Conduit (Use as required)
	28942		Screw, 10-32 x 3/8" (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
	650695A		Screw, 5/16-18 x 2-1/4" (Use as requi red)
	650694A		Screw, 5/16-18 x 2" (Use as required)
37	33636		Resistor Spark Plug (RJ-8C)
	34251		Resistor Spark Plug
	27896A		* Gasket, Breather cover
	28423		Body, Breather
	28424		Element, Breather
	28425		Cover, Valve spring
42	26073		Washer (Use as required)
	www.mymo	W	erparts.com


42 42A 43 45 46 47 48 50	Part Number 650691 650690 650128 27915A 30195A 30196 29716 650548 32326A	Qty	Description  Washer, Flat (Use as required)  Washer, Belleville (Use as required)  Screw, 10-24 x 1/2"  * Gasket, Intake  Flange, Carburetor (Incl. 79 & 80)  Screw, 5/16-18 x 3/4"  Screw, 1/4-28 x 7/16"  Screw, 8-32 x 5/16"  Lever, Governor (New lever does not need 1 of 51,66,132,164,165,207)
56 59 60 61 62 63A	30205 31710 29216 650152 29826 29642 30699C 30699B		Bracket, Adjusting Link, Throttle Nut, Lock, 10-32 Screw, 8-32 x 3/8" Screw, 10-32 x 3/4" Ring, Retaining Rod Assy., Governor (Incl. 64 & 65) Governor Rod Ass'y. (This one-piece governor rodis no longer used. It is replaced by 30699C ass'y.,Ref. no. 63A)
65 66 67 69 70 71 72	30700 650494 29918 35350 29747B 32158E 650815 8116 29536		Yoke, Governor Screw, 6-40 x 5/16" Lockwasher, #8 E.T. Tube, Breather Screw, 5/16-24 x 21/32" Blower Housing (For elec.star.)(Incl. 134,135) Washer, Belleville Nut, Hex Blower Housing Baffle (without electric starter knock-out) (Use as required)
73	35256A		Blower Housing Baffle (with electric starter knock-out) (Use as required) (Point Ignition)
75 79 80	650561 31688A 29752 650572 730164		Screw, 1/4-20 x 5/8"  * Gasket, Carburetor  Nut & Lockwasher Assy., 1/4-28  Screw, 1/4-28 x 1-1/8"  Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89, 90A & 331B)  (Use as required)
	27272A 31691		* Gasket, Air cleaner Bracket, Air cleaner NOTE: 130010 thru 10C & 11 used in early production only.
89 90 100 103 106 107 108 109 110 113	28820 30727 31715 29538 32401 31845 30591 30588A 30590A 29193 650561 31301 410144B		Screw, 10-32 x 1/2" Element, Air cleaner Body, Air cleaner Base, Engine mounting Muffler Shaft, Mechanical governor Gear Assy., Governor (Incl. 109) Spool, Governor Washer, Flat Ring, Retaining Screw, 1/4-20 x 5/8" Fuel Tank (Incl. 115) Fuel Cap (White Plastic)(Std)(As requ ired)

## www.mymowerparts.com

Ref #	Part Number	Qty Description
115	33032	Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile) (Use as required)
115	34210	Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as required)
	35355 28584	Fuel Cap (Use as required) Fitting, Fuel strainer & elbow
	29774	Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)
	30705	Fuel Line (Braided 6-1/4 21 cm) (Use as req.)
	30962	Fuel Line (Braided 32") (81 cm) (Use as req.)
	650128	Screw, 10-24 x 1/2" (Use as required)
	30622A	Extension, Blower housing
	650542	Screw, 5/16-18 x 3/4"
	27930A	Gasket, Exhaust
	30196	Screw, 5/16-18 x 3/4"
	26073	Washer (Use as required)
128	650694A	Screw, 5/16-18 x 2" (Use as required)
129	32589	Key, Flywheel
130	31843A	Bracket, Governor gear
131	650836	Screw, 10-24 x 1/2"
133	650493	Screw, 1/4-20 x 1-3/4"
	30747	Clip, Shorting
	650890	Lockwasher
	610118	Cover, Spark plug (Use as required)
	650561	Screw, 1/4-20 x 5/8" (Use as required )
	30939A	Cover, Cylinder head
	32125	Cup, Starter
	590417	Screen, Starter cup
	26460	Clamp, Fuel line
	31461	Bushing, Crankshaft (Use as required)
	610973 27275	Terminal Ass'y. (As req. on late prod uction)
	34246	Clip, Hi-tension wire (Use as require d)
	31752	Clip, Ground wire (Use as required) Decal, Air cleaner
	34346	Decal, Instruction
	30547A	Contact Assy., Breaker
	30548B	Condenser
	631021	Inlet Needle, Seat & Clip Assy.
	631453	Carburetor (Incl. 75) (Refer to Division 5, Section A, page 100
		for breakdown)
337	610689A	Magneto NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as show in parts list. (Refer to Division 5, Section B, page 24 for breakdown)
338	590420	Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)
343	33239A	Gasket Set (Incl. items marked*)

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983

Page 5 of 8




## For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 $_{\rm Page~6~of~8}$ Engine Parts List #2

		Description
	650489	Screw, 1/4-20 x 5/8"
	27793	Clip, Conduit (Use as required)
	28942	Screw, 10-32 x 3/8" (Use as required)
43A	650597	Screw, 10-24 x 5/8"
	29716	Screw, 1/4-28 x 7/16"
53	32328	Bracket, Speed adjusting (Incl. 239)
	8269	Washer, Lock (Can be purchased locall y)
	31710	Link, Throttle
	650815	Washer, Belleville
	8116	Nut, Hex
	610118	Cover, Spark plug (Use as required)
	33450	Nut, Lock
	30845A	Bolt, Governor adjusting
	30886A	Spring, Governor bolt
	650764	Nut, "U" Type (Use as required)
	610973	Terminal Ass'y. (As req. on late prod uction)
338	590420	Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)
340	33328D	Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#342). Refer to service number stamped on end cap of motor, or on decal, for identifica
342	30811A	Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above)
342	611042	Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using 110-120 volt starter kits listed above)
342	611085	Flywheel (Minimum ring gear flywheel required on engines using 110-120 volt starter kits listed above) (Use withSolid State ignition)

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983

Page 7 of 8

Engine Parts List #3



www.mymowerparts.com

Ref #	Part Number	Qty Des	scription
36 36 38 42 42 50 51	27513 650697A 650695A 650694A 27896A 26073 650691 650548 30319 32326A	Scre Scre * Ga Was Was Scre Rive Leve	ckwasher, 1/4" (Use as required) rew, 5/16-18 x 2-1/2" (Use as requi red) rew, 5/16-18 x 2-1/4" (Use as requi red) rew, 5/16-18 x 2" (Use as required) rew, 5/16-18 x 2" (Use as required) resket, Breather cover risher (Use as required) resher, Flat (Use as required) rew, 8-32 x 5/16" ret, Split (Used in early productio n) rer, Governor (New lever does not need 1 of ref, 166,132,164,165,207)
57 58 59 61 66	30205 730130 30196 29216 29826 29918 730561	Exh Scre Nut, Scre Lock Air o	ncket, Adjusting n.Adap.Kit (Incl. 58 & 125) (Use as req.) rew, 5/16-18 x 3/4" (Use as require d) t, Lock, 10-32 rew, 10-32 x 3/4" ckwasher, #8 E.T. cleaner kit (Incl. 38, 67A, 83, 84B, 85,89B, 89C, 90A, 91, A, 91B, 91C, 91D, 245 & 331B) (Use only on engines with externally vented fully adjustable carburetor)
82	730127		Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89A, 90, 238 & B) (Use as required)
	27272A 34819	Air (	asket, Air cleaner Cleaner Elbow (Incl. 84B, 86A, 91, 91A, 91B & 91C) (Use '30561 assembly only)
90 103E 111 113 118 118 118 125 126 128 132 132 148 148 148 202 203 204 207 262 266 276 277	28820 31715 391026 31694 650561 29774 30705 30962 27930A 30196 650694A 650548 650139 34067 34069 6201 31288 650697A 6021A 31725A 29752 26460 31697 29212 31752	Bod Opt. Brace Scree Fue Fue Gas Scree Scree Wire Scree Exh Scree Exh Scree Scre Scr	rew, 10-32 x 1/2"  dy, Air cleaner  t. Spark Arrest Muffler (Incl.196,1 97,199)  acket, Fuel tank  rew, 1/4-20 x 5/8"  el Line (Braided 8-1/4" 21 cm)(Use as req.)  el Line (Braided 32") (81 cm) (Use as req.)  el Line (Braided 32") (81 cm) (Use as req.)  sket, Exhaust  rew, 5/16-18 x 3/4"  rew, 5/16-18 x 2" (Use as required)  rew, 8-32 x 5/16" (Early production )  rew, 8-32 x 1/2"  re Assy., Alternator adapter (4-1/4")  re Assy., Alternator adapter (6-3/4")  rew, 1/4-28 x 7/8"  n. Adaptor Kit (Incl.125,203,204) (As req.)  rew, 5/16-18 x 2-1/2" (Use as requi red)  rew, 5/16-18 x 1-1/2" (Use as requi red)  rew, 5/16-18 x 1-1/2" (Use as requi red)  rem, Fuel line  rap, Fuel tank  rew, Hex hd. Sems, 1/4-28 x 7/16  cal, Air cleaner