
For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983

Page 1 of 8

Engine Parts List #1



www.mymowerparts.com

Dof # Dort Numb	Otiv Otiv	Description
Ref # Part Numb 1 32586C	per Qty	Description Cylinder (Incl. 2, 3, 4 & 76) (2-3/4" Bore)
2 27652		Pin, Dowel
3 27642		Plug, Oil drain
4 32630		Seal, Oil
5 32783		Intake Valve (Std.) (Incl. 9)
5 32784		Intake Valve (1/32" OS) (Incl. 9)
6 27878A		Exhaust Valve (Std.) (Incl. 9)
6 27880A		Exhaust Valve (1/32" OS) (Incl. 9)
7 27882		Cap, Upper valve spring
7A 20810		Pin, Valve spring retainer (Use as re quired)
8A 27881		Spring, Valve
8 27881		Spring, Valve
9A 32581		Cap, Lower valve spring
9 32581		Cap, Lower valve spring
10A 32590		Plate, Lock & Oil dipper (This plate may be replaced by
		34242 oil dipper but 650662C screw must be used.)
10 34242		Dipper, Oil
11 32995		Crankshaft (Incl. 12 & 13)
12 29783		Crankshaft Gear Pin (Early production)
13 27884		Gear, Crankshaft (Used in early production) This gear is
		servicable onlywhen it is pinned to the crankshaft.
14A 32592B		Piston & Pin Ass'y. (Std.)(2-3/4")(In cl.16)
14A 32593B		Piston & Pin Ass'y. (.010" OS) (Incl. 16)
14A 32594B		Piston & Pin Ass'y. (.020" OS) (Incl. 16)
14 34517		Piston, Pin & Ring Set (Std.) (2-3/4" Bore)
14 34518		Piston, Pin & Ring Set (.010" OS)
14 34519		Piston, Pin & Ring Set (.020" OS)
15 32595		Ring Set (Std.) (2-3/4" Bore)
15 32596		Ring Set (.010" OS)
15 32597		Ring Set (.020" OS)
16 27888 47 225040		Ring, Piston pin retaining
17 32591C 18 650662C		Rod Assy., Connecting (Incl. 10 & 18)
21 32115		Screw, Connecting rod (2 each) Camshaft (MCR)
22 34034		Lifter, Valve
22 34034 23 31451A		Cylinder Cover (Incl.24, 106, 309, 31 0 & 311)
24B 31546		Bushing, Crankshaft (Use as required)
24 28460		Seal, Oil
25 31297		Dipstick, Oil (Incl. 30)
26 30684		* Gasket, Cylinder cover
28 650488		Screw, 1/4-20 x 1-1/4"
30 29673		* Gasket, Oil filler
31 650516		Screw, 1/4-20 x 1-1/8"
32 32631A		* Gasket, Cylinder head
33 30938A		Head, Cylinder
34 27793		Clip, Conduit (Use as required)
35 28942		Screw, 10-32 x 3/8" (Use as required)
36 650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
36 650695A		Screw, 5/16-18 x 2-1/4" (Use as requi red)
36 650694A		Screw, 5/16-18 x 2" (Use as required)
37 33636		Resistor Spark Plug (RJ-8C)
37 34251		Resistor Spark Plug
38 27896A		* Gasket, Breather cover
39 28423		Body, Breather
40 28424		Element, Breather
41 28425		Cover, Valve spring
42A 650690	www.mymow	Washer, Belleville (Use as required)

Washer, Belleville (Use as required)

WWW.mymowerparts.com

Ref #	Part Number	Qty	Description
42 42 43 45 46 47 48 50	26073 650691 650128 27915A 30195A 30196 29716 650548 32326A	~,,	Washer (Use as required) Washer, Flat (Use as required) Screw, 10-24 x 1/2" * Gasket, Intake Flange, Carburetor (Incl. 79 & 80) Screw, 5/16-18 x 3/4" Screw, 1/4-28 x 7/16" Screw, 8-32 x 5/16" Lever, Governor (New lever does not need 1 of 51,66,132,164,165,207)
56 59 60 61 62 63A	30205 30206 29216 650152 29826 29642 30699C 30699B		Bracket, Adjusting Link, Throttle Nut, Lock, 10-32 Screw, 8-32 x 3/8" Screw, 10-32 x 3/4" Ring, Retaining Rod Assy., Governor (Incl. 64 & 65) Governor Rod Ass'y. (This one-piece governor rodis no longer used. It is replaced by 30699C ass'y.,Ref. no. 63A)
65 66 67 69 70 71 72	30700 650494 29918 35350 29747B 32158E 650815 8116 29536		Yoke, Governor Screw, 6-40 x 5/16" Lockwasher, #8 E.T. Tube, Breather Screw, 5/16-24 x 21/32" Blower Housing (For elec.star.)(Incl. 134,135) Washer, Belleville Nut, Hex Blower Housing Baffle (without electric starter knock-out) (Use as required)
73	35256A		Blower Housing Baffle (with electric starter knock-out) (Use as required) (Point Ignition)
75 79 80	650561 31688A 29752 650572 730164		Screw, 1/4-20 x 5/8" * Gasket, Carburetor Nut & Lockwasher Assy., 1/4-28 Screw, 1/4-28 x 1-1/8" Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89, 90A & 331B) (Use as required)
	27272A 31691		* Gasket, Air cleaner Bracket, Air cleaner NOTE: 130010 thru 10C & 11 used in early production only.
89 98 99 100 106 107 108 109 110 113	28820 30727 32924 650688 29538 31845 30591 30588A 30590A 29193 650561 31301 410144B		Screw, 10-32 x 1/2" Element, Air cleaner Spring, Compression Screw, 10-32 x 1" Base, Engine mounting Shaft, Mechanical governor Gear Assy., Governor (Incl. 109) Spool, Governor Washer, Flat Ring, Retaining Screw, 1/4-20 x 5/8" Fuel Tank (Incl. 115) Fuel Cap (White Plastic)(Std)(As requ ired)

www.mymowerparts.com


For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 Page 4 of 8 Engine Parts List #1

Ref #	Part Number	Qty Description
115	33032	Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile) (Use as required)
115	34210	Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as required)
117 118 118 118 118 120 121 124 127 128 129 130 131 133 149 193 205 209 246 247 266 270 274 287 287 331 331A 331B 332 333 334	35355 28584 29774 30705 30962 650128 30622A 650542 26073 650694A 32589 31843A 650836 650493 30747 610118 650561 30939A 32125 590417 26460 31461 610973 27275 34246 550223 34346 31752 32434 610767A 631021 631453	Fuel Cap (Use as required) Fitting, Fuel strainer & elbow Fuel Line (Braided 8-1/4" 21 cm) (Use as req.) Fuel Line (Braided 16") (41 cm) (Use as req.) Fuel Line (Braided 32") (81 cm) (Use as req.) Screw, 10-24 x 1/2" (Use as required) Extension, Blower housing Screw, 5/16-18 x 3/4" Washer (Use as required) Screw, 5/16-18 x 2" (Use as required) Key, Flywheel Bracket, Governor gear Screw, 10-24 x 1/2" Screw, 1/4-20 x 1-3/4" Clip, Shorting Cover, Spark plug (Use as required) Screw, 1/4-20 x 5/8" (Use as required) Cover, Cylinder head Cup, Starter Screen, Starter cup Clamp, Fuel line Bushing, Crankshaft (Use as required) Terminal Ass'y. (As req. on late prod uction) Clip, Hi-tension wire (Use as required) Decal, Name Decal, Instruction Decal, Air cleaner Contact Assy., Breaker Condenser Inlet Needle, Seat & Clip Assy. Carburetor (Incl. 75) (Refer to Division 5, Section A, page 100
337	610816	for breakdown) Magneto (w/ring gear) (12 Volt) (7 Am p) NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as show in parts list. (Refer to Division 5, Section B, page 26 for breakdown)
338	590420	Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)
343	33239A	Gasket Set (Incl. items marked*)

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983

Page 5 of 8

Engine Parts List #2



www.mymowerparts.com


Rof #	Part Number	Qty	Description
	650516	Qty	Screw, 1/4-20 x 1-1/8"
	27793		Clip, Conduit (Use as required)
	28942		Screw, 10-32 x 3/8" (Use as required)
	650128		Screw, 10-24 x 1/2"
	29716		Screw, 1/4-28 x 7/16"
	30206		Link, Throttle
	650815		Washer, Belleville
	8116		Nut, Hex
	650399		Screw, 10-32 x 5/8" (Supplied by OEM)
	30712		Lever, Bellcrank
	31879		Link, Governor lever-to-bellcrank
	30312		Screw, 10-32 x 1/2"
	28562		Bushing, RPM adjusting lever
	29530		Bushing, Bellcrank
94	30199A		Bracket, Speed control (Incl. 98 & 99)
94A	33450		Nut, Lock
95A	32977		Spring, Torsion
95	30202		Spring, Extension
96	30201A		Lever, Speed control
98	32924		Spring, Compression
99	650688		Screw, 10-32 x 1"
152	30063		Screw, 1/4-20 x 1/2"
193	610118		Cover, Spark plug (Use as required)
201	730152		Control Bracket (Incl. 92, 92A, 92B,93, 93A,94, 95, 95A &
			96)
263	650764		Nut, "U" Type (Use as required)
	610973		Terminal Ass'y. (As req. on late prod uction)
	31793		Bearing, Ball
	31855		Retainer, Bearing
310	650778		Washer, Lock
311	650580		Nut, Lock
312	31792		Washer, Thrust
331	550223		Decal, Name
338	590420		Rewind Starter (Refer to Division 5, Section C, page 25 for
			breakdown)
339	35765A		Electric Starter Motor (12 Volt) NOTE: The 29965, 32468,
			32468B, 33606, 35765 and 35765A startermotors are used
			interchangeably on these models. Refer to service number
			stamped on end cap of motor, or on decal, for identification.
			Refer to Division 5, Section D for breakdown.
340	33328D		Starter Motor Kit (110-120 Volt) This 110-120 volt starter
J-10	30020D		motor kit may have been added to this engine. It can be
			added only if cylinder hasdrilled and tapped starter mounting
			bosses and a ring gear flywheel (see#342). Refer to service
			number stamped on end cap of motor, or on decal, for
			identifica
040	200444		
342	30811A		Flywheel (Ring gear flywheel requiredon engines using
			110-120 volt starter kits listed above)
342	611042		Flywheel (Used on Type letters H and above) (Std. Point
			ignition) (Ring gear flywheel required on engines using
			110-120 volt starter kits listed above)
342	611085		Flywheel (Minimum ring gear flywheel required on engines
012			using 110-120 volt starter kits listed above) (Use with Solid
			State ignition)
			J ,

www.mymowerparts.com

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983

Page 7 of 8

Engine Parts List #3



www.mymowerparts.com

Ref # Part I 27 2751 36 6506 36 6506 36 6506 38 2789 42 2607 42 6506 50 6505 51 3031 52 3232	13 697A 695A 694A 96A 73 691 548	Description Lockwasher, 1/4" (Use as required) Screw, 5/16-18 x 2-1/2" (Use as requi red) Screw, 5/16-18 x 2-1/4" (Use as requi red) Screw, 5/16-18 x 2" (Use as required) * Gasket, Breather cover Washer (Use as required) Washer, Flat (Use as required) Screw, 8-32 x 5/16" Rivet, Split (Used in early productio n) Lever, Governor (New lever does not need 1 of 51,66,132,164,165,207)
55 3020 57 7301 58 3019 59 2921 61 2982 66 2991 82B 7305	130 96 16 26 18	Bracket, Adjusting Exh.Adap.Kit (Incl. 58 & 125) (Use as req.) Screw, 5/16-18 x 3/4" (Use as require d) Nut, Lock, 10-32 Screw, 10-32 x 3/4" Lockwasher, #8 E.T. Air cleaner kit (Incl. 38, 67A, 83, 84B, 85,89B, 89C, 90A, 91, 91A, 91B, 91C, 91D, 245 & 331B) (Use only on engines with an externally vented fully adjustable carburetor)
82 7301.	127	Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89A, 90, 238 & 331B) (Use as required)
83 2727 84D 3481		* Gasket, Air cleaner Air Cleaner Elbow (Incl. 84B, 86A, 91, 91A, 91B & 91C) (Use in 730561 assembly only)
88 2882 101 3020 103C 3128 103E 3910 104 2844 104 3286 111 3169 113 6505 118 2977 118 3070 118 3096 128 6506 132 6505 136 6107 148 3406 148 3406 148 3406 149 6201 202 3128 203 6506 204 6021 262 2975 266 2646 277 2921 331B 3175	09 37 026 43 52 94 561 74 05 52 594A 548 749 57 69 1 38 697A 1A 52 60 67 12	Screw, 10-32 x 1/2" Elbow, Exhaust (45 degree) Muffler Opt. Spark Arrest Muffler (Incl.196,1 97,199) Conduit Nut Conduit Nut Bracket, Fuel tank Screw, 1/4-20 x 5/8" Fuel Line (Braided 8-1/4" 21 cm)(Use as req.) Fuel Line (Braided 16") (41 cm) (Use as req.) Fuel Line (Braided 32") (81 cm) (Use as req.) Screw, 5/16-18 x 2" (Use as required) Screw, 8-32 x 5/16" (Early production) Regulator, Rectifier (10 Amp) Wire Assy., Alternator adapter (4-1/4 ") Wire Assy., Alternator adapter (6-3/4") Screw, 1/4-28 x 7/8" Exh. Adaptor Kit (Incl.125,203,204) (As req.) Screw, 5/16-18 x 2-1/2" (Use as required) Screw, 5/16-18 x 1-1/2" (Use as required) Nut, Lock Clamp, Fuel line Strap, Fuel tank Screw, Hex hd. Sems, 1/4-28 x 7/16 Decal, Air cleaner