
For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 H70-130129 Engine Parts List #1



Ref #	Part Number Qt	y Description
	32586C	Cylinder (Incl. 2, 3, 4 & 76) (2-3/4" Bore)
	27652	Pin, Dowel
	27642	Plug, Oil drain
	32630	Seal, Oil
	32783	Intake Valve (Std.) (Incl. 9)
	32784	Intake Valve (1/32" OS) (Incl. 9)
	27878A	Exhaust Valve (Std.) (Incl. 9)
	27880A	Exhaust Valve (302, (incl. 9) Exhaust Valve (1/32" OS) (Incl. 9)
	27882	Cap, Upper valve spring
	20810	Pin, Valve spring retainer (Use as re quired)
	27881	
	27881	Spring, Valve
	32581	Spring, Valve
	32581	Cap, Lower valve spring
	34242	Cap, Lower valve spring
		Dipper, Oil Blate Look & Oil dipper (This plate may be replaced by
IUA	32590	Plate, Lock & Oil dipper (This plate may be replaced by 34242 oil dipper but 650662C screw must be used.)
11	32782	Crankshaft (Incl. 12 &13)
	29783	Crankshaft Gear Pin (Early production )
13	27884	Gear, Crankshaft (Used in early production) This gear is
		servicable onlywhen it is pinned to the crankshaft.
14A	32592B	Piston & Pin Ass'y. (Std.)(2-3/4")(In cl.16)
14A	32593B	Piston & Pin Ass'y. (.010" OS) (Incl. 16)
14A	32594B	Piston & Pin Ass'y. (.020" OS) (Incl. 16)
14	34517	Piston, Pin & Ring Set (Std.) (2-3/4" Bore)
14	34518	Piston, Pin & Ring Set (.010" OS)
14	34519	Piston, Pin & Ring Set (.020" OS)
15	32595	Ring Set (Std.) (2-3/4" Bore)
15	32596	Ring Set (.010" OS)
15	32597	Ring Set (.020" OS)
16	27888	Ring, Piston pin retaining
17	32591C	Rod Assy., Connecting (Incl. 10 & 18)
18	650662C	Screw, Connecting rod (2 each)
21	32115	Camshaft (MCR)
22	34034	Lifter, Valve
23	31451A	Cylinder Cover (Incl.24, 106, 309, 31 0 & 311)
24	28460	Seal, Oil
	31546	Bushing, Crankshaft (Use as required)
	31297	Dipstick, Oil (Incl. 30)
	30684	* Gasket, Cylinder cover
	650488	Screw, 1/4-20 x 1-1/4"
	29673	* Gasket, Oil filler
	650489	Screw, 1/4-20 x 5/8"
	32631A	* Gasket, Cylinder head
	30938A	Head, Cylinder
	27793	Clip, Conduit (Use as required)
	28942	Screw, 10-32 x 3/8" (Use as required)
	650697A	Screw, 5/16-18 x 2-1/2" (Use as required)
	650695A	Screw, 5/16-18 x 2-1/4" (Use as required)
	650694A	Screw, 5/16-18 x 2" (Use as required)
	33636	Resistor Spark Plug (RJ-8C)
	34251	Resistor Spark Plug
	27896A	* Gasket, Breather cover
	28423	Body, Breather
	28424	Element, Breather
	28425	Cover, Valve spring
	26073	Washer (Use as required)
www.mymowerparts.com		
		L

Ref #	Part Number Qty	/ Description
	650691	Washer, Flat (Use as required)
	650690	Washer, Belleville (Use as required)
	650128	Screw, 10-24 x 1/2"
	27915A	* Gasket, Intake
	30195A	Flange, Carburetor (Incl. 79 & 80)
	30196	Screw, 5/16-18 x 3/4"
	29716	Screw, 1/4-28 x 7/16"
	650548	Screw, 8-32 x 5/16"
	32326A	Lever, Governor (New lever does not need 1 of
02		51,66,132,164,165,207)
55	30205	Bracket, Adjusting
	30206	Link, Throttle
	29216	Nut, Lock, 10-32
	650152	Screw, 8-32 x 3/8"
	29826	Screw, 10-32 x 3/4"
	29642	Ring, Retaining
	30699B	Governor Rod Ass'y. (This one-piece governor rodis no longer
		used. It is replaced by 30699C ass'y.,Ref. no. 63A)
63A	30699C	Rod Assy., Governor (Incl. 64 & 65)
64	30700	Yoke, Governor
65	650494	Screw, 6-40 x 5/16"
66	29918	Lockwasher, #8 E.T.
	35350	Tube, Breather
	29747B	Screw, 5/16-24 x 21/32"
	32158E	Blower Housing (For elec.star.)(Incl. 134,135)
	650815	Washer, Belleville
	8116	Nut, Hex
	29536	Blower Housing Baffle (without electric starter knock-out)
-		(Use as required)
73	35256A	Blower Housing Baffle (with electric starter knock-out) (Use
		as required) (Point Ignition)
74	650561	Screw, 1/4-20 x 5/8"
	31688A	* Gasket, Carburetor
	29752	Nut & Lockwasher Assy., 1/4-28
	650572	Screw, 1/4-28 x 1-1/8"
	730164	Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89, 90A & 331B)
		(Use as required)
83	27272A	* Gasket, Air cleaner
	31691	Bracket, Air cleaner NOTE: 130010 thru 10C & 11 used in
		early production only.
88	28820	Screw, 10-32 x 1/2"
	30727	Element, Air cleaner
	31715	Body, Air cleaner
	30831	Ground Wire (Incl. 137)
98	32924	Spring, Compression
99	650688	Screw, 10-32 x 1"
100	29538	Base, Engine mounting
	31845	Shaft, Mechanical governor
	30591	Gear Assy., Governor (Incl. 109)
	30588A	Spool, Governor
	30590A	Washer, Flat
	29193	Ring, Retaining
	30063	Screw, 1/4-20 x 1/2"
	31301	Fuel Tank (Incl. 115)
	410144B	Fuel Cap (White Plastic)(Std)(As required)
	www.mymow	erparts.com


		Description
115 3	33032	Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile) (Use as required)
115 3	34210	Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as required)
115 3	35355	Fuel Cap (Use as required)
117 2		Fitting, Fuèl strainer & elbów
118 2	29774	Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)
118 3	30705	Fuel Line (Braided 16") (41 cm) (Use as req.)
118 3		Fuel Line (Braided 32") (81 cm) (Use as req.)
	650128	Screw, 10-24 x 1/2" (Use as required)
	80622A	Extension, Blower housing
	650542	Screw, 5/16-18 x 3/4"
127 2	26073	Washer (Use as required)
128 6	650694A	Screw, 5/16-18 x 2" (Use as required)
129 3	32589	Key, Flywheel
	31843A	Bracket, Governor gear
131 6	650836	Screw, 10-24 x 1/2"
133 6	650493	Screw, 1/4-20 x 1-3/4"
149 3	30747	Clip, Shorting
150 6	650890	Lockwasher
193 <del>(</del>	610118	Cover, Spark plug (Use as required)
193 2	27276	Cover, Spark plug
	650561	Screw, 1/4-20 x 5/8" (Use as required )
209 3	30939A	Cover, Cylinder head
226 6	650760	Screw, 8-32 x 3/8"
227 2		Grommet
246 3		Cup, Starter
	590417	Screen, Starter cup
266 2		Clamp, Fuel line
270 3		Bushing, Crankshaft (Use as required)
	510973	Terminal Ass'y. (As req. on late prod uction)
287 2		Clip, Hi-tension wire (Use as require d)
287 3		Clip, Ground wire (Use as required)
	550223	Decal, Name
331B 3		Decal, Air cleaner
331A 3		Decal, Instruction
	80547A	Contact Assy., Breaker
	80548B	Condenser
335 3		Valve, Seat & Gasket Assy.
330 6	531677	Carburetor (Incl. 75) (Refer to Division 5, Section A, page 120 for breakdown)
337 6	510689A	Magneto NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as show in parts list. (Refer to Division 5, Section B, page 24 for breakdown)
338 5	590420	Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)
343 3	33239A	Gasket Set (Incl. items marked*)

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 H70-130129 Engine Parts List #2



Ref #	Part Number	Qty	Description
31	650489		Screw, 1/4-20 x 5/8"
34	27793		Clip, Conduit (Use as required)
35	28942		Screw, 10-32 x 3/8" (Use as required)
	650128		Screw, 10-24 x 1/2"
	29716		Screw, 1/4-28 x 7/16"
	30206		
			Link, Throttle
	650815		Washer, Belleville
	8116		Nut, Hex
	650399		Screw, 10-32 x 5/8" (Supplied by OEM)
	30712		Lever, Bellcrank
92C	31879		Link, Governor lever-to-bellcrank
92	30312		Screw, 10-32 x 1/2"
93	29530		Bushing, Bellcrank
93A	28562		Bushing, RPM adjusting lever
	33450		Nut, Lock
	30199A		Bracket, Speed control (Incl. 98 & 99 )
	32977		Spring, Torsion
	30202		Spring, Extension
	30201A		1 0
			Lever, Speed control
	32924		Spring, Compression
	650688		Screw, 10-32 x 1"
	28566		Fitting, Fuel line
	33010		Repair Kit, Impulse fuel pump
	32959		Fuel pump, Impulse
188	33229		Pipe Fitting
193	610118		Cover, Spark plug (Use as required)
193	27276		Cover, Spark plug
201	730152		Control Bracket (Incl. 92, 92A, 92B,93, 93A,94, 95, 95A &
			96)
263	650764		Nut, "U" Type (Use as required)
	610973		Terminal Ass'y. (As req. on late prod uction)
	31793		Bearing, Ball
	31855		Retainer, Bearing
	650778		Washer, Lock
	650580		Nut, Lock
	31792		Washer, Thrust
	550223		Decal, Name
338	590420		Rewind Starter (Refer to Division 5, Section C, page 25 for
			breakdown)
340	33328D		Starter Motor Kit (110-120 Volt) This 110-120 volt starter
010			motor kit may have been added to this engine. It can be
			added only if cylinder hasdrilled and tapped starter mounting
			bosses and a ring gear flywheel (see#342). Refer to service
			number stamped on end cap of motor, or on decal, for
			identifica
342	30811A		Flywheel (Ring gear flywheel requiredon engines using
			110-120 volt starter kits listed above)
040	644040		,
342	611042		Flywheel (Used on Type letters H and above) (Std. Point
			ignition) (Ring gear flywheel required on engines using
			110-120 volt starter kits listed above)
342	611085		Flywheel (Minimum ring gear flywheel required on engines
042	011000		using 110-120 volt starter kits listed above) (Use withSolid
			State ignition)

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 H70-130129 Engine Parts List #3



\_

		Qty Description
	27513	Lockwasher, 1/4" (Use as required)
	650697A	Screw, 5/16-18 x 2-1/2" (Use as required)
	650695A	Screw, 5/16-18 x 2-1/4" (Use as required)
	650694A	Screw, 5/16-18 x 2" (Use as required)
	27896A	* Gasket, Breather cover
	26073	Washer (Use as required)
	650691	Washer, Flat (Use as required)
	650548	Screw, 8-32 x 5/16"
	30319	Rivet, Split (Used in early productio n)
52	32326A	Lever, Governor (New lever does not need 1 of
		51,66,132,164,165,207)
55	30205	Bracket, Adjusting
57	730130	Exh.Adap.Kit (Incl. 58 & 125) (Use as req.)
58	30196	Screw, 5/16-18 x 3/4" (Use as require d)
59	29216	Nut, Lock, 10-32
61	29826	Screw, 10-32 x 3/4"
66	29918	Lockwasher, #8 E.T.
82	730127	Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89A, 90, 238 &
		331B) (Use as required)
82B	730561	Air cleaner kit (Incl. 38, 67A, 83, 84B, 85,89B, 89C, 90A, 91,
		91A, 91B, 91C, 91D, 245 & 331B) (Use only on engines with
		an externally vented fully adjustable carburetor)
83	27272A	* Gasket, Air cleaner
	34819	Air Cleaner Elbow (Incl. 84B, 86A, 91, 91A, 91B & 91C) (Use
0+0	04019	in 730561 assembly only)
		••••
	28820	Screw, 10-32 x 1/2"
	31715	Body, Air cleaner
	391026	Opt. Spark Arrest Muffler (Incl.196,1 97,199)
	30063	Screw, 1/4-20 x 1/2"
	29774	Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)
	30705	Fuel Line (Braided 16") (41 cm) (Use as req.)
	30962	Fuel Line (Braided 32") (81 cm) (Use as req.)
	650694A	Screw, 5/16-18 x 2" (Use as required)
	650548	Screw, 8-32 x 5/16" (Early production )
	33356	
	34067	Wire Assy., Alternator adapter (4-1/4 ")
	34069	Wire Assy., Alternator adapter (6-3/4 ")
	31288	Exh. Adaptor Kit (Incl.125,203,204) ( As req.)
	650697A	Screw, 5/16-18 x 2-1/2" (Use as required)
	6021A	Screw, 5/16-18 x 1-1/2" (Use as required)
	650760	Screw, 8-32 x 3/8"
	28545	Grommet
	26460	Clamp, Fuel line
331B	31752	Decal, Air cleaner