For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983

Page 1 of 8

Engine Parts List #1 ILLUSTRATION SHOWS TYPICAL PARTS ONLY, ORDER BY PART NUMBER, PARTS NOT LISTED ARE SUPPLIED BY DEM. 333 247 82A 335

www.mymowerparts.com


	B (N)	O:	
	Part Number	Qty	Description
	32586C		Cylinder (Incl. 2, 3, 4 & 76) (2-3/4" Bore)
	27652		Pin, Dowel
	27642		Plug, Oil drain
	32630		Seal, Oil
	32783		Intake Valve (Std.) (Incl. 9)
	32784		Intake Valve (1/32" OS) (Incl. 9)
	27878A 27880A		Exhaust Valve (Std.) (Incl. 9) Exhaust Valve (1/32" OS) (Incl. 9)
	20810		, , , ,
	27882		Pin, Valve spring retainer (Use as re quired) Cap, Upper valve spring
	27881		Spring, Valve
	27881		Spring, Valve
	32581		Cap, Lower valve spring
	32581		Cap, Lower valve spring
	32590		Plate, Lock & Oil dipper (This plate may be replaced by
10/1	02000		34242 oil dipper but 650662C screw must be used.)
	34242		Dipper, Oil
	32995		Crankshaft (Incl. 12 & 13)
	29783		Crankshaft Gear Pin (Early production)
13	27884		Gear, Crankshaft (Used in early production) This gear is
			servicable onlywhen it is pinned to the crankshaft.
14A	32592B		Piston & Pin Ass'y. (Std.)(2-3/4")(In cl.16)
	32593B		Piston & Pin Ass'y. (.010" OS) (Incl. 16)
14A	32594B		Piston & Pin Ass'y. (.020" OS) (Incl. 16)
14	34517		Piston, Pin & Ring Set (Std.) (2-3/4" Bore)
14	34518		Piston, Pin & Ring Set (.010" OS)
14	34519		Piston, Pin & Ring Set (.020" OS)
15	32595		Ring Set (Std.) (2-3/4" Bore)
15	32596		Ring Set (.010" OS)
15	32597		Ring Set (.020" OS)
16	27888		Ring, Piston pin retaining
	32591C		Rod Assy., Connecting (Incl. 10 & 18)
18	650662C		Screw, Connecting rod (2 each)
	32115		Camshaft (MCR)
	34034		Lifter, Valve
	31451A		Cylinder Cover (Incl.24, 106, 309, 31 0 & 311)
	31546		Bushing, Crankshaft (Use as required)
	28460		Seal, Oil
	31297		Dipstick, Oil (Incl. 30)
	30684		* Gasket, Cylinder cover
	650488		Screw, 1/4-20 x 1-1/4"
	29673		* Gasket, Oil filler
	650516		Screw, 1/4-20 x 1-1/8" * Cooket Culinder bond
	32631A		* Gasket, Cylinder head
	30938A 27793		Head, Cylinder Clip, Conduit (Use as required)
	28942		Screw, 10-32 x 3/8" (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as required)
	650695A		Screw, 5/16-18 x 2-1/4" (Use as required)
	650694A		Screw, 5/16-18 x 2" (Use as required)
	33636		Resistor Spark Plug (RJ-8C)
	34251		Resistor Spark Plug
	27896A		* Gasket, Breather cover
	28423		Body, Breather
	28424		Element, Breather
	28425		Cover, Valve spring
	26073		Washer (Use as required)
	www.mymo	X/6	ernarts.com
	** ** ** ***	. 44	

	D. (All colors)	Description of the second of t
		Oty Description
	650691	Washer, Flat (Use as required)
	650690 650438	Washer, Belleville (Use as required)
	650128 37045 A	Screw, 10-24 x 1/2" * Cooket Intoko
	27915A	* Gasket, Intake
	30195A	Flange, Carburetor (Incl. 79 & 80)
	30196	Screw, 5/16-18 x 3/4"
	29716	Screw, 1/4-28 x 7/16"
	650548	Screw, 8-32 x 5/16"
52	32326A	Lever, Governor (New lever does not need 1 of
		51,66,132,164,165,207)
55	30205	Bracket, Adjusting
56	30206	Link, Throttle
59	29216	Nut, Lock, 10-32
60	650152	Screw, 8-32 x 3/8"
61	29826	Screw, 10-32 x 3/4"
62	29642	Ring, Retaining
63A	30699C	Rod Assy., Governor (Incl. 64 & 65)
63	30699B	Governor Rod Ass'y. (This one-piece governor rodis no longer
		used. It is replaced by 30699C ass'y.,Ref. no. 63A)
64	30700	Yoke, Governor
	650494	Screw, 6-40 x 5/16"
	29918	Lockwasher, #8 E.T.
	35350	Tube, Breather
	29747B	Screw, 5/16-24 x 21/32"
	32158E	Blower Housing (For elec.star.)(Incl. 134,135)
	650815	Washer, Belleville
	8116	Nut, Hex
	29536	Blower Housing Baffle (without electric starter knock-out)
73	29300	(Use as required)
73	35256A	Blower Housing Baffle (with electric starter knock-out) (Use
		as required) (Point Ignition)
74	650561	Screw, 1/4-20 x 5/8"
75	31688A	* Gasket, Carburetor
79	29752	Nut & Lockwasher Assy., 1/4-28
80	650572	Screw, 1/4-28 x 1-1/8"
82A	730164	Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89, 90A & 331B)
		(Use as required)
02	27272A	* Gasket, Air cleaner
	31691	Bracket, Air cleaner NOTE: 130010 thru 10C & 11 used in
OI.	31091	early production only.
	28820	Screw, 10-32 x 1/2"
	30727	Element, Air cleaner
	31715	Body, Air cleaner
	32924	Spring, Compression
	650688	Screw, 10-32 x 1"
	29538	Base, Engine mounting
	32401	Muffler
	29443	Clip, Wire
	31845	Shaft, Mechanical governor
	30591	Gear Assy., Governor (Incl. 109)
	30588A	Spool, Governor
	30590A	Washer, Flat
	29193	Ring, Retaining
	650561	Screw, 1/4-20 x 5/8"
114	31301	Fuel Tank (Incl. 115)
www.mymowerparts.com		

Pof #	Part Number	Qtv	Description
	410144B	ωιy	Fuel Cap (White Plastic)(Std)(As requ ired)
	33032		Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile)
110	33032		(Use as required)
			• ,
115	34210		Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as
			required)
115	35355		Fuel Cap (Use as required)
	28584		Fitting, Fuel strainer & elbow
	29774		Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)
	30705		Fuel Line (Braided 16") (41 cm) (Use as req.)
	30962		Fuel Line (Braided 32") (81 cm) (Use as req.)
	650128		Screw, 10-24 x 1/2" (Use as required)
	30622A		Extension, Blower housing
	650542		Screw, 5/16-18 x 3/4"
	27930A		Gasket, Exhaust
	30196		Screw, 5/16-18 x 3/4"
	26073		Washer (Use as required)
	650694A		Screw, 5/16-18 x 2" (Use as required)
	32589		Key, Flywheel
	31843A		Bracket, Governor gear
131	650836		Screw, 10-24 x 1/2"
133	650493		Screw, 1/4-20 x 1-3/4"
	30747		Clip, Shorting
193	610118		Cover, Spark plug (Use as required)
205	650561		Screw, 1/4-20 x 5/8" (Use as required)
209	30939A		Cover, Cylinder head
246	32125		Cup, Starter
247	590417		Screen, Starter cup
266	26460		Clamp, Fuel line
270	31461		Bushing, Crankshaft (Use as required)
274	610973		Terminal Ass'y. (As req. on late prod uction)
287	27275		Clip, Hi-tension wire (Use as require d)
287	34246		Clip, Ground wire (Use as required)
331B	31752		Decal, Air cleaner
331	550223		Decal, Name
331A	34346		Decal, Instruction
	32434		Contact Assy., Breaker
	610767A		Condenser
	631021		Inlet Needle, Seat & Clip Assy.
336	631453		Carburetor (Incl. 75) (Refer to Division 5, Section A, page 100
			for breakdown)
337	610816		Magneto (w/ring gear) (12 Volt) (7 Am p) NOTE: The
00.	0.00.0		complete magneto is not available as an assembly. The
			magneto number is shown for reference purposes only.
			Order component parts individually, as show in parts list.
			(Refer to Division 5, Section B, page 26 for breakdown)
	500.400		,
338	590420		Rewind Starter (Refer to Division 5, Section C, page 25 for
			breakdown)
343	33239A		Gasket Set (Incl. items marked*)
3.6			,

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983

Page 5 of 8




Ref #	Part Number G	ty Description
	650516	Screw, 1/4-20 x 1-1/8"
	27793	Clip, Conduit (Use as required)
	28942	Screw, 10-32 x 3/8" (Use as required)
	650128	Screw, 10-24 x 1/2"
	29716	Screw, 1/4-28 x 7/16"
	30206	Link, Throttle
	650815	Washer, Belleville
	8116	Nut, Hex
	650399	·
	30712	Screw, 10-32 x 5/8" (Supplied by OEM) Lever, Bellcrank
		•
	31879	Link, Governor lever-to-bellcrank
	30312	Screw, 10-32 x 1/2"
	28562	Bushing, RPM adjusting lever
	29530	Bushing, Bellcrank
	30199A	Bracket, Speed control (Incl. 98 & 99)
	33450	Nut, Lock
	32977	Spring, Torsion
	30202	Spring, Extension
	30201A	Lever, Speed control
	32924	Spring, Compression
	650688	Screw, 10-32 x 1"
	30063	Screw, 1/4-20 x 1/2"
	610118	Cover, Spark plug (Use as required)
201	730152	Control Bracket (Incl. 92, 92A, 92B,93, 93A,94, 95, 95A &
		96)
263	650764	Nut, "U" Type (Use as required)
	610973	Terminal Ass'y. (As req. on late prod uction)
	31793	Bearing, Ball
	31855	Retainer, Bearing
	650778	Washer, Lock
	650580	Nut, Lock
	31792	Washer, Thrust
	550223	Decal, Name
	590420	Rewind Starter (Refer to Division 5, Section C, page 25 for
330	390420	breakdown)
		,
339	35765A	Electric Starter Motor (12 Volt) NOTE: The 29965, 32468,
		32468B, 33606, 35765 and 35765A startermotors are used
		interchangeably on these models. Refer to service number
		stamped on end cap of motor, or on decal, for identification.
		Refer to Division 5, Section D for breakdown.
340	33328D	Starter Motor Kit (110-120 Volt) This 110-120 volt starter
0.0	000202	motor kit may have been added to this engine. It can be
		added only if cylinder hasdrilled and tapped starter mounting
		bosses and a ring gear flywheel (see#342). Refer to service
		number stamped on end cap of motor, or on decal, for
		identifica
342	30811A	Flywheel (Ring gear flywheel requiredon engines using
		110-120 volt starter kits listed above)
342	611042	Flywheel (Used on Type letters H and above) (Std. Point
		ignition) (Ring gear flywheel required on engines using
		110-120 volt starter kits listed above)
2/12	611085	Flywheel (Minimum ring gear flywheel required on engines
342	011000	using 110-120 volt starter kits listed above) (Use withSolid
		State ignition)
		olalo igrilliori)

www.mymowerparts.com

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983

Page 7 of 8

Engine Parts List #3



www.mymowerparts.com

		/ Description
27	27513	Lockwasher, 1/4" (Use as required)
36	650697A	Screw, 5/16-18 x 2-1/2" (Use as requi red)
36	650695A	Screw, 5/16-18 x 2-1/4" (Use as requi red)
36	650694A	Screw, 5/16-18 x 2" (Use as required)
	27896A	* Gasket, Breather cover
	26073	Washer (Use as required)
	650691	Washer, Flat (Use as required)
	650548	Screw, 8-32 x 5/16"
	30319	Rivet, Split (Used in early production)
	32326A	• • • • • • • • • • • • • • • • • • • •
52	32320A	Lever, Governor (New lever does not need 1 of 51,66,132,164,165,207)
55	30205	Bracket, Adjusting
	730130	Exh.Adap.Kit (Incl. 58 & 125) (Use as req.)
	30196	Screw, 5/16-18 x 3/4" (Use as require d)
	29216	Nut, Lock, 10-32
	29826	Screw, 10-32 x 3/4"
	29918	Lockwasher, #8 E.T.
	730561	Air cleaner kit (Incl. 38, 67A, 83, 84B, 85,89B, 89C, 90A, 91,
020	750501	91A, 91B, 91C, 91D, 245 & 331B) (Use only on engines with
		an externally vented fully adjustable carburetor)
		, , , , , , , , , , , , , , , , , , , ,
82	730127	Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89A, 90, 238 &
		331B) (Use as required)
	27272A	* Gasket, Air cleaner
84D	34819	Air Cleaner Elbow (Incl. 84B, 86A, 91, 91A, 91B & 91C) (Use
		in 730561 assembly only)
88	28820	Screw, 10-32 x 1/2"
90	31715	Body, Air cleaner
103E	391026	Opt. Spark Arrest Muffler (Incl.196,1 97,199)
111	31694	Bracket, Fuel tank
113	650561	Screw, 1/4-20 x 5/8"
118	29774	Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)
	30705	Fuel Line (Braided 16") (41 cm) (Use as req.)
	30962	Fuel Line (Braided 32") (81 cm) (Use as req.)
	27930A	Gasket, Exhaust
	30196	Screw, 5/16-18 x 3/4"
	650694A	Screw, 5/16-18 x 2" (Use as required)
	650548	Screw, 8-32 x 5/16" (Early production)
	610749	Regulator, Rectifier (10 Amp)
	34067	Wire Assy., Alternator adapter (4-1/4 ")
	34069	Wire Assy., Alternator adapter (4-1/4) Wire Assy., Alternator adapter (6-3/4 ")
	6201	Screw, 1/4-28 x 7/8" Figh. Adoptor Kit (Incl. 135, 303, 304) (Ap. rog.)
	31288	Exh. Adaptor Kit (Incl.125,203,204) (As req.)
	650697A	Screw, 5/16-18 x 2-1/2" (Use as requi red)
	6021A	Screw, 5/16-18 x 1-1/2" (Use as requi red)
	29752	Nut, Lock
	26460	Clamp, Fuel line
	29212	Screw, Hex hd. Sems, 1/4-28 x 7/16
331B	31752	Decal, Air cleaner