
For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983  $_{\mathrm{Page}\ 1}$  of 8

Engine Parts List #1



www.mymowerparts.com

110-13013 <del>-1</del> 7			
Engine	<b>Parts</b>	List #1	

Ref # Part Number	Qty Description
1 32586C	Cylinder (Incl. 2, 3, 4 & 76) (2-3/4" Bore)
2 27652	Pin, Dowel
3 27642	Plug, Oil drain
4 32630	Seal, Oil
5 32783	Intake Valve (Std.) (Incl. 9)
5 32784	Intake Valve (1/32" OS) (Incl. 9)
6 27878A	Exhaust Valve (Std.) (Incl. 9)
6 27880A	Exhaust Valve (1/32" OS) (Incl. 9)
7 27882	Cap, Upper valve spring
7A 20810	Pin, Valve spring retainer (Use as re quired)
8A 27881	Spring, Valve
8 27881	Spring, Valve
9 32581	Cap, Lower valve spring
9A 32581	Cap, Lower valve spring
10 34242	Dipper, Oil
10A 32590	Plate, Lock & Oil dipper (This plate may be replaced by
	34242 oil dipper but 650662C screw must be used.)
11 32680A	Crankshaft (Incl. 12 & 13)
12 29783	Crankshaft Gear Pin (Early production )
13 27884	Gear, Crankshaft (Used in early production) This gear is
13 27004	
	servicable onlywhen it is pinned to the crankshaft.
14 34517	Piston, Pin & Ring Set (Std.) (2-3/4" Bore)
14 34518	Piston, Pin & Ring Set (.010" OS)
14 34519	Piston, Pin & Ring Set (.020" OS)
14A 32592B	Piston & Pin Ass'y. (Std.)(2-3/4")(In cl.16)
14A 32593B	Piston & Pin Ass'y. (.010" OS) (Incl. 16)
14A 32594B	Piston & Pin Ass'y. (.020" OS) (Incl. 16)
15 32595	Ring Set (Std.) (2-3/4" Bore)
15 32596	Ring Set (0.010" OS)
15 32597	Ring Set (.020" OS)
16 27888	Ring, Piston pin retaining
17 32591C	Rod Assy., Connecting (Incl. 10 & 18)
18 650662C	Screw, Connecting (Incl. 10 & 10)
21 32115	Camshaft (MCR)
22 34034	Lifter, Valve
23 31303B	Cover, Cylinder (Incl. 24, 106 & 279)
24B 31546	Bushing, Crankshaft (Use as required)
24 28427	Seal, Oil
25 31297	Dipstick, Oil (Incl. 30)
26 30684	* Gasket, Cylinder cover
28 650488	Screw, 1/4-20 x 1-1/4"
30 29673	* Gasket, Oil filler
31 650489	Screw, 1/4-20 x 5/8"
32 32631A	* Gasket, Cylinder head
33 30938A	Head, Cylinder
34 27793	Clip, Conduit (Use as required)
35 28942	Screw, 10-32 x 3/8" (Use as required)
36 650697A	Screw, 5/16-18 x 2-1/2" (Use as requi red)
36 650695A	Screw, 5/16-18 x 2-1/4" (Use as requi red)
36 650694A	Screw, 5/16-18 x 2" (Use as required)
37 33636	Resistor Spark Plug (RJ-8C)
37 34251	Resistor Spark Plug
38 27896A	* Gasket, Breather cover
JU 41030/\	Casher, Diedulei Wyei
	Rody Breather
39 28423	Body, Breather
39 28423 40 28424	Element, Breather
39 28423	

	B 411	<u> </u>	D 14
		Qty	Description
	650691		Washer, Flat (Use as required)
	650690		Washer, Belleville (Use as required)
	650128		Screw, 10-24 x 1/2"
	27915A		* Gasket, Intake
	30195A		Flange, Carburetor (Incl. 79 & 80)
	30196		Screw, 5/16-18 x 3/4"
48	29716		Screw, 1/4-28 x 7/16"
50	650548		Screw, 8-32 x 5/16"
52	32326A		Lever, Governor (New lever does not need 1 of
			51,66,132,164,165,207)
FF	00005		· · · · · · · · · · · · · · · · · · ·
	30205		Bracket, Adjusting
	30824		Link, Throttle
	29216		Nut, Lock, 10-32
	650152		Screw, 8-32 x 3/8"
61	29826		Screw, 10-32 x 3/4"
62	29642		Ring, Retaining
63	30699B		Governor Rod Ass'y. (This one-piece governor rodis no longer
			used. It is replaced by 30699C ass'y.,Ref. no. 63A)
621	30699C		Pod Accy Covernor (Incl. 64.8.65)
	30700		Rod Assy., Governor (Incl. 64 & 65)
			Yoke, Governor
	650494		Screw, 6-40 x 5/16"
	29918		Lockwasher, #8 E.T.
	29747B		Screw, 5/16-24 x 21/32"
	32158E		Blower Housing (For elec.star.)(Incl. 134,135)
	650815		Washer, Belleville
	8116		Nut, Hex
73	29536		Blower Housing Baffle (without electric starter knock-out)
			(Use as required)
73	35256A		Blower Housing Baffle (with electric starter knock-out) (Use
70	00200/ t		as required) (Point Ignition)
			. , , , , , , , , , , , , , , , , , , ,
	650561		Screw, 1/4-20 x 5/8"
75	31688A		* Gasket, Carburetor
79	29752		Nut & Lockwasher Assy., 1/4-28
80	650572		Screw, 1/4-28 x 1-1/8"
82A	730164		Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89, 90A & 331B)
			(Use as required)
02	27272A		* Gasket, Air cleaner
	31708		·
01	31700		Bracket, Air cleaner NOTE: 130010 thru 10C & 11 used in
			early production only.
88	28820		Screw, 10-32 x 1/2"
90	31715		Body, Air cleaner
97	35349		Ground Wire
	29538		Base, Engine mounting
	32401		Muffler
	31845		Shaft, Mechanical governor
	30591		Gear Assy., Governor (Incl. 109)
	30588A		Spool, Governor
	30590A		Washer, Flat
	29193		Ring, Retaining
	650561		Screw, 1/4-20 x 5/8"
	33350 410444B		Fuel Cap (M/bits Bloatio)(Std)(As required)
	410144B		Fuel Cap (White Plastic)(Std)(As required)
115	33032		Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile)
			(Use as required)


# For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 Page 4 of 8

Engine Parts List #1 Ref # Part Number Description 115 34210 Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as

		10quii ou)
117 118 118 118 119 120 121 124 125 126 127 128 129 130 131 133 149 193 205 209 246 247 266 270 274 287 287 331A 331 332 333	35355 33395 29774 30705 30962 33679 650128 30622A 650542 27930A 30196 26073 650694A 32589 31843A 650836 650493 30747 610118 650561 30939A 32125 590417 26460 31461 610973 27275 34246 34346 550223 30547A 30548B 631021 631454	Fuel Cap (Use as required) Fitting, Fuel strainer & elbow (Incl. 119) Fuel Line (Braided 8-1/4" 21 cm) (Use as req.) Fuel Line (Braided 16") (41 cm) (Use as req.) Fuel Line (Braided 32") (81 cm) (Use as req.) Bushing, Fuel fitting Screw, 10-24 x 1/2" (Use as required) Extension, Blower housing Screw, 5/16-18 x 3/4" Gasket, Exhaust Screw, 5/16-18 x 3/4" Washer (Use as required) Screw, 5/16-18 x 2" (Use as required) Key, Flywheel Bracket, Governor gear Screw, 10-24 x 1/2" Screw, 1/4-20 x 1-3/4" Clip, Shorting Cover, Spark plug (Use as required) Screw, 1/4-20 x 5/8" (Use as required) Cover, Cylinder head Cup, Starter Screen, Starter cup Clamp, Fuel line Bushing, Crankshaft (Use as required) Terminal Ass'y. (As req. on late prod uction) Clip, Hi-tension wire (Use as required) Decal, Instruction Decal, Name Contact Assy., Breaker Condenser Inlet Needle, Seat & Clip Assy. Carburetor (Incl. 75) (Refer to Division 5, Section A, page 100 for breakdown)
337	610689A	Magneto NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as show in parts list. (Refer to Division 5, Section B, page 24 for breakdown)
338	590420	Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)
343	33239A	Gasket Set (Incl. items marked*)

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983

Page 5 of 8




# For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 $_{\rm Page~6~of~8}$ Engine Parts List #2

		Qty	Description
	650489		Screw, 1/4-20 x 5/8"
34	27793		Clip, Conduit (Use as required)
35	28942		Screw, 10-32 x 3/8" (Use as required)
43A	650128		Screw, 10-24 x 1/2"
48	29716		Screw, 1/4-28 x 7/16"
56	30824		Link, Throttle
67A	32447		Tube, Breather
68	32446		Grommet, Breather tube
71	650815		Washer, Belleville
72	8116		Nut, Hex
193	610118		Cover, Spark plug (Use as required)
200	33110A		Control Bracket (Incl. 224 & 274)
224	30826		Spring, Extension
263	650764		Nut, "U" Type (Use as required)
274	610973		Terminal Ass'y. (As req. on late prod uction)
331	550223		Decal, Name
338	590420		Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)
340	33328D		Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#342). Refer to service number stamped on end cap of motor, or on decal, for identifica
342	30811A		Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above)
342	611042		Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using 110-120 volt starter kits listed above)
342	611085		Flywheel (Minimum ring gear flywheel required on engines using 110-120 volt starter kits listed above) (Use withSolid State ignition)

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983

Page 7 of 8

Engine Parts List #3



www.mymowerparts.com

	Dard N. Johnson	N. December 1
		ty Description
	27513	Lockwasher, 1/4" (Use as required)
	650697A	Screw, 5/16-18 x 2-1/2" (Use as requi red)
	650695A	Screw, 5/16-18 x 2-1/4" (Use as requi red)
	650694A	Screw, 5/16-18 x 2" (Use as required)
	27896A	* Gasket, Breather cover
	26073	Washer (Use as required)
	650691	Washer, Flat (Use as required)
	650548	Screw, 8-32 x 5/16"
	30319	Rivet, Split (Used in early productio n)
52	32326A	Lever, Governor (New lever does not need 1 of
		51,66,132,164,165,207)
55	30205	Bracket, Adjusting
57	730130	Exh.Adap.Kit (Incl. 58 & 125) (Use as req.)
58	30196	Screw, 5/16-18 x 3/4" (Use as require d)
59	29216	Nut, Lock, 10-32
61	29826	Screw, 10-32 x 3/4"
66	29918	Lockwasher, #8 E.T.
	32447	Tube, Breather
82	730127	Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89A, 90, 238 &
		331B) (Use as required)
82B	730561	Air cleaner kit (Incl. 38, 67A, 83, 84B, 85,89B, 89C, 90A, 91,
		91A, 91B, 91C, 91D, 245 & 331B) (Use only on engines with
		an externally vented fully adjustable carburetor)
83	27272A	* Gasket, Air cleaner
	34819	Air Cleaner Elbow (Incl. 84B, 86A, 91, 91A, 91B & 91C) (Use
שרט	0-1010	in 730561 assembly only)
		<i>.</i>
	28820	Screw, 10-32 x 1/2"
	31700	Element, Air cleaner
	31715	Body, Air cleaner
	391026	Opt. Spark Arrest Muffler (Incl.196,1 97,199)
	33353	Bracket, Lower fuel tank
	650561	Screw, 1/4-20 x 5/8"
	33352A	Plate, Upper fuel tank mounting
	29774	Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)
	30705	Fuel Line (Braided 16") (41 cm) (Use as req.)
	30962	Fuel Line (Braided 32") (81 cm) (Use as req.)
	27930A	Gasket, Exhaust
	30196	Screw, 5/16-18 x 3/4"
	650694A	Screw, 5/16-18 x 2" (Use as required)
	650548	Screw, 8-32 x 5/16" (Early production )
	792020	Screw, 1/4-20 x 2-1/4"
	34067	Wire Assy., Alternator adapter (4-1/4 ")
	34069	Wire Assy., Alternator adapter (6-3/4 ")
	31288	Exh. Adaptor Kit (Incl.125,203,204) ( As req.)
	650697A	Screw, 5/16-18 x 2-1/2" (Use as requi red)
	6021A	Screw, 5/16-18 x 1-1/2" (Use as requi red)
266	26460	Clamp, Fuel line