
For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 H70-130162A Engine Parts List #1



www.mymowerparts.com

| Ref # | Part Number 0      | Qty Description   |
|-------|--------------------|---|
|       | 32586C             | Cylinder (Incl. 2, 3, 4 & 76) (2-3/4" Bore)   |
|       | 27652              | Pin, Dowel  |
|       | 27642              | Plug, Oil drain   |
|       | 32630              | Seal, Oil   |
|       | 32783              | Intake Valve (Std.) (Incl. 9)   |
|       | 32784              | Intake Valve (1/32" OS) (Incl. 9)   |
|       | 27878A             | Exhaust Valve (Std.) (Incl. 9)  |
|       | 27880A             | Exhaust Valve (1/32" OS) (Incl. 9)  |
|       | 20810              | Pin, Valve spring retainer (Use as re quired)                                       |
|       | 27882              | Cap, Upper valve spring   |
|       | 27881              | Spring, Valve   |
|       | 27881              | Spring, Valve   |
|       | 32581              | Cap, Lower valve spring   |
|       | 32581              | Cap, Lower valve spring   |
|       | 32590              | Plate, Lock & Oil dipper (This plate may be replaced by                             |
| 10,1  | 02000              | 34242 oil dipper but 650662C screw must be used.)                                   |
|       |                    |   |
|       | 34242              | Dipper, Oil   |
|       | 32773              | Crankshaft (Incl. 12 & 13)  |
|       | 29783              | Crankshaft Gear Pin (Early production )   |
| 13    | 27884              | Gear, Crankshaft (Used in early production) This gear is                            |
|       |                    | servicable onlywhen it is pinned to the crankshaft.                                 |
| 14A   | 32592B             | Piston & Pin Ass'y. (Std.)(2-3/4")(In cl.16)  |
| 14A   | 32593B             | Piston & Pin Ass'y. (.010" OS) (Incl. 16)   |
| 14A   | 32594B             | Piston & Pin Ass'y. (.020" OS) (Incl. 16)   |
| 14    | 34517              | Piston, Pin & Ring Set (Std.) (2-3/4" Bore)   |
| 14    | 34518              | Piston, Pin & Ring Set (.010" OS)   |
| 14    | 34519              | Piston, Pin & Ring Set (.020" OS)   |
| 15    | 32595              | Ring Set (Std.) (2-3/4" Bore)   |
| 15    | 32596              | Ring Set (.010" OS)   |
| 15    | 32597              | Ring Set (.020" OS)   |
|       | 27888              | Ring, Piston pin retaining  |
|       | 32591C             | Rod Assy., Connecting (Incl. 10 & 18)   |
|       | 650662C            | Screw, Connecting rod (2 each)  |
|       | 32115              | Camshaft (MCR)  |
|       | 34034              | Lifter, Valve   |
|       | 31451A             | Cylinder Cover (Incl.24, 106, 309, 31 0 & 311)                                      |
|       | 31546              | Bushing, Crankshaft (Use as required)   |
|       | 28460              | Seal, Oil   |
|       | 29668              | Dipstick, Oil (Incl. 30)  |
|       | 30684              | * Gasket, Cylinder cover  |
|       | 650488             | Screw, 1/4-20 x 1-1/4"  |
|       | 29673              | * Gasket, Oil filler  |
|       | 650489             | Screw, 1/4-20 x 5/8"  |
|       | 32631A             | * Gasket, Cylinder head   |
|       | 30938A             | Head, Cylinder  |
|       | 27793              | Clip, Conduit (Use as required)   |
|       | 28942              | Screw, 10-32 x 3/8" (Use as required)   |
|       | 650697A<br>650695A | Screw, 5/16-18 x 2-1/2" (Use as required)   |
|       | 650694A            | Screw, 5/16-18 x 2-1/4" (Use as requi red)<br>Screw, 5/16-18 x 2" (Use as required) |
|       | 33636              | Resistor Spark Plug (RJ-8C)   |
|       | 34251              | Resistor Spark Plug   |
|       | 27896A             |   |
|       | 28423              | * Gasket, Breather cover<br>Body, Breather  |
|       | 28424              | Element, Breather   |
|       | 28425              | Cover, Valve spring   |
|       | 26073              | Washer (Use as required)  |
| ΤĽ    |                    | wernarts.com  |

| Ref #                | Part Number Qt | ty Description   |
|----------------------|----------------|--|
|                      | 650691         | Washer, Flat (Use as required)                               |
| 42A                  | 650690         | Washer, Belleville (Use as required)                         |
|                      | 650128         | Screw, 10-24 x 1/2"  |
|                      | 27915A         | * Gasket, Intake   |
|                      | 30195A         | Flange, Carburetor (Incl. 79 & 80)                           |
|                      | 30196          | Screw, 5/16-18 x 3/4"  |
|                      | 29716          | Screw, 1/4-28 x 7/16"  |
|                      | 650548         | Screw, 8-32 x 5/16"  |
|                      | 32326A         | Lever, Governor (New lever does not need 1 of                |
|                      |                | 51,66,132,164,165,207)                                       |
| 55                   | 30205          | Bracket, Adjusting   |
| 56                   | 31710          | Link, Throttle   |
| 59                   | 29216          | Nut, Lock, 10-32   |
| 60                   | 650152         | Screw, 8-32 x 3/8"   |
| 61                   | 29826          | Screw, 10-32 x 3/4"  |
| 62                   | 29642          | Ring, Retaining  |
| 63A                  | 30699C         | Rod Assy., Governor (Incl. 64 & 65)                          |
| 63                   | 30699B         | Governor Rod Ass'y. (This one-piece governor rodis no longer |
|                      |                | used. It is replaced by 30699C ass'y.,Ref. no. 63A)          |
| 64                   | 30700          | Yoke, Governor   |
| 65                   | 650494         | Screw, 6-40 x 5/16"  |
| 66                   | 29918          | Lockwasher, #8 E.T.  |
| 67                   | 35350          | Tube, Breather   |
| 69                   | 29747B         | Screw, 5/16-24 x 21/32"                                      |
| 70                   | 32158E         | Blower Housing (For elec.star.)(Incl. 134,135)               |
|                      | 650815         | Washer, Belleville   |
| 72                   | 8116           | Nut, Hex   |
| 73                   | 29536          | Blower Housing Baffle (without electric starter knock-out)   |
|                      |                | (Use as required)  |
| 73                   | 35256A         | Blower Housing Baffle (with electric starter knock-out) (Use |
|                      |                | as required) (Point Ignition)                                |
| 74                   | 650561         | Screw, 1/4-20 x 5/8"   |
|                      | 31688A         | * Gasket, Carburetor   |
|                      | 29752          | Nut & Lockwasher Assy., 1/4-28                               |
|                      | 650572         | Screw, 1/4-28 x 1-1/8"                                       |
|                      | 730164         | Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89, 90A & 331B)    |
|                      |                | (Use as required)  |
| 83                   | 27272A         | * Gasket, Air cleaner  |
|                      | 31691          | Bracket, Air cleaner NOTE: 130010 thru 10C & 11 used in      |
|                      |                | early production only.                                       |
| 88                   | 28820          | Screw, 10-32 x 1/2"  |
|                      | 30727          | Element, Air cleaner   |
|                      | 31715          | Body, Air cleaner  |
|                      | 35349          | Ground Wire  |
| 98                   | 28569          | Spring, Compression  |
| 99                   | 29500          | Screw, 8-32 x 3/4"   |
| 100                  | 29538          | Base, Engine mounting  |
|                      | 32401          | Muffler  |
|                      | 31845          | Shaft, Mechanical governor                                   |
|                      | 30591          | Gear Assy., Governor (Incl. 109)                             |
|                      | 30588A         | Spool, Governor  |
|                      | 30590A         | Washer, Flat   |
|                      | 29193          | Ring, Retaining  |
|                      | 650561         | Screw, 1/4-20 x 5/8"   |
|                      | 33350          | Fuel Tank (Incl. 115 & 117A)                                 |
| www.mymowerparts.com |                |  |


| Ref # | Part Number Qty | Description   |
|-------|-----------------|---|
|       | 410144B         | Fuel Cap (White Plastic)(Std)(As required)                      |
|       | 33032           | Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile)      |
|       |                 | (Use as required)   |
|       | 0.404.0         |   |
| 115   | 34210           | Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as  |
|       |                 | required)   |
| 115   | 35355           | Fuel Cap (Use as required)                                      |
|       | 33395           | Fitting, Fuel strainer & elbow (Incl. 119)                      |
|       | 29774           | Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)                   |
|       | 30705           |   |
|       |                 | Fuel Line (Braided 16") (41 cm) (Use as req.)                   |
|       | 30962           | Fuel Line (Braided 32") (81 cm) (Use as req.)                   |
|       | 33679           | Bushing, Fuel fitting   |
|       | 650128          | Screw, 10-24 x 1/2" (Use as required)                           |
|       | 30622A          | Extension, Blower housing                                       |
|       | 650542          | Screw, 5/16-18 x 3/4"   |
| 125   | 27930A          | Gasket, Exhaust   |
| 126   | 30196           | Screw, 5/16-18 x 3/4"   |
| 127   | 26073           | Washer (Use as required)  |
| 128   | 650694A         | Screw, 5/16-18 x 2" (Use as required)                           |
|       | 32589           | Key, Flywheel   |
|       | 31843A          | Bracket, Governor gear  |
|       | 650836          | Screw, 10-24 x 1/2"   |
|       | 650493          | Screw, 1/4-20 x 1-3/4"  |
|       | 30747           |   |
|       |                 | Clip, Shorting  |
|       | 610118          | Cover, Spark plug (Use as required)                             |
|       | 650561          | Screw, 1/4-20 x 5/8" (Use as required )                         |
|       | 30939A          | Cover, Cylinder head  |
|       | 32125           | Cup, Starter  |
|       | 590417          | Screen, Starter cup   |
|       | 26460           | Clamp, Fuel line  |
|       | 31461           | Bushing, Crankshaft (Use as required)                           |
|       | 31726B          | Control Bracket (Incl. 98, 99, 214 & 274)                       |
| 274   | 610973          | Terminal Ass'y. (As req. on late prod uction)                   |
| 275   | 34043           | Spring, Control lever   |
| 287   | 27275           | Clip, Hi-tension wire (Use as require d)                        |
| 287   | 34246           | Clip, Ground wire (Use as required)                             |
|       | 550223          | Decal, Name   |
| 331B  | 31752           | Decal, Air cleaner  |
|       | 34346           | Decal, Instruction  |
|       | 30547A          | Contact Assy., Breaker  |
|       | 30548B          | Condenser   |
|       | 631021          | Inlet Needle, Seat & Clip Assy.                                 |
|       | 631453          | Carburetor (Incl. 75) (Refer to Division 5, Section A, page 100 |
| 550   | 001400          | for breakdown)  |
|       |                 | ,   |
| 337   | 610689A         | Magneto NOTE: The complete magneto is not available as          |
|       |                 | an assembly. The magneto number is shown for reference          |
|       |                 | purposes only. Order component parts individually, as show      |
|       |                 | in parts list. (Refer to Division 5, Section B, page 24 for     |
|       |                 | breakdown)  |
| 000   | E00420          | ,   |
| 338   | 590420          | Rewind Starter (Refer to Division 5, Section C, page 25 for     |
|       |                 | breakdown)  |
| 343   | 33239A          | Gasket Set (Incl. items marked*)                                |
| 2.0   |                 |   |

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 H70-130162A Engine Parts List #2



|                      | Description  | 1      | Ref #                    |
|----------------------|--|--------|--------------------------|
|                      | Screw, 1/4-20 x 5/8"   | 650489 |                          |
|                      | Clip, Conduit (Use as required)  | 27793  |                          |
|                      | Screw, 10-32 x 3/8" (Use as required)  | 28942  |                          |
|                      | Screw, 10-24 x 1/2"  | 650128 |                          |
|                      | Screw, 1/4-28 x 7/16"  | 29716  |                          |
|                      | Link, Throttle   | 31710  |                          |
|                      | Washer, Belleville   | 650815 |                          |
|                      | Nut, Hex   | 8116   |                          |
|                      | Spring, Compression  | 28569  |                          |
|                      | Screw, 8-32 x 3/4"   | 29500  |                          |
|                      | Cover, Spark plug (Use as required)  | 610118 |                          |
|                      | Nut, "U" Type (Use as required)  | 650764 |                          |
|                      | Terminal Ass'y. (As req. on late prod uction)  | 610973 |                          |
|                      | Bearing, Ball  | 31793  |                          |
|                      | Retainer, Bearing  | 31855  |                          |
|                      | Washer, Lock   | 650778 |                          |
|                      | Nut, Lock  | 650580 |                          |
|                      | Washer, Thrust   | 31792  |                          |
| 05 (                 |  |        |                          |
| 25 tor               |  | 590420 | 338                      |
|                      | breakdown)   |        |                          |
|                      | Starter Motor Kit (110-120 Volt) This 110-120 volt starter   | 33328D | 340                      |
|                      |  |        |                          |
|                      |  |        |                          |
|                      |  |        |                          |
| IOF                  |  |        |                          |
|                      | Identifica   |        |                          |
| ing                  | Flywheel (Ring gear flywheel requiredon engines using  | 30811A | 342                      |
|                      | 110-120 volt starter kits listed above)  |        |                          |
| Point                | Flywheel (Used on Type letters H and above) (Std. Poir   | 611042 | 342                      |
|                      |  |        | 0.2                      |
| 0                    |  |        |                          |
|                      | ,  | C1400F | 0.40                     |
|                      |  | COULLO | 342                      |
| 13010                |  |        |                          |
|                      |  |        |                          |
| ttaan<br>r<br>f<br>l | motor kit may have been added to this engine. It ca<br>added only if cylinder hasdrilled and tapped starter<br>bosses and a ring gear flywheel (see#342). Refer to<br>number stamped on end cap of motor, or on decal,<br>identifica |        | 338<br>340<br>342<br>342 |

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 H70-130162A Engine Parts List #3



| 27<br>36<br>36<br>38<br>42<br>42<br>50<br>51   | Part Number<br>27513<br>650697A<br>650695A<br>650694A<br>27896A<br>26073<br>650691<br>650548<br>30319<br>32326A  | QtyDescriptionLockwasher, 1/4" (Use as required)Screw, 5/16-18 x 2-1/2" (Use as required)Screw, 5/16-18 x 2-1/4" (Use as required)Screw, 5/16-18 x 2" (Use as required)* Gasket, Breather coverWasher (Use as required)Washer, Flat (Use as required)Screw, 8-32 x 5/16"Rivet, Split (Used in early productio n)Lever, Governor (New lever does not need 1 of51,66,132,164,165,207)   |
|--|--|---|
| 57<br>58<br>59<br>61<br>66   | 30205<br>730130<br>30196<br>29216<br>29826<br>29918<br>730127  | Bracket, Adjusting<br>Exh.Adap.Kit (Incl. 58 & 125) (Use as req.)<br>Screw, 5/16-18 x 3/4" (Use as require d)<br>Nut, Lock, 10-32<br>Screw, 10-32 x 3/4"<br>Lockwasher, #8 E.T.<br>Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89A, 90, 238 &<br>331B) (Use as required)  |
| 82B  | 730561   | Air cleaner kit (Incl. 38, 67A, 83, 84B, 85,89B, 89C, 90A, 91, 91A, 91B, 91C, 91D, 245 & 331B) (Use only on engines with an externally vented fully adjustable carburetor)  |
|  | 27272A<br>34819  | * Gasket, Air cleaner<br>Air Cleaner Elbow (Incl. 84B, 86A, 91, 91A, 91B & 91C) (Use<br>in 730561 assembly only)  |
| 90<br>103E<br>111B<br>113<br>116<br>118<br>118<br>118<br>125<br>126<br>128<br>132<br>146<br>148<br>132<br>146<br>148<br>202<br>203<br>204<br>266 | 28820<br>31715<br>391026<br>33353<br>650561<br>33352A<br>29774<br>30705<br>30962<br>27930A<br>30196<br>650694A<br>650548<br>792020<br>34067<br>34067<br>34069<br>31288<br>650697A<br>6021A<br>26460<br>31752 | Screw, 10-32 x 1/2"<br>Body, Air cleaner<br>Opt. Spark Arrest Muffler (Incl.196,1 97,199)<br>Bracket, Lower fuel tank<br>Screw, 1/4-20 x 5/8"<br>Plate, Upper fuel tank mounting<br>Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)<br>Fuel Line (Braided 16") (41 cm) (Use as req.)<br>Fuel Line (Braided 32") (81 cm) (Use as req.)<br>Gasket, Exhaust<br>Screw, 5/16-18 x 3/4"<br>Screw, 5/16-18 x 2" (Use as required)<br>Screw, 8-32 x 5/16" (Early production )<br>Screw, 1/4-20 x 2-1/4"<br>Wire Assy., Alternator adapter (4-1/4 ")<br>Wire Assy., Alternator adapter (6-3/4 ")<br>Exh. Adaptor Kit (Incl.125,203,204) ( As req.)<br>Screw, 5/16-18 x 2-1/2" (Use as required)<br>Screw, 5/16-18 x 1-1/2" (Use as required)<br>Clamp, Fuel line<br>Decal, Air cleaner |