For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 H70-130165G Page 1 of 8

Engine Parts List #1 ILLUSTRATION SHOWS TYPICAL PARTS ONLY, ORDER BY PART NUMBER, PARTS NOT LISTED ARE SUPPLIED BY DEM. 333 247 √)-331B 82A 335

www.mymowerparts.com

	Part Number	Qty Description
	32586C	Cylinder (Incl. 2, 3, 4 & 76) (2-3/4" Bore)
2	27652	Pin, Dowel
3	27642	Plug, Oil drain
4	32630	Seal, Oil
5	32783	Intake Valve (Std.) (Incl. 9)
5	32784	Intake Valve (1/32" OS) (Incl. 9)
	27878A	Exhaust Valve (Std.) (Incl. 9)
	27880A	Exhaust Valve (1/32" OS) (Incl. 9)
	27882	Cap, Upper valve spring
	20810	Pin, Valve spring retainer (Use as re quired)
	27881	Spring, Valve
	27881	Spring, Valve
	32581	• •
		Cap, Lower valve spring
	32581	Cap, Lower valve spring
	34242	Dipper, Oil
TUA	32590	Plate, Lock & Oil dipper (This plate may be replaced by
		34242 oil dipper but 650662C screw must be used.)
11	32587	Crankshaft (Incl. 12 & 13)
	29783	Crankshaft Gear Pin (Early production)
	27884	Gear, Crankshaft (Used in early production) This gear is
10	27001	servicable onlywhen it is pinned to the crankshaft.
		Servicable of hywrien it is pirmed to the crankshart.
14	34517	Piston, Pin & Ring Set (Std.) (2-3/4" Bore)
14	34518	Piston, Pin & Ring Set (.010" OS)
14	34519	Piston, Pin & Ring Set (.020" OS)
14A	32592B	Piston & Pin Ass'y. (Std.)(2-3/4")(In cl.16)
14A	32593B	Piston & Pin Ass'y. (.010" OS) (Incl. 16)
14A	32594B	Piston & Pin Ass'y. (.020" OS) (Incl. 16)
15	32595	Ring Set (Std.) (2-3/4" Bore)
	32596	Ring Set (.010" OS)
	32597	Ring Set (.020" OS)
	27888	Ring, Piston pin retaining
	32591C	Rod Assy., Connecting (Incl. 10 & 18)
	650662C	Screw, Connecting rod (2 each)
	30968	Nipple, Oil drain
	30969	Cap, Oil drain
	32115	Camshaft (MCR)
	34034	Lifter, Valve
	31303B	Cover, Cylinder (Incl. 24, 106 & 279)
	28427	Seal, Oil
	31546	Bushing, Crankshaft (Use as required)
	33893A	Tube, Oil filler
	34011A	Dipstick, Oil (Incl. 30)
	30684	* Gasket, Cylinder cover
	650488	Screw, 1/4-20 x 1-1/4"
	33590	"O" Ring
	650489	Screw, 1/4-20 x 5/8"
	32631A	* Gasket, Cylinder head
	30938A	Head, Cylinder
	27793	Clip, Conduit (Use as required)
35	28942	Screw, 10-32 x 3/8" (Use as required)
36	650697A	Screw, 5/16-18 x 2-1/2" (Use as requi red)
36	650695A	Screw, 5/16-18 x 2-1/4" (Use as requi red)
36	650694A	Screw, 5/16-18 x 2" (Use as required)
	33636	Resistor Spark Plug (RJ-8C)
	34251	Resistor Spark Plug
	27896A	* Gasket, Breather cover
	28423	Body, Breather
www.mymowerparts.com		
	** ** ** .111 y 1110	Wolfar William


Ref # Pa	art Number Qty	Description
40 28	3424	Element, Breather
41 28	3425	Cover, Valve spring
42A 65	50690	Washer, Belleville (Use as required)
42 26		Washer (Use as required)
42 65		Washer, Flat (Use as required)
43 65		Screw, 10-24 x 1/2"
45 27		* Gasket, Intake
46 34		Flange Carburetor
47 30		Screw, 5/16-18 x 3/4"
48 29		Screw, 1/4-28 x 7/16"
50 65		Screw, 8-32 x 5/16"
52 33		·
52 33 56 34		Lever Assy., Governor
		Link, Throttle
59 29 64 20		Nut, Lock, 10-32
61 29		Screw, 10-32 x 3/4"
62 29		Ring, Retaining
63 30		Governor Rod Ass'y. (This one-piece governor rodis no longer
		used. It is replaced by 30699C ass'y.,Ref. no. 63A)
63A 30	0699C	Rod Assy., Governor (Incl. 64 & 65)
64 30		Yoke, Governor
65 65		Screw, 6-40 x 5/16"
66 29		Lockwasher, #8 E.T.
67 35		Tube, Breather
69 29		·
		Screw, 5/16-24 x 21/32" Player Hayring (For electric starter)
70 35 74 65		Blower Housing (For electric starter)
71 65		Washer, Belleville
72 81		Nut, Hex
73 29		Blower Housing Baffle (without electric starter knock-out)
		(Use as required)
73 35	5256A	Blower Housing Baffle (with electric starter knock-out) (Use
		as required) (Point Ignition)
		, , , , , , , , , , , , , , , , , , , ,
74 65		Screw, 1/4-20 x 5/8"
75 31		* Gasket, Carburetor
80A 65		Screw, 1/4-20 x 27/32"
82A 73	30164	Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89, 90A & 331B)
		(Use as required)
07 24	1240	Ground Wire
97 34		
98 31		Spring, Compression
99 65		Screw, 5-40 x 7/16"
100 29		Base, Engine mounting
103 32		Muffler
106 31		Shaft, Mechanical governor
107 30		Gear Assy., Governor (Incl. 109)
108 30		Spool, Governor
109 30)590A	Washer, Flat
110 29		Ring, Retaining
111C 34		Bracket, Fuel tank
113 65		Screw, 1/4-20 x 5/8"
114 34		Fuel Tank (Incl. 115 & 266) NOTE: These tanks were built
•		with different size fuel inlet openings. Tanks with the 1-3/16"
		I.D. opening use fuel cap 33032 or 34210. Tanks with the
		1-1/2" I.D. opening use fuel cap 35355 or 35650.
		, ,
115 41		Fuel Cap (White Plastic)(Std)(As requ ired)
115 33	3032	Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile)
		(Use as required)
		• • •

www.mymowerparts.com

		Description
115	34210	Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as
		required)
115	35355	Fuel Cap (Use as required)
	34159	Plate, Fuel tank mounting
117A		Valve, Shut-off
	29774	Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)
	30705	Fuel Line (Braided 16") (41 cm) (Use as req.)
	30962	Fuel Line (Braided 32") (81 cm) (Use as req.)
	650128	Screw, 10-24 x 1/2" (Use as required)
	30622A	Extension, Blower housing
	650542	Screw, 5/16-18 x 3/4"
	27930A	Gasket, Exhaust
	30196	Screw, 5/16-18 x 3/4"
	26073	Washer (Use as required)
	650694A	Screw, 5/16-18 x 2" (Use as required)
	32589	Key, Flywheel
	31843A	Bracket, Governor gear
	650836	Screw, 10-24 x 1/2"
133	650493	Screw, 1/4-20 x 1-3/4"
149	30747	Clip, Shorting
151	650665	Screw, 1/4-15 x 7/8"
193	610118	Cover, Spark plug (Use as required)
205	650561	Screw, 1/4-20 x 5/8" (Use as required)
209	30939A	Cover, Cylinder head
219	34814	Primer Assy.
223	32180C	Line, Primer
225	34126	Bracket, Grommet mounting
226	650760	Screw, 8-32 x 3/8"
227	28545	Grommet
246	32125	Cup, Starter
247	590417	Screen, Starter cup
	26460	Clamp, Fuel line
	31461	Bushing, Crankshaft (Use as required)
	33876	Gasket, Stator
	610973	Terminal Ass'y. (As req. on late prod uction)
	27275	Clip, Hi-tension wire (Use as require d)
	34246	Clip, Ground wire (Use as required)
	34346	Decal, Instruction
	30547A	Contact Assy., Breaker
	30548B	Condenser
	631021	Inlet Needle, Seat & Clip Assy.
	631920	Carburetor (Incl. 75) (Refer to Division 5, Section A, page 138
300	001020	for breakdown)
		,
337	610694A	Magneto (w/ring gear for 110 volt sta rter) NOTE: The complete magneto is not available as an assembly. The
		magneto number is shown for reference purposes only.
		Order component parts individually, as show in parts list.
		(Refer to Division 5, Section B, page 24 for breakdown)
200	E00479	
338	590473	Rewind Starter (Refer to Division 5, Section C, page 29 for
		breakdown)
343	33239A	Gasket Set (Incl. items marked*)

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983

Page 5 of 8



www.mymowerparts.com


For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 $_{\rm Page~6~of~8}$ Engine Parts List #2

Ref #	Part Number Qty	Description
31	650489	Screw, 1/4-20 x 5/8"
	27793	Clip, Conduit (Use as required)
	28942	Screw, 10-32 x 3/8" (Use as required)
	650128	Screw, 10-24 x 1/2"
48	29716	Screw, 1/4-28 x 7/16"
56	34662	Link, Throttle
	650815	Washer, Belleville
72	8116	Nut, Hex
98	31342	Spring, Compression
	650549	Screw, 5-40 x 7/16"
	33013	Cover, Bubble
	650760	Screw, 8-32 x 3/8"
	650821	Screw, 10-32 x 1/2"
	34663	Spring, Speed control
	34661	Link, Governor
	610118	Cover, Spark plug (Use as required)
	35438	Knob, Control
	32180C	Line, Primer
	650257	Screw, 8-32 x 5/16"
	34672	Cover, Carburetor
	32398	Bracket, Choke
	28820	Screw, 10-32 x 1/2"
	650765	Screw, 10-32 x 1/2"
	650760	Screw, 8-32 x 3/8"
	650764	Nut, "U" Type (Use as required)
	34664	Control Bracket (Incl. 98, 99, 180A & 274)
	610973	Terminal Ass'y. (As req. on late prod uction)
	34127	Guard Starter
	32576	Seal, Snow guard
	34144	Decal, Primer
	34416	Decal, Choke
	34414	Decal, Warning
338	590473	Rewind Starter (Refer to Division 5, Section C, page 29 for breakdown)
340	33328D	Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#342). Refer to service number stamped on end cap of motor, or on decal, for identifica
342	30811A	Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above)
342	611042	Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using 110-120 volt starter kits listed above)
342	611085	Flywheel (Minimum ring gear flywheel required on engines using 110-120 volt starter kits listed above) (Use withSolid State ignition)

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983

Page 7 of 8

Engine Parts List #3



www.mymowerparts.com

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 Page 8 of 8

Engine Parts List #3

		ty Description
	27513	Lockwasher, 1/4" (Use as required)
	650697A	Screw, 5/16-18 x 2-1/2" (Use as requi red)
	650695A	Screw, 5/16-18 x 2-1/4" (Use as requi red)
	650694A	Screw, 5/16-18 x 2" (Use as required)
	27896A	* Gasket, Breather cover
	26073	Washer (Use as required)
	650691	Washer, Flat (Use as required)
	650548	Screw, 8-32 x 5/16"
	30319	Rivet, Split (Used in early productio n)
	33454	Lever Assy., Governor
	730130	Exh.Adap.Kit (Incl. 58 & 125) (Use as req.)
	30196	Screw, 5/16-18 x 3/4" (Use as require d)
	29216	Nut, Lock, 10-32
	29826	Screw, 10-32 x 3/4"
	29918	Lockwasher, #8 E.T.
82	730127	Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89A, 90, 238 &
		331B) (Use as required)
82B	730561	Air cleaner kit (Incl. 38, 67A, 83, 84B, 85,89B, 89C, 90A, 91,
023		91A, 91B, 91C, 91D, 245 & 331B) (Use only on engines with
		an externally vented fully adjustable carburetor)
0.45	0.404.0	, , ,
84D	34819	Air Cleaner Elbow (Incl. 84B, 86A, 91, 91A, 91B & 91C) (Use
		in 730561 assembly only) NOTE: 130010 thru 10C & 11
		used in early production only.
103E	391026	Opt. Spark Arrest Muffler (Incl.196,1 97,199)
113	650561	Screw, 1/4-20 x 5/8"
118	29774	Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)
118	30705	Fuel Line (Braided 16") (41 cm) (Use as req.)
118	30962	Fuel Line (Braided 32") (81 cm) (Use as req.)
125	27930A	Gasket, Exhaust
126	30196	Screw, 5/16-18 x 3/4"
128	650694A	Screw, 5/16-18 x 2" (Use as required)
132	650548	Screw, 8-32 x 5/16" (Early production)
137	33356	Terminal
146	792020	Screw, 1/4-20 x 2-1/4"
148	34067	Wire Assy., Alternator adapter (4-1/4 ")
148	34069	Wire Assy., Alternator adapter (6-3/4 ")
	30322	Nut & Lockwasher (Early Prod. Only)
	29916	Clamp, Governor lever (Early Prod. On ly)
	31288	Exh. Adaptor Kit (Incl.125,203,204) (As req.)
	650697A	Screw, 5/16-18 x 2-1/2" (Use as requi red)
204	6021A	Screw, 5/16-18 x 1-1/2" (Use as requi red)
226	650760	Screw, 8-32 x 3/8"
227	28545	Grommet
266	26460	Clamp, Fuel line