
For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983

Page 1 of 8

Engine Parts List #1



www.mymowerparts.com

Ref # Part Number	Dof #	Dort Number	Ot /	Description
2 27652 Pin, Dowel 3 27642 Piug, Oil drain 4 32630 Seal, Oil 1 falke Valve (Sid.) (Incl. 9) 2 6 27880A Exhaust Valve (Sid.) (Incl. 9) 2 72782 Cap, Upper valve spring 3 6 27881 Spring, Valve 3 27881 Spring, Valve 9 32581 Spring, Valve 9 32581 Cap, Lower valve spring 10 34242 Dipper (Oil 10 32590 Plate, Lock & Oil dipper (This plate may be replaced by 3 42590 Plate, Lock & Oil dipper (This plate may be replaced by 3 42581 Cap, Lower valve spring 1 32680A Crankshaft (Incl. 1 2 & 13) 1 2 29783 Crankshaft (Incl. 1 2 & 13) 1 2 29783 Crankshaft (Incl. 1 2 & 13) 1 2 29783 Crankshaft (Incl. 1 2 & 13) 1 3 27884 Gear, Crankshaft (Used in early production) 1 4 34517 Pliston, Pin & Ring Set (30) (2-34" Bore) 1 4 34518 Pliston, Pin & Ring Set (30) (2-34" Bore) 1 4 34519 Pliston, Pin & Ring Set (30) (2-34" Bore) 1 4 34519 Pliston, Pin & Ring Set (30) (1-34") (Incl. 16) 1 4 32593 Pliston & Pin Assy, (10) (C) (Incl. 16) 1 5 22595 Ring Set (300" CS) 1 6 32597 Ring Set (300" CS) 1 7 32591 Ring Set (300" CS) 1 8 32697 Ring Set (300" CS) 1 9 32578 Nipple (Oil drain 2 3 31303B Covernating (Incl. 1 & 18) 2 4 28427 Seal 3 3 30393 Tube, Oil find: 33 3 303934 Poor (Incl. 30) 3 2 26423 Sealed, Piscon Ring Piscon (Incl. 30) 3 2 2423 Sealed, Piscon Piscon Pin Residency (Incl. 30) 3 2 2423 Sealed, Piscon Pin Residency (Incl. 30) 3 2 2423 Sealed, Piscon Pin Residency (Incl. 30) 3 2 2423 Sealed, Piscon Pin Residency (Incl. 30) 3 2 2423 Sealed, Piscon Pin Residency (Incl. 30) 3 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3			Qty	
3 27642 4 32630 5 32783 1 Intake Valve (Std.) (Incl. 9) 1 5 32784 6 27878A 6 27878A 6 27880A 7 27882 7 20810 8 27881 9 32581 9 32581 9 32581 9 32581 9 32581 9 32581 9 32581 10 34242 10 32422 10 32590 11 32680A 12 29783 13 27884 14 34517 15 44 34518 14 34518 14 34518 14 34518 14 34519 14 34519 14 32593B 14 32594B 15 32595 16 27888 17 32595 18 32595 19 18 32695 19 18 32695 11 32690B 11				
4 32630 Seal, Oil Intake Valve (Std.) (Incl. 9) 5 32784 Intake Valve (Std.) (Incl. 9) 6 27878A Exhaust Valve (Std.) (Incl. 9) 6 27878A Exhaust Valve (Std.) (Incl. 9) 6 27880A Exhaust Valve (Std.) (Incl. 9) 7 27882 Cap, Upoer valve spring 7 A 20810 Pin, Valve spring retainer (Use as re quired) 8 27881 Spring, Valve 9 32581 Cap, Upoer valve spring 9 32581 Cap, Upoer valve spring 10 34242 Dipper (Cap) 10 34242 Dipper (Incl. 12 & 13) 11 32680A Crankshaft (Incl. 12 & 13) 12 29783 Crankshaft (Incl. 12 & 13) 13 27884 Carnkshaft (Incl. 12 & 13) 13 27884 Carnkshaft (Incl. 12 & 13) 14 34517 Piston, Pin & Ring Set (1010 'OS) 14 34519 Piston, Pin & Ring Set (1010 'OS) 14 34519 Piston, Pin & Ring Set (2010 'OS) 14 34519 Piston, Pin & Ring Set (2010 'OS) 14 32938 Piston & Pin Assy. (1010 'OS) (Incl. 16) 15 32595 Ring Set (1020 'OS) 16 32597 Ring Set (1020 'OS) 17 32581 Ring Set (1010 'OS) 18 600682C Screen (Incl. 12 & 13) 28 Ring Set (1010 'OS) 28 Ring Set (1010 'OS) 29 Ring Set (1010 'OS) 20 Sincl. 16) 29 Ring Set (1010 'OS) 20 Sincl. 16) 20 30969 Cap, Oil drain 20 30969 Cap, Oil drain 21 31338 Corew, 14-20 x 58° Corew, 14-20 x 58° Corew, 14-20 x 58° Corew, 14-20 x 58° Corew, 15-10 x 5				
5 32784 5 32784 6 278784 6 278780A 6 278780A 6 27880A 7 27882 7 27882 7 20810 8 27881 8 27881 8 27881 9 32281 9 32281 9 32281 9 32281 10 34242 10 34242 10 43250 11 32680A Crankshaft (Just 12 & 13) 12 27884 Crankshaft (Just 12 & 13) 13 27884 Crankshaft (Just 12 & 13) 14 34517 14 34518 Piston, Pin & Ring Set (Std) (2-34" Bore) 14 34519 14 34519 14 34599 15 2596 16 27888 17 2596 18 2596 19 26 26 26 26 26 26 26 26 26 26 26 26 26				•
5 32784   Intake Valve (13.2° OS) (incl. 9) 6 27880A   Exhaust Valve (13.2° OS) (incl. 9) 7 27882   Cap. Upper valve Spring 7 A 20810   Pin, Valve expring retainer (Use as re quired) 8 27881   Spring, Valve 8 27881   Spring, Valve 9 3 22581   Cap. Upper valve spring 10 34242   Dipper, Oil 10 34242   Dipper, Oil 11 30580A   Canstant (Incl. 12 & 13) 12 29783   Cap. Lower valve spring 12 29783   Cap. Lower valve spring 13 3 27884   Cap. Lower valve spring 14 34517   Piston, Pin & King Set (Std.) (2.34° Bore) 14 34517   Piston, Pin & King Set (Std.) (2.34° Bore) 14 34518   Piston, Pin & Ring Set (Otol* OS) 14 34519   Piston, Pin & Ring Set (Otol* OS) 14 34519   Piston, Pin & Ring Set (Otol* OS) 14 34519   Piston, Pin & Ring Set (Otol* OS) 15 32598   Piston & Pin Assy, (101° OS) (incl. 16) 16 32598   Piston & Pin Assy, (101° OS) (incl. 16) 17 32591   Ring Set (Cap. OS) (incl. 16) 18 32595   Ring Set (Cap. OS) (incl. 16) 19 32678   Ring Set (Cap. OS) (incl. 16) 19 32678   Ring Set (Cap. OS) (incl. 16) 19 32678   Ring Set (Cap. OS) (incl. 16) 21 32115   Cap. Os (incl. 16) 22 34034   Lifter, Valve   Cap. Os (incl. 16) 23 31303B   Cap. Os (incl. 16) 24 2427   Set (Incl. 24) (incl. 24) (incl. 25) 25 31546   Bushing, Crankshaft (Use as required) 26 3084   Gasket, Cylinder (Incl. 24, 106 & 279) 28 32514   Screw, 174-20 x 58° (incl. 26) 29 32634   Cap. Upper (Incl. 24) (incl. 26) 20 30969   Cap. Upper (Incl. 25) (incl. 26) 21 32115   Cap. Oli drain 22 34034   Lifter, Valve   Cap. Oli drain 23 31303B   Corew, Connecting Incl. 10 & 18) 25 32914   Cap. Oli drain 26 60069C   Screw, 174-20 x 58°   27 33 3038   Cap. Upper (Incl. 24) (Incl. 24) (Incl. 26) 28 32314   Cap. Oli drain 29 32314   Cap. Oli drain 20 30969   Cap. Oli drain 20 30969   Cap. Oli drain 20 30969   Cap. Oli drain 21 32156   Cap. Oli drain 22 34034   Lifter, Valve   Cap. Oli drain 23 31303B   Corew, 176-18 x 2 (Use as required) 24 2427   Set (Incl. 24) (Incl. 24) (Incl. 24) (Incl. 26) 26 50069A   Cap. Cap. Cap. Cap. Cap. Cap. Cap. Cap.				
6 278780A Exhaust Valve (SId:) (Ind. 9) 7 27882 Exhaust Valve (SId:) (SId:) (Ind. 9) 7 27882 Cap, Upper valve spring 7A 20810 8A 27881 Spring, Valve 8 27881 Spring, Valve 9 30581 Cap, Lover valve spring 10 34242 Plant, Lock & Oil dipper (This plate may be replaced by S14242 oil dipper but 650662C screw must be used.) 11 32680A Crankshaft (Ind. 12 & 13) 12 29783 Crankshaft (Ind. 12 & 13) 13 27884 Cap, Lover valve spring 14 34517 Platon, Pin & Ring Set (Sid:) (2-34* Bore) 14 34517 Platon, Pin & Ring Set (Sid:) (2-34* Bore) 14 34518 Platon, Pin & Ring Set (Sid:) (2-34* Bore) 14 34519 Platon, Pin & Ring Set (Cid:) (20° OS) 14A 32593B Piston & Pin Assy, (Oto) 'OS) (Ind. 16) 15 32596 Ring Set (Sid:) (2-34* Bore) 16 27888 Ring, Piston & Pin Assy, (Cod' OS) (Ind. 16) 18 650662C Screw, Direction of Cap, Cankshaft (Use) 21 32115 Cap, Old Cap, Cap, Cap, Cap, Cap, Cap, Cap, Cap,	5	32783		Intake Valve (Std.) (Incl. 9)
6 27878A Exhaust Valve (Std.) (ind. 9) 6 27880A Exhaust Valve (Std.) (ind. 9) 7 27882 Cap, Upper valve spring 7A 20810 Pn, Valve spring retainer (Use as re quired) 8A 27881 Spring, Valve 9 32581 Cap, Lover valve spring 10 34242 Piper (Cap, Lover valve spring) 10 34242 Piper (Cap, Lover valve spring) 11 32680A Crankshaft (Ind. 12 & 13) 12 29783 Crankshaft (Ind. 12 & 13) 13 27884 Gear, Crankshaft (Used in early production) 14 34517 Piston, Pin & Ring Set (Std.) (2-34" Bore) 14 34517 Piston, Pin & Ring Set (Std.) (2-34" Bore) 14 34518 Piston, Pin & Ring Set (O10" OS) 14 34593B Piston & Pin Assy, (O10" OS) 15 32596 Ring Set (Std.) (2-34" Bore) 16 32596 Ring Set (Cold" OS) 17 32591C Rod Assistance (Cap" (Cap" Cap" Cap" Cap" Cap" Cap" Cap" Cap"	5	32784		Intake Valve (1/32" OS) (Incl. 9)
6 278802 7 27882 7 27882 Cap, Upper valve spring retainer (Use as re quired) 8A 27881 Spring, Valve 8 27881 Spring, Valve 9 32581 Qap, Upper valve spring 9 32581 Qap, Upper valve spring 9 32581 Qap, Upper, Oil 10 34242 Dipper, Oil 10 34242 Dipper, Oil 11 32680A Crankshaff (Ind. 12 & 13) Crankshaff (Ind. 12 & 14) Cear, Crankshaff (Ind. 12 & 13) Crankshaff	6	27878A		
7 72782				, , , ,
7A 20810 8A 27881 A 27881 S 27881 C 2a, Lover valve spring Dipper, Oil Dipper, Oil Dipper, Oil Dipper, Oil Plate, Lock & Oil dipper (This plate may be replaced by 34242 oil dipper but 650662C screw must be used.) C 27884 C 28884 C 28886 C				
8A 27881 8 27881 9 32581 9 32581 9 32581 10 34242 10 34242 10 32590 Plate, Lock & Old dipper (This plate may be replaced by 34242 oil dipper but 650662C screw must be used.)  11 32680A Crankshaft (Ind. 12 & 1.3) 12 29783 Crankshaft (Gent prince (Early production.) 13 27884 Crankshaft (Gent prince (Early production.) Gear, Crankshaft (Used in early production.) Gear, Crankshaft (Gest Prince (Early production.) Gear, Crankshaft (Used in early production.) This gear is servicable onlywhen it is pinned to the crankshaft.  14 34517 Piston, Pin & Ring Set (Std.) (2-34* Bore) Piston, Pin & Ring Set (Std.) (2-34* Bore) Piston, Pin & Ring Set (Ord** OS) Piston, Pin & Ring Set (Ord** OS) Piston & Pin Assy. (Std.) (2-34* Jul. dt. 16) Piston & Pin Assy. (Std.) (2-34* Bore) Piston & Pin Assy. (Ord** OS) Piston & Pin A				
8 27881 9 32581 Cap, Lower valve spring 9A 32581 Cap, Lower valve spring Cap, Lower valve spring Dipper, Oil Pale, Lock & Oil dipper (This plate may be replaced by 34242 oil dipper but 650662C screw must be used.)  11 32680A Crankshaft (Ind. 12 & 13) Crankshaft (Gear Pin (Early production ) Cear, Crankshaft (Gear Pin (Early production) Cear, Crankshaft (Gear Pin (Early production) Cear, Crankshaft (Gear Pin (Early production) Cear, Crankshaft (Sear (Se				
9 32581 9A 32581 QA 20581 QA 32581 QA 20581 QA 32590 Plate, Look & Oil dipper (This plate may be replaced by 34242 oil dipper but 650662C screw must be used.)  11 32680A Crankshaft (Incl. 12 & 13) Crankshaft (Used in early production) This gear is servicable onlywhen it is pinned to the crankshaft.  14 34517 Piston, Pin & Ring Set (Std.) (2-34" Bore) Piston, Pin & Ring Set (1010" OS) Piston & Pin Assy, (Sdl.)(2-34") (Incl. 16) Piston & Pin Assy, (1020" OS) Piston & Pin Assy, (1020"				
9A 32581 10 34242 10 34242 10 32590 10 34242 10 32590 10 34242 10 32590 11 32680A 12 29783 13 27884 14 32593 15 27884 16 29783 17 27884 17 29783 18 29783 19 29783 19 29784 19 29783 10 29784 10 29783 11 32680A 12 29783 10 27884 10 29783 11 327884 11 32680A 12 29783 13 27884 14 34517 15 29784 15 29784 16 29784 17 29784 18 25978 19 2507, Pin & Ring Set (Std.) (2-34" Bore) 19 2507, Pin & Ring Set (O10" OS) 19 2509, Piston, Pin & Ring Set (O10" OS) 10 2509 10 250				
10 34242 Dipper, Oil 10A 32590 Plate, Lock & Oil dipper (This plate may be replaced by 34242 oil dipper but 650662C screw must be used.) 11 32680A Crankshaff (Incl. 12 & 13) 12 29783 Crankshaff (Incl. 12 & 13) 13 27884 Crankshaff (Incl. 12 & 13) 14 34517 Plate, Pin & Prin (Early production ) 15 Gear, Crankshaff (Used in early production) 16 Gear, Crankshaff (Used in early production) 17 Lis gear is servicable onlywhen it is primed to the crankshaft. 18 14 34518 Piston, Pin & Ring Set (1010" OS) 19 Piston, Pin & Ring Set (1010" OS) 19 Piston, Pin & Ring Set (2020" OS) 19 Piston, Pin & Ring Set (2020" OS) 19 Piston & Pin Assy. (1010" OS) (Incl. 16) 19 S2595 Piston & Pin Assy. (1020" OS) (Incl. 16) 15 32596 Ring Set (510" OS) 15 32597 Ring Set (510" OS) 16 32597 Ring Set (1020" OS) 17 32591C Rod Assy. Connecting (Incl. 10 & 18) 18 600662C Screw, Connecting (Incl. 10 & 18) 18 600662C Screw, Connecting (Incl. 10 & 18) 19 32678 Nipple, Oil drain 20 30999 Cap. Oil drain 21 32115 Camshaft (MCR) 22 34034 Lifter, Valve 23 31333B Cover, Oylinder (Incl. 24, 106 & 279) 248 31546 Bushing, Crankshaft (Use as required) 25A 33833A Tube, Oil filler 26 30684 Gasket, Cylinder cover 27 Signal State (1010" Os) 28 Screw, 14-20 x 1-1/4" 29 32631A Gasket, Cylinder cover 30 30994 Screw, 14-20 x 58" 31 30938A Head, Cylinder 31 30938A Screw, 14-20 x 3 1-1/4" 31 3066 650697A Screw, 5/16-18 x 2-1/2" (Use as required) 31 3251 Resistor Spark Plug 32 32423 Body, Breather				
Piate, Lock & Oil dipper (This plate may be replaced by 34242 oil dipper but 650662C screw must be used.)   13   32680A				
34242 oil dipper but 650662C screw must be used.)  11 32680A 12 29783 Crankshaft (gear Pin (Early production ) Gear. Crankshaft (Juded in early production) Gear. Crankshaft (Used in early production) This gear is servicable onlywhen it is pinned to the crankshaft.  14 34517 Piston, Pin & Ring Set (10,10" OS) Piston, Pin & Ring Set (10,10" OS) Piston, Pin & Ring Set (1,010" OS) Piston, Pin & Ring Set (1,010" OS) Piston, Pin & Ring Set (1,010" OS) Piston & Pin Assy. (1,010" OS) Piston & Pin Assy. (1,010" OS) (Incl. 16) Piston & Pin Assy. (1,010" OS) Pi				
11 32680A Crankshaft (Incl. 12 & 13) 12 29783 Crankshaft (Gear Pin (Early production ) 13 27884 Gear, Crankshaft (Used in early production ) 14 34517 Piston, Pin & Ring Set (Std.) (2-34" Bore) 14 34518 Piston, Pin & Ring Set (10'20' OS) 14 34519 Piston, Pin & Ring Set (10'20' OS) 14 34519 Piston, Pin & Ring Set (10'20' OS) 14 32592B Piston, Pin & Ring Set (10'20' OS) 14 32593B Piston & Pin Assy. (Clot' OS) (Incl. 16) 14 32593B Piston & Pin Assy. (Clot' OS) (Incl. 16) 15 32596 Ring Set (10'10' OS) 16 32596 Ring Set (10'10' OS) 17 32597 Ring Set (10'20' OS) 18 650662C Rord Roy (10'20' OS) 19 32678 Ring Set (10'10' OS) 21 32115 Candrol Roy (10'20' OS) 22 34034 Lifter, Valve 23 31303B Cover, Cylinder (Incl. 24, 106 & 279) 24 31546 Bushing, Crankshaft (Use as required) 25 34011A Dipsick, Oil (Incl. 30) 26 33893 Tube, Oil filler 27 33938 Cover, Cylinder (Incl. 24, 106 & 279) 31 650489 Screw, 14-20 x 5-18" 31 650499 Screw, 14-20 x 5-18" 32 30338A Head, Cylinder acd 33 30338A Head, Cylinder acd 34 28427 Seal, Oil 35 28942 Screw, 14-20 x 5-18" 36 650694A Screw, 51-6-18 x 2-112" (Use as required) 37 34251 Resistor Spark Plug (R-1-8C) 38 27896A "Gasket, Breather cover	10A	32590		
12 29783 13 27884 Crankshaft (Gear Pin (Early production) This gear is servicable onlywhen it is pinned to the crankshaft.  14 34517 Piston, Pin & Ring Set (Std.) (2-3/4" Bore) Piston, Pin & Ring Set (Ot0" OS) 14 34519 Piston, Pin & Ring Set (C02" OS) 14A 32592B Piston & Pin & Ring Set (C02" OS) 14A 32593B Piston & Pin & Ring Set (C02" OS) 14A 32594B Piston & Pin Assiy. (Std.) (2-3/4") (In d.16) Piston & Pin Assiy. (Std.) (2-3/4") (In d.16) Piston & Pin Assiy. (Ot0" OS) (Incl. 16) Piston & Pin Assiy. (Ot0" OS) (Incl. 16) Piston & Pin Assiy. (Ot0" OS) Piston & Pin Assiy. (Ot0 OS) Piston				34242 oil dipper but 650662C screw must be used.)
12 29783 13 27884 Crankshaft (Gear Pin (Early production) This gear is servicable onlywhen it is pinned to the crankshaft.  14 34517 Piston, Pin & Ring Set (Std.) (2-3/4" Bore) Piston, Pin & Ring Set (Ot0" OS) 14 34519 Piston, Pin & Ring Set (C02" OS) 14A 32592B Piston & Pin & Ring Set (C02" OS) 14A 32593B Piston & Pin & Ring Set (C02" OS) 14A 32594B Piston & Pin Assiy. (Std.) (2-3/4") (In d.16) Piston & Pin Assiy. (Std.) (2-3/4") (In d.16) Piston & Pin Assiy. (Ot0" OS) (Incl. 16) Piston & Pin Assiy. (Ot0" OS) (Incl. 16) Piston & Pin Assiy. (Ot0" OS) Piston & Pin Assiy. (Ot0 OS) Piston	11	32680A		Crankshaft (Incl. 12 & 13)
Gear, Crankshaft (Used in early produ ction) This gear is servicable onlywhen it is pinned to the crankshaft.  14 34517				,
servicable onlywhen it is pinned to the crankshaft.  14 34517				
14 34517 14 34518 15 34519 15 34519 16 34519 17 34519 18 18 18 18 18 18 18 18 18 18 18 18 18 1		2.00		
14 34518 14 34519 15ton, Pin & Ring Set (.010" OS) 14A 32592B 14A 32592B 15ton & Pin Assy, (Std.)(2-34")(In cl.16) 14A 32593B 15ton & Pin Assy, (Std.)(2-34")(In cl.16) 15 32594 15 32595 16 32596 17 32596 18 18 18 18 18 18 18 18 18 18 18 18 18 1	4.4	24547		·
14       34519       Piston, Pin & Ring Set (202" OS)         14A       32592B       Piston & Pin Assy. (347)(In cl.16)         14A       32594B       Piston & Pin Assy. (010" OS) (Incl. 16)         15       32595       Ring Set (5td.) (2-34" Bore)         15       32596       Ring Set (310" OS)         15       32597       Ring Set (020" OS)         16       27888       Ring, Piston pin retaining         17       32591C       Rod Assy., Connecting (Incl. 10 & 18)         18       650662C       Screw, Connecting rod (2 each)         19       32678       Nipple, Oil drain         20       30969       Cap, Oil drain         21       32115       Camshaft (MCR)         23       31303B       Cover, Cylinder (Incl. 24, 106 & 279)         24B       31546       Bushing, Crankshaft (Use as required)         24       28427       Seal, Oil         25       34011A       Dipstick, Oil (Incl. 30)         25A       3393A       Tube, Oil filler         26       30684       "Gasket, Cylinder cover         28       650488       Screw, 1/4-20 x 1-1/4"         30       33590       "O" Ring         31       650489				
14A 32592B 14A 32593B 14A 32594B 15A 32594B 16A 32594B 17A 32594B 17A 32594B 17A 32594B 17A 32594B 17A 32594B 17A 32596 17A 32596 17A 32596 17A 32597 17A 32597 17A 32591C 17A 32591C 17A 32678 17A 32678 17A 32791C 17A 32678 17A 32678 18A 32678 28A 32678 29A 32416 20A 30969 20A 32115 20A 30969 21A 32115 22A 34034 23A 31303B 24B 31546 25A 32634 26A 32634 27A 32634 28A 32793 38A 4 420 x 1-1/4** 38A 30938A 39A 4 420 x 5/8** 30A 3266 30B 3266 3				
14A 32593B 14A 32594B 15A 32594B 16 32595 17				
14A 32594B 15 32595 16 32596 17 32596 18 Ring Set (Std.) (2-3/4" Bore) 18 32597 19 Ring Set (.020" OS) 19 32597 10 27888 11 8 650662C 11 8 650662C 12 9 32678 13 32678 13 32115 14 32115 15 32597 15 32597 16 27888 17 32597 18 650662C 19 32678 19 32678 10 32678 10 32678 10 32678 10 32678 10 32678 10 32678 10 32678 10 32115 11 32115 12 34034 12 34134 13 3133B 13 Covert, Cylinder (Incl. 24, 106 & 279) 12 34034 13 31546 13 31546 14 31546 15 328427 15 34011A 15 32833A 16 328427 17 3284 18 30884 18 650488 19 63684 19 63684 19 63684 19 63684 19 63684 19 63684 10 70 Ring 11 650489 11 650489 12 32631A 13 30938A 14 8 Gasket, Cylinder head 13 30938A 14 8 Gasket, Cylinder head 14 27793 15 28942 16 650697A 17 327896A 18 27896A 18 28650C Pack Plug (RJ-8C) 18 27896A 18 27896A 18 2650C PS (Ring Set (Std.) (20" OS) 18 27896A 18 27896A 18 2550 Pack Plug (RJ-8C) 18 27896A 18 2650C PS (Ring Set (Std.) (Ring Ring Set (Std.) (Ring Ring Set (Std.) (Ring Ring Set (Std.) (Ring Set (Std.) (Ri				
15 32595 16 32596 17 32596 18 32597 18 32597 18 32597 18 32597 18 32597 18 32597 18 32591C 18 650662C 19 32678 20 30969 21 32115 22 34034 23 31303B 26 Cover, Cylinder (Incl. 24, 106 & 279) 24 31546 25 34011A 26 30684 27 33893A 21 5 33893A 25 650489 26 30684 27 63 3089 31 650489 31 650489 31 650697A 32 66 650697A 36 650697A 37 34251 38 7896A 38 7896A 38 7896A 38 7896A 38 78 Nipple, Oil drain Cap, Oil drain Ca				
15       32596       Ring Set (.010" OS)         16       27888       Ring Set (.020" OS)         16       27888       Ring, Piston pin retaining         17       32591C       Rod Assy., Connecting (Incl. 10 & 18)         18       660662C       Screw, Connecting rod (2 each)         19       32678       Nipple, Oil drain         20       30969       Cap, Oil drain         21       32115       Camshaft (MCR)         22       34034       Lifter, Valve         23       31303B       Cover, Cylinder (Incl. 24, 106 & 279)         24B       31546       Bushing, Crankshaft (Use as required)         24       28427       Seal, Oil         25       34011A       Dipstick, Oil (Incl. 30)         25A       33893A       Tube, Oil filler         26       30684       * Gasket, Cylinder cover         28       650488       Screw, 1/4-20 x 5/8"         30       33590       "O" Ring         31       650489       Screw, 1/4-20 x 5/8"         32       32631A       * Gasket, Cylinder head         43       30938A       Head, Cylinder         34       27773       Clip, Conduit (Use as required)         <	14A	32594B		Piston & Pin Ass'y. (.020" OS) (Incl. 16)
15       32597       Ring Set (.020" OS)         16       27888       Ring, Piston pin retaining         17       32591C       Rod Assy., Connecting (Incl. 10 & 18)         18       650662C       Screw, Connecting rod (2 each)         19       32678       Nipple, Oil drain         20       30969       Cap, Oil drain         21       32115       Camshaft (MCR)         22       34034       Lifter, Valve         23       31303B       Cover, Cylinder (Incl. 24, 106 & 279)         24B       31546       Bushing, Crankshaft (Use as required)         24       28427       Seal, Oil         25       34011A       Dipstick, Oil (Incl. 30)         25A       33893A       Tube, Oil filler         26       30684       * Gasket, Cylinder cover         28       650488       Screw, 1/4-20 x 1-1/4"         30       33590       "O" Ring         31       1660489       Screw, 1/4-20 x 5/8"         32       32631A       * Gasket, Cylinder head         33       30938A       Head, Oylinder         34       27793       Clip, Conduit (Use as required)         35       28942       Screw, 5/16-18 x 2-1/2" (Use as required)	15	32595		Ring Set (Std.) (2-3/4" Bore)
16       27888       Ring, Piston pin retaining         17       32591C       Rod Assy., Connecting (Incl. 10 & 18)         18       650662C       Screw, Connecting rod (2 each)         19       32678       Nipple, Oil drain         20       30969       Cap, Oil drain         21       32115       Camshaft (MCR)         22       34034       Lifter, Valve         23       31303B       Cover, Cylinder (Incl. 24, 106 & 279)         24B       31546       Bushing, Crankshaft (Use as required)         24       28427       Seal, Oil         25       34011A       Dipstick, Oil (Incl. 30)         25A       33893A       Tube, Oil filler         26       30684       * Gasket, Cylinder cover         28       650488       Screw, 1/4-20 x 1-1/4*         30       33590       "O" Ring         31       650489       Screw, 1/4-20 x 5/8"         32       32631A       * Gasket, Cylinder head         43       27793       Clip, Conduit (Use as required)         35       28942       Screw, 5/16-18 x 2-1/2" (Use as required)         36       650695A       Screw, 5/16-18 x 2-1/2" (Use as required)         36       650695A       <	15	32596		Ring Set (.010" OS)
16       27888       Ring, Piston pin retaining         17       32591C       Rod Assy., Connecting (Incl. 10 & 18)         18       650662C       Screw, Connecting rod (2 each)         19       32678       Nipple, Oil drain         20       30969       Cap, Oil drain         21       32115       Camshaft (MCR)         22       34034       Lifter, Valve         23       31303B       Cover, Cylinder (Incl. 24, 106 & 279)         24B       31546       Bushing, Crankshaft (Use as required)         24       28427       Seal, Oil         25       34011A       Dipstick, Oil (Incl. 30)         25A       33893A       Tube, Oil filler         26       30684       Screw, 1/4-20 x 1-1/4"         26       30684       Screw, 1/4-20 x 1-1/4"         30       33590       "O" Ring         31       650489       Screw, 1/4-20 x 5/8"         32       32631A       * Gasket, Cylinder head         43       27793       Clip, Conduit (Use as required)         35       28942       Screw, 5/16-18 x 2-1/2" (Use as required)         36       650695A       Screw, 5/16-18 x 2-1/2" (Use as required)         36       650695A	15	32597		Ring Set (.020" OS)
17 32591C 18 650662C 19 32678 Nipple, Oil drain 20 30969 Cap, Oil drain 21 32115 Camshaft (MCR) Lifter, Valve 23 31303B Cover, Cylinder (Incl. 24, 106 & 279) 24B 31546 Bushing, Crankshaft (Use as required) 24 28427 Seal, Oil 25 34011A Dipstick, Oil (Incl. 30) Tube, Oil filler 26 30684 Screw, 1/4-20 x 1-1/4" 30 33590 Tube, Oil filler 31 650489 Screw, 1/4-20 x 5/8" 32 32631A Scale, Oil Screw, 1/4-20 x 5/8" Screw,	16	27888		
18       650662C       Screw, Connecting rod (2 each)         19       32678       Nipple, Oil drain         20       30969       Cap, Oil drain         21       32115       Camshaft (MCR)         22       34034       Lifter, Valve         23       31303B       Cover, Cylinder (Incl. 24, 106 & 279)         24B       31546       Bushing, Crankshaft (Use as required)         24       28427       Seal, Oil         25       34011A       Dipstick, Oil (Incl. 30)         25A       33893A       Tube, Oil filler         26       30684       * Gasket, Cylinder cover         28       650488       Screw, 1/4-20 x 1-1/4"         30       33590       "O" Ring         31       650489       Screw, 1/4-20 x 5/8"         32       32631A       * Gasket, Cylinder head         43       427793       Clip, Conduit (Use as required)         35       28942       Screw, 10-32 x 3/8" (Use as required)         36       650697A       Screw, 5/16-18 x 2-1/2" (Use as required)         36       650695A       Screw, 5/16-18 x 2-1/4" (Use as required)         36       650694A       Screw, 5/16-18 x 2-1/4" (Use as required)         37       3				J
19 32678 20 30969 21 32115 22 34034 23 31303B 20 cover, Cylinder (Incl. 24, 106 & 279) 24B 31546 24 28427 25 34011A 25 34011A 26 30684 27 8eal, Oil 28 650488 30 33590 31 650489 32 32631A 33 30938A 4 Head, Cylinder head 33 30938A 34 27793 35 28942 36 650697A 36 650697A 36 650694A 37 33636 37 34251 38 27896A 39 28423 Screw, 5/16-18 x 2-1/2" (Use as required) 38 Cap, Oil drain Cap,				
20 30969 21 32115 22 34034 23 31303B 23 31303B 24B 31546 24 28427 25 34011A 25 34011A 26 30684 27 3893A 28 650488 29 33590 31 650489 31 650697A 36 650697A 36 650694A 37 33636 36 650694A 37 33636 36 650694A 37 33636 37 34251 38 27896A 39 28423 20 34034 21 Lifter, Valve Cover, Cylinder (Incl. 24, 106 & 279) Bushing, Crankshaft (Use as required) Seal, Oil Dipstick, Oil (Incl. 30) Tube, Oil filler Gasket, Cylinder cover Seaket, Cylinder cover Screw, 1/4-20 x 1-1/4" "O" Ring Screw, 1/4-20 x 5/8"  Screw, 1/				
21 32115				
22 34034				
23 31303B Cover, Cylinder (Incl. 24, 106 & 279) 24B 31546 Bushing, Crankshaft (Use as required) 24 28427 Seal, Oil 25 34011A Dipstick, Oil (Incl. 30) 25A 33893A Tube, Oil filler 26 30684 *Gasket, Cylinder cover 28 650488 Screw, 1/4-20 x 1-1/4" 30 33590 "O" Ring 31 650489 Screw, 1/4-20 x 5/8" 32 32631A *Gasket, Cylinder head 33 30938A Head, Cylinder 34 27793 Clip, Conduit (Use as required) 35 28942 Screw, 10-32 x 3/8" (Use as required) 36 650697A Screw, 5/16-18 x 2-1/2" (Use as required) 36 650695A Screw, 5/16-18 x 2-1/4" (Use as required) 37 33636 Resistor Spark Plug (RJ-8C) 38 27896A *Gasket, Breather cover 39 28423 Body, Breather				,
24B 31546				·
24       28427       Seal, Oil         25       34011A       Dipstick, Oil (Incl. 30)         25A       33893A       Tube, Oil filler         26       30684       * Gasket, Cylinder cover         28       650488       Screw, 1/4-20 x 1-1/4"         30       33590       "O" Ring         31       650489       Screw, 1/4-20 x 5/8"         32       32631A       * Gasket, Cylinder head         33       30938A       Head, Cylinder         34       27793       Clip, Conduit (Use as required)         35       28942       Screw, 10-32 x 3/8" (Use as required)         36       650697A       Screw, 5/16-18 x 2-1/2" (Use as required)         36       650695A       Screw, 5/16-18 x 2-1/4" (Use as required)         36       650694A       Screw, 5/16-18 x 2" (Use as required)         37       34251       Resistor Spark Plug (RJ-8C)         37       34251       Resistor Spark Plug         38       27896A       * Gasket, Breather cover         39       28423       Body, Breather				
25 34011A Dipstick, Oil (Incl. 30) 25A 33893A Tube, Oil filler 26 30684 * Gasket, Cylinder cover 28 650488 Screw, 1/4-20 x 1-1/4" 30 33590 "O" Ring 31 650489 Screw, 1/4-20 x 5/8" 32 32631A * Gasket, Cylinder head 33 30938A Head, Cylinder 34 27793 Clip, Conduit (Use as required) 35 28942 Screw, 10-32 x 3/8" (Use as required) 36 650697A Screw, 5/16-18 x 2-1/2" (Use as requi red) 36 650694A Screw, 5/16-18 x 2-1/4" (Use as required) 37 33636 Resistor Spark Plug (RJ-8C) 37 34251 Resistor Spark Plug 38 27896A * Gasket, Breather cover 39 28423 Body, Breather				
25A 33893A  26 30684  27				
26       30684       * Gasket, Cylinder cover         28       650488       Screw, 1/4-20 x 1-1/4"         30       33590       "O" Ring         31       650489       Screw, 1/4-20 x 5/8"         32       32631A       * Gasket, Cylinder head         33       30938A       Head, Cylinder         34       27793       Clip, Conduit (Use as required)         35       28942       Screw, 10-32 x 3/8" (Use as required)         36       650697A       Screw, 5/16-18 x 2-1/2" (Use as requi red)         36       650695A       Screw, 5/16-18 x 2-1/4" (Use as requi red)         36       650694A       Screw, 5/16-18 x 2" (Use as required)         37       34251       Resistor Spark Plug (RJ-8C)         37       34251       Resistor Spark Plug         38       27896A       * Gasket, Breather cover         39       28423       Body, Breather				,
28 650488				
30 33590 "O" Ring 31 650489 Screw, 1/4-20 x 5/8" 32 32631A * Gasket, Cylinder head 33 30938A Head, Cylinder 34 27793 Clip, Conduit (Use as required) 35 28942 Screw, 10-32 x 3/8" (Use as required) 36 650697A Screw, 5/16-18 x 2-1/2" (Use as requi red) 36 650695A Screw, 5/16-18 x 2-1/4" (Use as requi red) 37 33636 Resistor Spark Plug (RJ-8C) 37 34251 Resistor Spark Plug 38 27896A * Gasket, Breather cover 39 28423 Body, Breather				
31 650489 32 32631A 33 30938A 34 27793 35 28942 36 650697A 36 650695A 37 33636 38 27896A 39 28423 30 Screw, 1/4-20 x 5/8"  * Gasket, Cylinder head  * Gasket, Cylinder  * Gasket, Cylinder  Clip, Conduit (Use as required)  Screw, 10-32 x 3/8" (Use as required)  Screw, 5/16-18 x 2-1/2" (Use as requi red)  Screw, 5/16-18 x 2-1/4" (Use as requi red)  Resistor Spark Plug (RJ-8C)  Resistor Spark Plug  * Gasket, Breather cover  Body, Breather				
32       32631A       * Gasket, Cylinder head         33       30938A       Head, Cylinder         34       27793       Clip, Conduit (Use as required)         35       28942       Screw, 10-32 x 3/8" (Use as required)         36       650697A       Screw, 5/16-18 x 2-1/2" (Use as required)         36       650695A       Screw, 5/16-18 x 2" (Use as required)         36       Screw, 5/16-18 x 2" (Use as required)         37       33636       Resistor Spark Plug (RJ-8C)         37       34251       Resistor Spark Plug         38       27896A       * Gasket, Breather cover         39       28423       Body, Breather	30	33590		"O" Ring
33 30938A Head, Cylinder 34 27793 Clip, Conduit (Use as required) 35 28942 Screw, 10-32 x 3/8" (Use as required) 36 650697A Screw, 5/16-18 x 2-1/2" (Use as requi red) 36 650695A Screw, 5/16-18 x 2-1/4" (Use as requi red) 37 33636 Screw, 5/16-18 x 2" (Use as required) 38 27896A Resistor Spark Plug 38 27896A * Gasket, Breather cover 39 28423 Body, Breather	31	650489		
33 30938A Head, Cylinder 34 27793 Clip, Conduit (Use as required) 35 28942 Screw, 10-32 x 3/8" (Use as required) 36 650697A Screw, 5/16-18 x 2-1/2" (Use as requi red) 36 650695A Screw, 5/16-18 x 2-1/4" (Use as requi red) 37 33636 Screw, 5/16-18 x 2" (Use as required) 38 27896A Resistor Spark Plug 38 27896A * Gasket, Breather cover 39 28423 Body, Breather	32	32631A		* Gasket, Cylinder head
34       27793       Clip, Conduit (Use as required)         35       28942       Screw, 10-32 x 3/8" (Use as required)         36       650697A       Screw, 5/16-18 x 2-1/2" (Use as requi red)         36       650695A       Screw, 5/16-18 x 2-1/4" (Use as requi red)         36       650694A       Screw, 5/16-18 x 2" (Use as required)         37       33636       Resistor Spark Plug (RJ-8C)         37       34251       Resistor Spark Plug         38       27896A       * Gasket, Breather cover         39       28423       Body, Breather	33	30938A		
35       28942       Screw, 10-32 x 3/8" (Use as required)         36       650697A       Screw, 5/16-18 x 2-1/2" (Use as requi red)         36       650695A       Screw, 5/16-18 x 2-1/4" (Use as requi red)         36       650694A       Screw, 5/16-18 x 2" (Use as required)         37       33636       Resistor Spark Plug (RJ-8C)         37       34251       Resistor Spark Plug         38       27896A       * Gasket, Breather cover         39       28423       Body, Breather	34	27793		
36       650697A       Screw, 5/16-18 x 2-1/2" (Use as requi red)         36       650695A       Screw, 5/16-18 x 2-1/4" (Use as requi red)         36       650694A       Screw, 5/16-18 x 2" (Use as required)         37       33636       Resistor Spark Plug (RJ-8C)         37       34251       Resistor Spark Plug         38       27896A       * Gasket, Breather cover         39       28423       Body, Breather				
36       650695A       Screw, 5/16-18 x 2-1/4" (Use as requi red)         36       650694A       Screw, 5/16-18 x 2" (Use as required)         37       33636       Resistor Spark Plug (RJ-8C)         37       34251       Resistor Spark Plug         38       27896A       * Gasket, Breather cover         39       28423       Body, Breather				
36       650694A       Screw, 5/16-18 x 2" (Use as required)         37       33636       Resistor Spark Plug (RJ-8C)         37       34251       Resistor Spark Plug         38       27896A       * Gasket, Breather cover         39       28423       Body, Breather				
37 33636 Resistor Spark Plug (RJ-8C) 37 34251 Resistor Spark Plug 38 27896A * Gasket, Breather cover 39 28423 Body, Breather				
37 34251 Resistor Spark Plug 38 27896A * Gasket, Breather cover 39 28423 Body, Breather				
38 27896A * Gasket, Breather cover 39 28423 Body, Breather				
39 28423 Body, Breather				
	39		***	

www.mymowerparts.com

	Part Number	Qty	Description
40	28424		Element, Breather
41	28425		Cover, Valve spring
42	26073		Washer (Use as required)
42	650691		Washer, Flat (Use as required)
	650690		Washer, Belleville (Use as required)
	650128		Screw, 10-24 x 1/2"
	27915A		* Gasket, Intake
	30195A		Flange, Carburetor (Incl. 79 & 80)
	30196		Screw, 5/16-18 x 3/4"
	29716		Screw, 1/4-28 x 7/16"
	650548		Screw, 8-32 x 5/16"
	32326A		·
32	32320A		Lever, Governor (New lever does not need 1 of
			51,66,132,164,165,207)
55	30205		Bracket, Adjusting
	30824		Link, Throttle
	29216		Nut, Lock, 10-32
	29826		Screw, 10-32 x 3/4"
	29642		Ring, Retaining
	30699C		Rod Assy., Governor (Incl. 64 & 65)
	30699B		Governor Rod Ass'y. (This one-piece governor rodis no longer
05	30099D		used. It is replaced by 30699C ass'y., Ref. no. 63A)
			used. It is replaced by 300990 assy., itel. no. 00A)
64	30700		Yoke, Governor
65	650494		Screw, 6-40 x 5/16"
66	29918		Lockwasher, #8 E.T.
	35350		Tube, Breather
	29747B		Screw, 5/16-24 x 21/32"
	32158E		Blower Housing (For elec.star.)(Incl. 134,135)
	650815		Washer, Belleville
	8116		Nut, Hex
	29536		Blower Housing Baffle (without electric starter knock-out)
70	20000		(Use as required)
			,
73	35256A		Blower Housing Baffle (with electric starter knock-out) (Use
			as required) (Point Ignition)
74	650561		Screw, 1/4-20 x 5/8"
	31688A		* Gasket, Carburetor
	29752		Nut & Lockwasher Assy., 1/4-28
	650572		Screw, 1/4-28 x 1-1/8"
82A	730164		Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89, 90A & 331B)
			(Use as required)
97	34240		Ground Wire
	29538		Base, Engine mounting
	32401		Muffler
	31845		Shaft, Mechanical governor
	30591		Gear Assy., Governor (Incl. 109)
	30588A		Spool, Governor
	30590A		Washer, Flat
			·
	29193		Ring, Retaining
	34158		Bracket, Fuel tank
	650561		Screw, 1/4-20 x 5/8"
114	34186A		Fuel Tank (Incl. 115 & 266) NOTE: These tanks were built
			with different size fuel inlet openings. Tanks with the 1-3/16"
			I.D. opening use fuel cap 33032 or 34210. Tanks with the
			1-1/2" I.D. opening use fuel cap 35355 or 35650.
115	410144B		Fuel Cap (White Plastic)(Std)(As required)
113	7101770		Taci cap (vville i laslic)(cla)(no lega liea)

## www.mymowerparts.com

170-13	01720	'
Engine	Parts	List #1


required)  116			ty Description
required)  116	115	33032	
Plate, Fuel Lank mounting   Plate, Fuel Lank mounting   117A 32961   118 29774   Fuel Line (Braided 8-1/4" 21 cm) (Use as req.)   118 30705   Fuel Line (Braided 8-1/4" 21 cm) (Use as req.)   118 30962   Fuel Line (Braided 8-1/4" 21 cm) (Use as req.)   118 30962   Fuel Line (Braided 8-1/4" (10 cm) (Use as req.)   120 650128   Screw, 10-24 x 1/2" (Use as req.)   120 650128   Screw, 10-24 x 1/2" (Use as req.)   122 34174   Defector, Exhaust   123 650666   Screw, 14-15 x 7/8"   124 650542   Screw, 5/16-18 x 3/4"   125 27930A   Gasket, Exhaust   126 30196   Screw, 5/16-18 x 3/4"   127 25073   Gasket, Exhaust   126 30196   Screw, 5/16-18 x 3/4"   128 650994A   Screw, 5/16-18 x 3/4"   129 32559   Key, Flywheel   30 31843A   Bracket, Governor gear   Screw, 10-24 x 1/2"   133 650493   Screw, 10-24 x 1/2"   136 650666	115	34210	Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as required)
117A 32961 118 29774 118 30705 118 30705 118 30705 118 30705 118 30962 128 50128 129 650128 121 30622A 122 34174 123 650666 123 5crew, 10-24 x 1/2" (Use as req.) 124 46 505642 125 27930A 126 30196 127 26073 128 506694 129 32589 130 31843A 131 650696 130 31843A 130 650491 130 31843A 131 650696 130 31843A 131 650696 130 31843A 131 650696 130 31843A 131 650696 130 31843A 130 650696 130 31843A 130 650696 130 31843A 130 650696 130 30939A 140 140 140 140 140 140 140 140 140 140	115	35355	Fuel Cap (Use as required)
117A 32961 118 29774 118 30705 118 30705 118 30705 118 30705 119 Line (Braided 8-1/4" 21 cm) (Use as req.) 118 30705 119 Geol 28 120 660128 121 30622A 122 34174 123 650666 123 Screw, 10-24 x 12" (Use as required) 124 650642 125 27930A 126 30196 127 28073 128 650694A 129 32589 130 31843A 131 650636 133 650493 130 31843A 131 650636 132 Screw, 10-24 x 10" 149 30747 151 650665 152 Screw, 10-24 x 10" 153 650694 154 52 Screw, 10-24 x 10" 155 78704 157 28073 158 650694 169 179 179 179 179 179 179 179 179 179 17	116D	34159	Plate, Fuel tank mounting
118 30705	117A	32961	
118 30705	118	29774	Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)
120 650128   Screw, 10-24 x 1/2" (Use as required)	118	30705	Fuel Line (Braided 16") (41 cm) (Use as req.)
121 30622A 122 34174 123 650665 124 650665 125 27930A 126 500665 127 26073 128 650694A 129 32589 130 31843A 131 650836 131 650836 132 650665 133 650493 134 650665 134 650665 135 650665 136 6506565 137 650656 138 650694A 139 25899 130 31843A 131 650836 131 650836 131 650836 132 650656 133 650493 134 149 30747 151 650665 152 650665 153 6506561 154 650665 155 650666 155 650760 155 650760 155 650760 156 650760 157 75 65041 158 650760 158 650760 159 650760 150 65	118	30962	Fuel Line (Braided 32") (81 cm) (Use as req.)
122 34174 128 650665 128 650665 129 650665 129 650642 120 650542 121 650542 121 650542 122 27930A 123 27930A 124 650644 125 27930A 126 30196 127 26073 128 650694A 129 32589 130 31843A 131 650836 131 650833 132 30747 151 650665 193 610118 105 650661 105 650666 105 650661 105 650661 105 650661 105 650661 105 650661 105 650661 105 650661 105 650661 105 650661 105 650661 105 650661 105 650666 105 650666 105 650666 105 650666 105 650666 105 650666 105 650666 105 650666 105 650666 105 650666 105 650666 105 650666 105 650666 105 650666 105 650666 105 650666 105 650666 105 6506666 105 6506666 105 650666 105 650666 105 650666 105 650666 105 650666 105 650666 105 650666 105 650666 105 650666 105 650666 105 6506666 105 6506666 105 6506666 105 6506666 105 6506666 105 6506666 105 6506666 105 6506666 105 6506666 105 6506666 105 6506666 105 650666666 105 65066666 105 6506666666666 105 650666666666666666666666666666666666	120	650128	Screw, 10-24 x 1/2" (Use as required)
123 650665 124 650542 125 27930A 126 650542 127 26073 128 650694A 129 32589 130 31843A 131 650836 131 650836 132 5crew, 5/16-18 x 3/4" 149 30747 151 650665 152 5crew, 10-24 x 1/2" 153 650661 153 650661 154 650665 155 65061 155 650661 156 650661 156 650661 157 650665 158 650661 159 650661 150 650661 160 650665 160 650661 160 650665 160 6506	121	30622A	Extension, Blower housing
124 650542 125 27930A 126 30196 127 26073 128 650694A 129 32589 130 31843A 131 650836 131 650836 132 650894 149 30747 151 650665 151 650665 152 650661 153 650665 154 650665 155 650661 155 650665 155 650661 155 650665 155 650661 155 650665 155 650661 155 650665 155 650661 155	122	34174	Deflector, Exhaust
125 27930A 126 30196 127 28073 128 650694A 129 32589 130 31843A 131 650836 130 31843A 131 650836 130 360493 149 30747 151 650665 151 650665 152 650760 152 650760 153 650770 154 650770 155 650770 155 650770 156 650770 157	123	650665	Screw, 1/4-15 x 7/8"
126   30196   Screw, 5/16-18 x 2/4"   Washer (Use as required)	124	650542	Screw, 5/16-18 x 3/4"
127 26073 128 650694A 129 32589 130 31843A 131 650836 130 31843A 131 650836 131 650836 132 5crew, 10-24 × 1/2" 133 650493 139 3747 149 30747 151 650665 152 5crew, 1/4-20 x 1-3/4" 152 650661 153 650661 154 7 578" 155 650661 155 650661 156 650661 157 650661 158 650760 158 7 6707 6707 6707 6707 6707 6707 6707 6	125	27930A	Gasket, Exhaust
128 650694A   Screw, 5/16-18 x 2" (Use as required)	126	30196	Screw, 5/16-18 x 3/4"
129   32589   Key, Flywheel   130   31843A   Bracket, Governor gear   131   650836   Screw, 10-24 x 1/2"   133   650493   Screw, 10-24 x 1/2"   Screw, 14-20 x 1-3/4"   Clip, Shorting   Screw, 1/4-15 x 7/8"   Clip, Shorting   Screw, 1/4-15 x 7/8"   Cover, Spark plug (Use as required)   Cover, Cylinder head   Line, Primer   Screw, 1/4-20 x 5/8" (Use as required)   Cover, Cylinder head   Line, Primer   Screw, 1/4-20 x 3/8"   Cover, Cylinder head   Line, Primer   Screw, 8-32 x 3/8"   Cover, Cylinder head   Line, Primer   Cover, Cylinder head   Cover, Cylinder head   Line, Primer   Cover, Cylinder head	127	26073	Washer (Use as required)
130 31843A   Bracket, Governor gear   131 650836   Screw, 10-24 x 1/2"   132 650493   Screw, 14-120 x 1-34"   Clip, Shorting   Clip, Shorting   Screw, 14-15 x 7/8"   Clip, Shorting   Screw, 14-15 x 7/8"   Cover, Spark plug (Use as required)   Cover, Spark plug (Use as required)   Cover, Cylinder head   Line, Primer   Cover, Salver, Cover, Salver, Cover, Salver, Cover, Cylinder head   Line, Primer   Cover, Cylinder head   Cover, Cover, Cover, Cover, Cover, Cover, Cover, Cover, Cover,	128	650694A	Screw, 5/16-18 x 2" (Use as required)
131 650836 133 650493 134 930747 155 650665 159	129	32589	Key, Flywheel
133 650493   Screw, 1/4-20 x 1-3/4"   Clip, Shorting			
149         30747         Clip, Shorting           151         650665         Screw, 1/4-15 x 7/8"           193         610118         Cover, Spark plug (Use as required)           205         650561         Screw, 1/4-20 x 5/8" (Use as required)           209         30939A         Cover, Opfinder head           223         32180C         Line, Primer           225         34126         Bracket, Grommet mounting           226         650760         Screw, 8-32 x 3/8"           227         28545         Grommet           246         32125         Cup, Starter           247         590417         Screen, Starter cup           266         26460         Clamp, Fuel line           270         31461         Bushing, Crankshaft (Use as required)           271         33876         Gasket, Stator           274         610973         Terminal Assy. (As req. on late prod uction)           272         27275         Clip, Hi-tension wire (Use as required)           331A         34346         Decal, Instruction           332         30547A         Contact Assy., Breaker           Condenser         Condenser           16tt Needle, Seat & Clip Assy.           Carbu			·
151 650665 193 610118 205 650561 207 30939A 208 30939A 208 227 32180C 225 34126 226 650760 227 28545 246 32125 247 590417 266 26460 270 31461 271 33876 274 610973 275 410973 277 610973 277 5287 278 34246 279 34246 270 31456 270 31461 271 33876 274 610973 275 Clip, Hi-tension wire (Use as required) 276 34246 277 34246 277 34246 278 34246 279 34246 287 34246 287 34246 287 34246 287 34246 287 34246 287 34246 287 34246 287 34246 287 34246 287 34246 287 34246 288 343 4346 298 343 4346 310 21 310 21 311 287 2775 313 305478 333 305478 334 631021 336 631870 237 610694A  238 590473  Rewind Starter (Refer to Division 5, Section C, page 29 for breakdown)  Rewind Starter (Refer to Division 5, Section C, page 29 for breakdown)  Rewind Starter (Refer to Division 5, Section C, page 29 for breakdown)			·
193 610118 205 650561 209 30393A 223 32180C 225 34126 226 650760 227 28545 246 32125 247 590417 266 26460 270 31461 271 33876 274 610973 287 27275 287 34246 331A 34346 331A 34346 332 30547A 333 30548B 334 631021 337 610694A  238 290473  249 30939A Cover, Cylinder head Line, Primer Bracket, Grommet mounting Screw, 8-32 x 3/8" Grow, 8-32 x 3/8" Grow, 8-32 x 3/8" Grownet Cup, Starter Cup, Starter Cup, Starter cup Clamp, Fuel line Bushing, Crankshaft (Use as required) Gasket, Stator Terminal Assy. (As req. on late prod uction) Clip, Hi-tension wire (Use as required) Decal, Instruction Contact Assy., Breaker Condenser Inlet Needle, Seat & Clip Assy. Carburetor (Incl. 75) (Refer to Division 5, Section A, page 1 for breakdown)  Magneto (w/ring gear for 110 volt sta rter) NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as show in parts list. (Refer to Division 5, Section C, page 29 for breakdown)  Rewind Starter (Refer to Division 5, Section C, page 29 for breakdown)			
205 650561 209 30939A 223 32180C 225 34126 226 650760 227 28545 246 32125 247 590417 256 26460 270 31461 271 33876 274 610973 287 27275 287 34246 3313 30548B 334 631021 336 631870 278 590473 288 590473 298 29 676 209 30939A 200 Cover, Cylinder head 210 Enacket, Grommet mounting 226 Screw, 8-32 x 3/8" 227 28545 246 32125 247 590417 250 Corew, Starter cup 260 Clamp, Fuel line 270 31461 271 33876 274 610973 287 27275 287 34246 3314 34346 3314 34346 3314 34346 3314 34346 3314 34346 3314 34346 3314 34346 3314 34346 3316 Condenser 332 30547A 333 30548B 334 631021 336 631870 337 610694A 338 590473 338 590473 338 590473 338 590473 338 590473 338 590473 338 590473 338 590473 338 590473 338 590473 349 Cover, Cylinder head 200 Cover, Salter cup 200 Clamp, Fuel line 200 Starter cup 200 Clamp, Fuel line 200 Clam			·
209 30939A 223 32180C 225 34126 226 650760 227 28545 227 28545 247 590417 266 26460 270 31461 271 33876 274 610973 287 27275 287 34246 331A 33346 331A 33346 331A 3346 332 30547A 333 30548B 334 631021 337 610694A  209 30939A  Cover, Cylinder head Line, Primer Bracket, Grommet mounting Screw, 8-32 x 3/8" Grommet Cup, Starter Cup, Starter cup Clamp, Fuel line Bushing, Crankshaft (Use as required) Gasket, Stator Terminal Assy. (As req. on late prod uction) Clip, Hi-tension wire (Use as require d) Clip, Ground wire (Use as required) Decal, Instruction Contact Assy., Breaker Condenser Inlet Needle, Seat & Clip Assy. Carburetor (Incl. 75) (Refer to Division 5, Section A, page 1: for breakdown)  Magneto (w/ring gear for 110 volt sta rter) NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as show in parts list. (Refer to Division 5, Section C, page 29 for breakdown)  Rewind Starter (Refer to Division 5, Section C, page 29 for breakdown)			
223 32180C 225 34126 226 650760 227 28545 227 28545 246 32125 247 590417 266 26460 270 31461 271 33876 274 610973 287 7275 287 34246 287 34246 298 331 43436 332 30547A 333 30548B 334 631021 337 610694A  Line, Primer Bracket, Grommet mounting Screw, 8-32 x 3/8" Grommet Cup, Starter Cup, Starter cup Clamp, Fuel line Bushing, Crankshaft (Use as required) Gasket, Stator Terminal Ass'y. (As req. on late prod uction) Clip, Hi-tension wire (Use as require d) Clip, Ground wire (Use as required) Decal, Instruction Contact Assy., Breaker Condenser Inlet Needle, Seat & Clip Assy. Carburetor (Incl. 75) (Refer to Division 5, Section A, page 1 for breakdown)  Magneto (w/ring gear for 110 volt starter) NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as show in parts list. (Refer to Division 5, Section B, page 24 for breakdown)  Rewind Starter (Refer to Division 5, Section C, page 29 for breakdown)			Screw, 1/4-20 x 5/8" (Use as required )
225 34126 226 650760 227 28545 227 28545 246 32125 247 590417 266 26460 270 31461 271 33876 274 610973 287 27275 287 34246 3312 30547A 332 30547A 333 610694A  287 3780 298 34946  298 34946 3314 631021 337 610694A  298 34946  299 6106  299 6106  290 6400  291 6400  292 6400  293 6400  294 6400  295 6400  296 6400  297 2000  298 2000  299 29 for breakdown)  298 299 for breakdown)  298 290473  298 290473  298 290473  298 290473  298 290473  298 290473  298 290473  298 290473  298 290478  298 290478  298 2906			
226 650760 227 28545 246 32125 247 590417 266 26460 270 31461 271 33876 274 610973 287 34246 331A 34346 331 30547A 333 30548B 334 631021 337 610694A  Screw, 8-32 x 3/8" Grommet Clamp, Fuel line Bushing, Crankshaft (Use as required) Gasket, Stator Terminal Assy. (As req. on late prod uction) Clip, Hi-tension wire (Use as require d) Clip, Ground wire (Use as require d) Clip, Ground wire (Use as required) Decal, Instruction Contact Assy., Breaker Condenser Inlet Needle, Seat & Clip Assy. Carburetor (Incl. 75) (Refer to Division 5, Section A, page 1: for breakdown)  Magneto (w/ring gear for 110 volt sta rter) NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as show in parts list. (Refer to Division 5, Section B, page 24 for breakdown)  Rewind Starter (Refer to Division 5, Section C, page 29 for breakdown)			·
227 28545 246 32125 247 590417 268 26460 270 31461 271 33876 274 610973 27275 287 34246 331A 34346 332 30547A 333 30548B 334 631021 337 610694A  278 610694A  279 28545 287 34246 387 64060 288 287 28787 288 2878 2878 2878 2878 2			
246 32125 247 590417 266 26460 270 31461 271 33876 274 610973 287 277275 287 34246 331A 34346 331A 34346 331 30547A 333 30548B 334 631021 336 631870  337 610694A  278 610694A  279 590417  280 2466 270 2473  280 2473  280 2473  280 2473  280 2473  280 2473  280 2473  280 2473  280 2473  280 2486 280 289 2486 280 289 289 289 60 breakdown)  280 252 27275 280 288 288 288 288 288 288 288 288 288			
247 590417 266 26460 270 31461 271 33876 274 610973 277 5275 278 610973 288 27275 299 279 279 279 279 279 279 279 279 279			
Clamp, Fuel line Bushing, Crankshaft (Use as required) Gasket, Stator Terminal Assy. (As req. on late prod uction) Elip, Hi-tension wire (Use as required) Clip, Ground wire (Use as required) Clip, Ground wire (Use as required) Clip, Ground wire (Use as required) Decal, Instruction Contact Assy., Breaker Condenser Inlet Needle, Seat & Clip Assy. Carburetor (Incl. 75) (Refer to Division 5, Section A, page 1: for breakdown)  Magneto (w/ring gear for 110 volt sta rter) NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as show in parts list. (Refer to Division 5, Section B, page 24 for breakdown)  Rewind Starter (Refer to Division 5, Section C, page 29 for breakdown)			•
270 31461 271 33876 274 610973 275 Gasket, Stator 27275 27275 287 34246 331A 34346 332 30547A 333 30548B 334 631021 336 631870 337 610694A  Bushing, Crankshaft (Use as required) Gasket, Stator Terminal Ass'y. (As req. on late prod uction) Clip, Hi-tension wire (Use as required) Decal, Instruction Contact Assy., Breaker Condenser Inlet Needle, Seat & Clip Assy. Carburetor (Incl. 75) (Refer to Division 5, Section A, page 1: for breakdown)  Magneto (w/ring gear for 110 volt starter) NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as show in parts list. (Refer to Division 5, Section B, page 24 for breakdown)  Rewind Starter (Refer to Division 5, Section C, page 29 for breakdown)			
Gasket, Stator Terminal Ass'y. (As req. on late prod uction) Clip, Hi-tension wire (Use as require d) Clip, Ground wire (Use as required) Decal, Instruction Contact Assy., Breaker Condenser Condenser Condenser Carburetor (Incl. 75) (Refer to Division 5, Section A, page 1 for breakdown)  Magneto (w/ring gear for 110 volt sta rter) Magneto number is shown for reference purposes only. Order component parts individually, as show in parts list. (Refer to Division 5, Section C, page 29 for breakdown)  Rewind Starter (Refer to Division 5, Section C, page 29 for breakdown)			•
Terminal Ass'y. (As req. on late prod uction)  287 27275  287 34246  331A 34346  332 30547A  333 30548B  334 631021  336 631870  Carburetor (Incl. 75) (Refer to Division 5, Section A, page 1 for breakdown)  Magneto (wring gear for 110 volt sta rter) NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as show in parts list. (Refer to Division 5, Section C, page 29 for breakdown)  338 590473  Terminal Ass'y. (As req. on late prod uction)  Clip, Hi-tension wire (Use as required)  Clip, Ground wire (Use as required)  Clip, Ground wire (Use as required)  Clip, Ground wire (Use as required)  Clip, Hi-tension wire (Use as required)  Clip, Ground wire (Use as required)  Decal, Instruction  Contact Assy., Breaker  Contact Assy.,			
287 27275 288 27275 289 34246 280 34246 281 34246 331 34346 332 30547A 333 30548B 334 631021 336 631870  287 27275 Clip, Hi-tension wire (Use as require d) Clip, Ground wire (Use as required) Decal, Instruction Contact Assy., Breaker Condenser Inlet Needle, Seat & Clip Assy. Carburetor (Incl. 75) (Refer to Division 5, Section A, page 1: for breakdown)  288 27275 Clip, Hi-tension wire (Use as require d) Clip, Ground wire (Use as required) Contact Assy., Breaker Condenser Inlet Needle, Seat & Clip Assy. Carburetor (Incl. 75) (Refer to Division 5, Section A, page 1: for breakdown)  Magneto (w/ring gear for 110 volt starter) NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as show in parts list. (Refer to Division 5, Section B, page 24 for breakdown)  Rewind Starter (Refer to Division 5, Section C, page 29 for breakdown)			· · · · · · · · · · · · · · · · · · ·
287 34246 331A 34346 331A 34346 332 30547A 333 30548B 334 631021 336 631870  Condenser Inlet Needle, Seat & Clip Assy. Carburetor (Incl. 75) (Refer to Division 5, Section A, page 1: for breakdown)  Magneto (w/ring gear for 110 volt sta rter) NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as show in parts list. (Refer to Division 5, Section C, page 29 for breakdown)  Rewind Starter (Refer to Division 5, Section C, page 29 for breakdown)			
331A 34346 332 30547A 333 30548B 334 631021 336 631870  Condenser Inlet Needle, Seat & Clip Assy. Carburetor (Incl. 75) (Refer to Division 5, Section A, page 1: for breakdown)  Magneto (w/ring gear for 110 volt starter) NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as show in parts list. (Refer to Division 5, Section B, page 24 for breakdown)  Rewind Starter (Refer to Division 5, Section C, page 29 for breakdown)			
332 30547A 333 30548B 334 631021 336 631870  Contact Assy., Breaker Condenser Inlet Needle, Seat & Clip Assy. Carburetor (Incl. 75) (Refer to Division 5, Section A, page 1 for breakdown)  Magneto (w/ring gear for 110 volt starter) NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as show in parts list. (Refer to Division 5, Section B, page 24 for breakdown)  Rewind Starter (Refer to Division 5, Section C, page 29 for breakdown)			• • • • • • • • • • • • • • • • • • • •
Condenser Inlet Needle, Seat & Clip Assy. Carburetor (Incl. 75) (Refer to Division 5, Section A, page 1 for breakdown)  Magneto (w/ring gear for 110 volt sta rter) NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as show in parts list. (Refer to Division 5, Section B, page 24 for breakdown)  Rewind Starter (Refer to Division 5, Section C, page 29 for breakdown)			
Inlet Needle, Seat & Clip Assy. Carburetor (Incl. 75) (Refer to Division 5, Section A, page 1 for breakdown)  337 610694A  Magneto (w/ring gear for 110 volt starter) NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as show in parts list. (Refer to Division 5, Section B, page 24 for breakdown)  Rewind Starter (Refer to Division 5, Section C, page 29 for breakdown)			
Carburetor (Incl. 75) (Refer to Division 5, Section A, page 1 for breakdown)  Magneto (w/ring gear for 110 volt starter) NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as show in parts list. (Refer to Division 5, Section B, page 24 for breakdown)  Rewind Starter (Refer to Division 5, Section C, page 29 for breakdown)			
for breakdown)  337 610694A  Magneto (w/ring gear for 110 volt sta rter) NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as show in parts list. (Refer to Division 5, Section B, page 24 for breakdown)  338 590473  Rewind Starter (Refer to Division 5, Section C, page 29 for breakdown)			
complete magneto is not available as an assembly. The magneto number is shown for reference purposes only.  Order component parts individually, as show in parts list.  (Refer to Division 5, Section B, page 24 for breakdown)  Rewind Starter (Refer to Division 5, Section C, page 29 for breakdown)	336	631870	
breakdown)	337	610694A	complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as show in parts list.
343_33239A Gasket Set (Incl. items marked*)	338	590473	
0-10 COLOUR THAIRED /	343	33239A	Gasket Set (Incl. items marked*)

## www.mymowerparts.com

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983

Page 5 of 8

Engine Parts List #2




Ref #	Part Number	Qty	Description
31	650489		Screw, 1/4-20 x 5/8"
34	27793		Clip, Conduit (Use as required)
35	28942		Screw, 10-32 x 3/8" (Use as required)
43A	650128		Screw, 10-24 x 1/2"
48	29716		Screw, 1/4-28 x 7/16"
56	30824		Link, Throttle
71	650815		Washer, Belleville
72	8116		Nut, Hex
134	33013		Cover, Bubble
135	650736		Screw, 10-16 x 3/8"
193	610118		Cover, Spark plug (Use as required)
200	33109A		Control Bracket (Incl. 224 & 274)
219A	570629A		Primer Assy.
223	32180C		Line, Primer
224	30826		Spring, Extension
230	650257		Screw, 8-32 x 5/16"
231	33723		Cover, Carburetor
254	32398		Bracket, Choke
255	28820		Screw, 10-32 x 1/2"
256	650760		Screw, 8-32 x 3/8"
256A	650765		Screw, 10-32 x 1/2"
263	650764		Nut, "U" Type (Use as required)
274	610973		Terminal Ass'y. (As req. on late prod uction)
292	31680		Guard, Starter
	32576		Seal, Snow guard
331G	34150		Decal, Choke
331G	34151		Decal, Choke
	33722		Decal, Instruction
	34414		Decal, Warning
338	590473		Rewind Starter (Refer to Division 5, Section C, page 29 for breakdown)
340	33328D		Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#342). Refer to service number stamped on end cap of motor, or on decal, for identifica
342	30811A		Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above)
342	611042		Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using 110-120 volt starter kits listed above)
342	611085		Flywheel (Minimum ring gear flywheel required on engines using 110-120 volt starter kits listed above) (Use withSolid State ignition)

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983

Page 7 of 8

Engine Parts List #3



www.mymowerparts.com

## For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 $_{\rm Page~8~of~8}$ Engine Parts List #3

Ref #	Part Number	Qty Description
36 36 38 42 42 50 51	27513 650697A 650695A 650694A 27896A 26073 650691 650548 30319 32326A	Lockwasher, 1/4" (Use as required) Screw, 5/16-18 x 2-1/2" (Use as requi red) Screw, 5/16-18 x 2-1/4" (Use as requi red) Screw, 5/16-18 x 2" (Use as required) * Gasket, Breather cover Washer (Use as required) Washer, Flat (Use as required) Screw, 8-32 x 5/16" Rivet, Split (Used in early productio n) Lever, Governor (New lever does not need 1 of 51,66,132,164,165,207)
57 58 59 61 66	30205 730130 30196 29216 29826 29918 730561	Bracket, Adjusting Exh.Adap.Kit (Incl. 58 & 125) (Use as req.) Screw, 5/16-18 x 3/4" (Use as require d) Nut, Lock, 10-32 Screw, 10-32 x 3/4" Lockwasher, #8 E.T. Air cleaner kit (Incl. 38, 67A, 83, 84B, 85,89B, 89C, 90A, 91, 91A, 91B, 91C, 91D, 245 & 331B) (Use only on engines with an externally vented fully adjustable carburetor)
82	730127	Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89A, 90, 238 & 331B) (Use as required)
84D	34819	Air Cleaner Elbow (Incl. 84B, 86A, 91, 91A, 91B & 91C) (Use in 730561 assembly only) NOTE: 130010 thru 10C & 11 used in early production only.
113 118 118 118 125 126 128 132 148 148 202 203 204 226 227	391026 650561 29774 30705 30962 27930A 30196 650694A 650548 34067 34069 31288 650697A 6021A 650760 28545 26460	Opt. Spark Arrest Muffler (Incl.196,1 97,199) Screw, 1/4-20 x 5/8" Fuel Line (Braided 8-1/4" 21 cm) (Use as req.) Fuel Line (Braided 16") (41 cm) (Use as req.) Fuel Line (Braided 32") (81 cm) (Use as req.) Gasket, Exhaust Screw, 5/16-18 x 3/4" Screw, 5/16-18 x 2" (Use as required) Screw, 8-32 x 5/16" (Early production ) Wire Assy., Alternator adapter (4-1/4") Wire Assy., Alternator adapter (6-3/4") Exh. Adaptor Kit (Incl.125,203,204) ( As req.) Screw, 5/16-18 x 2-1/2" (Use as requi red) Screw, 5/16-18 x 1-1/2" (Use as requi red) Screw, 8-32 x 3/8" Grommet Clamp, Fuel line