
For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 H70-130176C Page 1 of 8 Engine Parts List #1



www.mymowerparts.com

	Part Number		escription
	32586C		ylinder (Incl. 2, 3, 4 & 76) (2-3/4" Bore)
	27652		n, Dowel
	27642		ug, Oil drain
			•
	32630		eal, Oil taka Vaka (Stal) (Incl. 0)
	32783		take Valve (Std.) (Incl. 9)
	32784		take Valve (1/32" OS) (Incl. 9)
	27878A		khaust Valve (Std.) (Incl. 9)
	27880A		khaust Valve (1/32" OS) (Incl. 9)
	27882		ap, Upper valve spring
	20810		n, Valve spring retainer (Use as re quired)
	27881		oring, Valve
8	27881	Sp	oring, Valve
9A	32581	Ca	ap, Lower valve spring
9	32581	Ca	ap, Lower valve spring
10A	32590	Pla	ate, Lock & Oil dipper (This plate may be replaced by
		342	242 oil dipper but 650662C screw must be used.)
10	34242	Dir	pper, Oil
	32587	•	rankshaft (Incl. 12 & 13)
	29783		rankshaft Gear Pin (Early production)
			ear, Crankshaft (Used in early production) This gear is
13	27884		
		Sei	ervicable onlywhen it is pinned to the crankshaft.
	32592B		ston & Pin Ass'y. (Std.)(2-3/4")(In cl.16)
14A	32593B	Pis	ston & Pin Ass'y. (.010" OS) (Incl. 16)
14A	32594B	Pis	ston & Pin Ass'y. (.020" OS) (Incl. 16)
14	34517	Pis	ston, Pin & Ring Set (Std.) (2-3/4" Bore)
14	34518	Pis	ston, Pin & Ring Set (.010" OS)
14	34519		ston, Pin & Ring Set (.020" OS)
15	32595		ng Set (Std.) (2-3/4" Bore)
	32596		ng Set (.010" OS)
	32597		ng Set (.020" OS)
	27888		ng, Piston pin retaining
	32591C		od Assy., Connecting (Incl. 10 & 18)
	650662C		crew, Connecting rod (2 each)
	32115		amshaft (MCR)
	34034		iter, Valve
	31303B		over, Cylinder (Incl. 24, 106 & 279)
	31546		ushing, Crankshaft (Use as required)
	28427		eal, Oil
	31297		pstick, Oil (Incl. 30)
	30684		Basket, Cylinder cover
	650488 29673		crew, 1/4-20 x 1-1/4"
	29673 650480		Gasket, Oil filler
	650489 23631 A		crew, 1/4-20 x 5/8"
	32631A		Gasket, Cylinder head
	30938A		ead, Cylinder
	27793		ip, Conduit (Use as required)
	28942		crew, 10-32 x 3/8" (Use as required)
	650697A		crew, 5/16-18 x 2-1/2" (Use as required)
	650695A		crew, 5/16-18 x 2-1/4" (Use as required)
	650694A		crew, 5/16-18 x 2" (Use as required)
	33636		esistor Spark Plug (RJ-8C)
	34251		esistor Spark Plug
	27896A		Gasket, Breather cover
39	28423	Bo	ody, Breather
40	28424	Ele	ement, Breather
41	28425	Co	over, Valve spring
42	26073	Wa	'asher (Use as required)
	www mvmo		

Ref #	Part Number	Qty De	escription
	650691		asher, Flat (Use as required)
42A	650690	Wa	asher, Belleville (Use as required)
43	650128		crew, 10-24 x 1/2"
45	27915A		Gasket, Intake
	30195A		ange, Carburetor (Incl. 79 & 80)
	30196		crew, 5/16-18 x 3/4"
	29716		crew, 1/4-28 x 7/16"
	650548		crew, 8-32 x 5/16"
	32326A		ever, Governor (New lever does not need 1 of
52	020207		(,66,132,164,165,207)
		51,	,00,132,104,103,207)
55	30205	Bra	acket, Adjusting
56	30824	Lin	nk, Throttle
59	29216	Nu	ut, Lock, 10-32
61	29826	Sc	crew, 10-32 x 3/4"
62	29642	Rir	ng, Retaining
	30699B		overnor Rod Ass'y. (This one-piece governor rodis no longer
			ed. It is replaced by 30699C ass'y.,Ref. no. 63A)
	30699C		od Assy., Governor (Incl. 64 & 65)
	30700		oke, Governor
	650494		crew, 6-40 x 5/16"
	29918	Lo	ockwasher, #8 E.T.
67	35350	Tu	ube, Breather
69	29747B	Sc	crew, 5/16-24 x 21/32"
70	32158E	Blo	ower Housing (For elec.star.)(Incl. 134,135)
71	650815	Wa	asher, Belleville
72	8116	Nu	ut, Hex
73	29536	Blo	ower Housing Baffle (without electric starter knock-out)
		(Us	lse as required)
73	35256A	Blo	ower Housing Baffle (with electric starter knock-out) (Use
10			required) (Point Ignition)
74	050504		, , , , , , , , , , , , , , , , , , ,
	650561		crew, 1/4-20 x 5/8"
	31688A		Gasket, Carburetor
	29752		ut & Lockwasher Assy., 1/4-28
	650572		crew, 1/4-28 x 1-1/8"
82A	730164		r Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89, 90A & 331B)
		(Us	lse as required)
97	34131	Gro	round Wire
	29538		ase, Engine mounting
	32401		uffler
	31845		haft, Mechanical governor
	30591		ear Assy., Governor (Incl. 109)
	30588A		bool, Governor
	30590A	•	asher, Flat
	29193		ng, Retaining
	650561		crew, 1/4-20 x 5/8"
	33350		uel Tank (Incl. 115 & 117A)
	410144B		uel Cap (White Plastic)(Std)(As required)
	33032		Jel Cap (Charcoal Plastic) (Spurt resistant, Low profile)
115	5500Z		lse as required)
115	34210		uel Cap (Red Plastic) (Spurt resistant, High profile) (Use as quired)
	05055		. ,
	35355		uel Cap (Use as required)
	33351		alve, Fuel strainer & shut-off (Incl 119)
118	29774	Fu	uel Line (Braided 8-1/4" 21 cm)(Use as req.)
			monta com


Ref #	Part Number	Qty	Description
118	30705		Fuel Line (Braided 16") (41 cm) (Use as req.)
118	30962		Fuel Line (Braided 32") (81 cm) (Use as req.)
119	33679		Bushing, Fuel fitting
120	650128		Screw, 10-24 x 1/2" (Use as required)
121	30622A		Extension, Blower housing
124	650542		Screw, 5/16-18 x 3/4"
125	27930A		Gasket, Exhaust
126	30196		Screw, 5/16-18 x 3/4"
127	26073		Washer (Use as required)
128	650694A		Screw, 5/16-18 x 2" (Use as required)
129	32589		Key, Flywheel
130	31843A		Bracket, Governor gear
131	650836		Screw, 10-24 x 1/2"
133	650493		Screw, 1/4-20 x 1-3/4"
149	30747		Clip, Shorting
193	610118		Cover, Spark plug (Use as required)
205	650561		Screw, 1/4-20 x 5/8" (Use as required )
209	30939A		Cover, Cylinder head
223	32180C		Line, Primer
	34126		Bracket, Grommet mounting
	650760		Screw, 8-32 x 3/8"
	28545		Grommet
	32125		Cup, Starter
	590417		Screen, Starter cup
	26460		Clamp, Fuel line
	31461		Bushing, Crankshaft (Use as required)
	610973		Terminal Ass'y. (As req. on late prod uction)
	27275		Clip, Hi-tension wire (Use as require d)
	34246		Clip, Ground wire (Use as required)
	34346		Decal, Instruction
	30547A		Contact Assy., Breaker
	30548B		Condenser
	631021		Inlet Needle, Seat & Clip Assy.
336	631920		Carburetor (Incl. 75) (Refer to Division 5, Section A, page 138
			for breakdown)
337	610694A		Magneto (w/ring gear for 110 volt sta rter) NOTE: The
			complete magneto is not available as an assembly. The magneto number is shown for reference purposes only.
			Order component parts individually, as show in parts list.
			(Refer to Division 5, Section B, page 24 for breakdown)
338	590473		Rewind Starter (Refer to Division 5, Section C, page 29 for breakdown)
343	33239A		Gasket Set (Incl. items marked*)

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 H70-130176C Page 5 of 8 Engine Parts List #2



		Qty	Description
31	650489		Screw, 1/4-20 x 5/8"
34	27793		Clip, Conduit (Use as required)
35	28942		Screw, 10-32 x 3/8" (Use as required)
43A	650128		Screw, 10-24 x 1/2"
48	29716		Screw, 1/4-28 x 7/16"
56	30824		Link, Throttle
	650815		Washer, Belleville
	8116		Nut, Hex
	33013		Cover, Bubble
	650736		Screw, 10-16 x 3/8"
	610118		Cover, Spark plug (Use as required)
	33108A		Control Bracket (Incl. 224 & 274)
	32410		Knob, Speed control
	570629A		Primer Assy.
	32180C		Line, Primer
	30826		•
			Spring, Extension
	650257		Screw, 8-32 x 5/16"
	34217		Cover, Carburetor
	32398		Bracket, Choke
	28820		Screw, 10-32 x 1/2"
	650760		Screw, 8-32 x 3/8"
	650765		Screw, 10-32 x 1/2"
	31291		Plug, Cover
263	650764		Nut, "U" Type (Use as required)
274	610973		Terminal Ass'y. (As req. on late prod uction)
282A	34132		Plate, Choke indicator
292	34127		Guard Starter
293	32576		Seal, Snow guard
331H	31682		Decal, Instruction
331H	34414		Decal, Warning
331G	31683		Decal, Choke
331G	34416		Decal, Choke
	34144		Decal, Primer
	590473		Rewind Starter (Refer to Division 5, Section C, page 29 for
			breakdown)
340	33328D		Starter Motor Kit (110-120 Volt) This 110-120 volt starter
			motor kit may have been added to this engine. It can be
			added only if cylinder hasdrilled and tapped starter mounting
			bosses and a ring gear flywheel (see#342). Refer to service
			number stamped on end cap of motor, or on decal, for
			identifica
	000///		
342	30811A		Flywheel (Ring gear flywheel requiredon engines using
			110-120 volt starter kits listed above)
342	611042		Flywheel (Used on Type letters H and above) (Std. Point
			ignition) (Ring gear flywheel required on engines using
			110-120 volt starter kits listed above)
2/12	611085		Flywheel (Minimum ring gear flywheel required on engines
342	011000		using 110-120 volt starter kits listed above) (Use withSolid
			State ignition)

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 H70-130176C Page 7 of 8 Engine Parts List #3



\_

Dof #	Part Number		Description
	27513	QUY	Lockwasher, 1/4" (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as required)
	650695A		Screw, 5/16-18 x 2-1/4" (Use as required)
	650694A		Screw, 5/16-18 x 2" (Use as required)
	27896A		* Gasket, Breather cover
	26073		Washer (Use as required)
	650691		Washer, Flat (Use as required)
	650548		Screw, 8-32 x 5/16"
	30319		Rivet, Split (Used in early productio n)
	32326A		Lever, Governor (New lever does not need 1 of
52	52520A		51,66,132,164,165,207)
	30205		Bracket, Adjusting
	730130		Exh.Adap.Kit (Incl. 58 & 125) (Use as req.)
	30196		Screw, 5/16-18 x 3/4" (Use as require d)
	29216		Nut, Lock, 10-32
	29826		Screw, 10-32 x 3/4"
	29918		Lockwasher, #8 E.T.
82B	730561		Air cleaner kit (Incl. 38, 67A, 83, 84B, 85,89B, 89C, 90A, 91,
			91A, 91B, 91C, 91D, 245 & 331B) (Use only on engines with
			an externally vented fully adjustable carburetor)
82	730127		Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89A, 90, 238 &
			331B) (Use as required)
84D	34819		Air Cleaner Elbow (Incl. 84B, 86A, 91, 91A, 91B & 91C) (Use
040	0-1013		in 730561 assembly only) NOTE: 130010 thru 10C & 11
			used in early production only.
1005	224222		
	391026		Opt. Spark Arrest Muffler (Incl.196,1 97,199)
	33353		Bracket, Lower fuel tank
	650561		Screw, 1/4-20 x 5/8"
	33352A		Plate, Upper fuel tank mounting
	29774		Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)
	30705		Fuel Line (Braided 16") (41 cm) (Use as req.)
	30962		Fuel Line (Braided 32") (81 cm) (Use as req.)
	27930A		Gasket, Exhaust
	30196		Screw, 5/16-18 x 3/4"
	650694A		Screw, 5/16-18 x 2" (Use as required)
	650548		Screw, 8-32 x 5/16" (Early production )
	792020		Screw, 1/4-20 x 2-1/4"
	34067		Wire Assy., Alternator adapter (4-1/4 ")
	34069		Wire Assy., Alternator adapter (6-3/4 ")
	31288		Exh. Adaptor Kit (Incl.125,203,204) ( As req.)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as required)
	6021A		Screw, 5/16-18 x 1-1/2" (Use as required)
	650760		Screw, 8-32 x 3/8"
	28545		Grommet
266	26460		Clamp, Fuel line