
For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 H70-130178B



www.mymowerparts.com

| Ref # Part Number | Qty Description |
|-------------------|--|
| 1 32586C | Cylinder (Incl. 2, 3, 4 & 76) (2-3/4" Bore) |
| 2 27652 | Pin, Dowel |
| 3 27642 | Plug, Oil drain |
| 4 32630 | Seal, Oil |
| 5 32783 | Intake Valve (Std.) (Incl. 9) |
| 5 32784 | Intake Valve (1/32" OS) (Incl. 9) |
| 6 27878A | Exhaust Valve (Std.) (Incl. 9) |
| 6 27880A | Exhaust Valve (1/32" OS) (Incl. 9) |
| 7 27882 | Cap, Upper valve spring |
| 7A 20810 | Pin, Valve spring retainer (Use as re quired) |
| 8 27881 | Spring, Valve |
| 8A 27881 | Spring, Valve |
| 9A 32581 | Cap, Lower valve spring |
| 9 32581 | Cap, Lower valve spring |
| | |
| 10A 32590 | Plate, Lock & Oil dipper (This plate may be replaced by |
| | 34242 oil dipper but 650662C screw must be used.) |
| 10 34242 | Dipper, Oil |
| 11 32680A | Crankshaft (Incl. 12 & 13) |
| 12 29783 | Crankshaft Gear Pin (Early production) |
| 13 27884 | Gear, Crankshaft (Used in early production) This gear is |
| 13 27004 | servicable onlywhen it is pinned to the crankshaft. |
| | servicable of hywrier it is pirmed to the crankshart. |
| 14A 32592B | Piston & Pin Ass'y. (Std.)(2-3/4")(In cl.16) |
| 14A 32593B | Piston & Pin Ass'y. (.010" OS) (Incl. 16) |
| 14A 32594B | Piston & Pin Ass'y. (.020" OS) (Incl. 16) |
| 14 34517 | Piston, Pin & Ring Set (Std.) (2-3/4" Bore) |
| 14 34518 | Piston, Pin & Ring Set (.010" OS) |
| 14 34519 | Piston, Pin & Ring Set (.020" OS) |
| 15 32595 | Ring Set (Std.) (2-3/4" Bore) |
| 15 32596 | Ring Set (.010" OS) |
| 15 32597 | Ring Set (.010 OS) |
| 16 27888 | |
| | Ring, Piston pin retaining |
| 17 32591C | Rod Assy., Connecting (Incl. 10 & 18) |
| 18 650662C | Screw, Connecting rod (2 each) |
| 21 32115 | Camshaft (MCR) |
| 22 34034 | Lifter, Valve |
| 23 31303B | Cover, Cylinder (Incl. 24, 106 & 279) |
| 24B 31546 | Bushing, Crankshaft (Use as required) |
| 24 28427 | Seal, Oil |
| 25 31297 | Dipstick, Oil (Incl. 30) |
| 26 30684 | * Gasket, Cylinder cover |
| 28 650488 | Screw, 1/4-20 x 1-1/4" |
| 30 29673 | * Gasket, Oil filler |
| 31 650489 | Screw, 1/4-20 x 5/8" |
| 32 32631A | * Gasket, Cylinder head |
| 33 30938A | Head, Cylinder |
| 34 27793 | Clip, Conduit (Use as required) |
| 35 28942 | Screw, 10-32 x 3/8" (Use as required) |
| 36 650697A | Screw, 5/16-18 x 2-1/2" (Use as required) |
| 36 650695A | |
| | Screw, 5/16-18 x 2-1/4" (Use as required) |
| 36 650694A | Screw, 5/16-18 x 2" (Use as required) |
| 37 33636 | Resistor Spark Plug (RJ-8C) |
| 37 34251 | Resistor Spark Plug |
| 38 27896A | * Gasket, Breather cover |
| 39 28423 | Body, Breather |
| 40 28424 | Element, Breather |
| 41 28425 | Cover, Valve spring |
| 42 26073 | Washer (Use as required) |

www.mymowerparts.com


| | | Qty | Description |
|---|---|-----|---|
| 42A 43 45 46 47 48 50 | 650691 650690 650128 27915A 30195A 30196 29716 650548 32326A | | Washer, Flat (Use as required) Washer, Belleville (Use as required) Screw, 10-24 x 1/2" * Gasket, Intake Flange, Carburetor (Incl. 79 & 80) Screw, 5/16-18 x 3/4" Screw, 1/4-28 x 7/16" Screw, 8-32 x 5/16" Lever, Governor (New lever does not need 1 of 51,66,132,164,165,207) |
| 56 59 61 62 | 30205 30824 29216 29826 29642 30699B | | Bracket, Adjusting Link, Throttle Nut, Lock, 10-32 Screw, 10-32 x 3/4" Ring, Retaining Governor Rod Ass'y. (This one-piece governor rodis no longer used. It is replaced by 30699C ass'y.,Ref. no. 63A) |
| 64 65 66 67 69 70 71 72 | 30699C 30700 650494 29918 35350 29747B 32158E 650815 8116 29536 | | Rod Assy., Governor (Incl. 64 & 65) Yoke, Governor Screw, 6-40 x 5/16" Lockwasher, #8 E.T. Tube, Breather Screw, 5/16-24 x 21/32" Blower Housing (For elec.star.)(Incl. 134,135) Washer, Belleville Nut, Hex Blower Housing Baffle (without electric starter knock-out) (Use as required) |
| 73 | 35256A | | Blower Housing Baffle (with electric starter knock-out) (Use as required) (Point Ignition) |
| 75 79 80 | 650561 31688A 29752 650572 730164 | | Screw, 1/4-20 x 5/8" * Gasket, Carburetor Nut & Lockwasher Assy., 1/4-28 Screw, 1/4-28 x 1-1/8" Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89, 90A & 331B) (Use as required) |
| 100 103 106 107 108 109 110 113 114 | 35349 29538 32401 31845 30591 30588A 30590A 29193 650561 33350 410144B 33032 | | Ground Wire Base, Engine mounting Muffler Shaft, Mechanical governor Gear Assy., Governor (Incl. 109) Spool, Governor Washer, Flat Ring, Retaining Screw, 1/4-20 x 5/8" Fuel Tank (Incl. 115 & 117A) Fuel Cap (White Plastic)(Std)(As requ ired) Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile) (Use as required) |
| 115 | 34210 | | Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as required) |
| 117A | 35355 33351 29774 | | Fuel Cap (Use as required) Valve, Fuel strainer & shut-off (Incl 119) Fuel Line (Braided 8-1/4" 21 cm)(Use as req.) |

www.mymowerparts.com

| Ref # | Part Number | Qty | Description |
|-------|-------------|-----|---|
| 118 | 30705 | · | Fuel Line (Braided 16") (41 cm) (Use as req.) |
| 118 | 30962 | | Fuel Line (Braided 32") (81 cm) (Use as req.) |
| 119 | 33679 | | Bushing, Fuel fitting |
| 120 | 650128 | | Screw, 10-24 x 1/2" (Use as required) |
| 121 | 30622A | | Extension, Blower housing |
| 124 | 650542 | | Screw, 5/16-18 x 3/4" |
| 125 | 27930A | | Gasket, Exhaust |
| 126 | 30196 | | Screw, 5/16-18 x 3/4" |
| | 26073 | | Washer (Use as required) |
| | 650694A | | Screw, 5/16-18 x 2" (Use as required) |
| 129 | 32589 | | Key, Flywheel |
| 130 | 31843A | | Bracket, Governor gear |
| | 650836 | | Screw, 10-24 x 1/2" |
| | 650493 | | Screw, 1/4-20 x 1-3/4" |
| | 30747 | | Clip, Shorting |
| | 610118 | | Cover, Spark plug (Use as required) |
| | 650561 | | Screw, 1/4-20 x 5/8" (Use as required) |
| | 30939A | | Cover, Cylinder head |
| | 32125 | | Cup, Starter |
| | 590417 | | Screen, Starter cup |
| | 26460 | | Clamp, Fuel line |
| | 31461 | | Bushing, Crankshaft (Use as required) |
| | 610973 | | Terminal Ass'y. (As req. on late prod uction) |
| | 27275 | | Clip, Hi-tension wire (Use as require d) |
| | 34246 | | Clip, Ground wire (Use as required) |
| | 32679 | | Decal, 7 HP |
| | 34346 | | Decal, Instruction |
| | 30547A | | Contact Assy., Breaker |
| | 30548B | | Condenser |
| | 631021 | | Inlet Needle, Seat & Clip Assy. |
| 336 | 631459 | | Carburetor (Incl. 75) (Refer to Division 5, Section A, page 100 for breakdown) |
| 337 | 610694A | | Magneto (w/ring gear for 110 volt sta rter) NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as show in parts list. (Refer to Division 5, Section B, page 24 for breakdown) |
| 338 | 590473 | | Rewind Starter (Refer to Division 5, Section C, page 29 for breakdown) |
| 343 | 33239A | | Gasket Set (Incl. items marked*) |

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983

Page 5 of 8




For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 $_{\rm Page~6~of~8}$ Engine Parts List #2

| Ref # | Part Number | Otv | Description |
|-------|-------------|-----|--|
| | 650489 | | Screw, 1/4-20 x 5/8" |
| | 27793 | | Clip, Conduit (Use as required) |
| | 28942 | | Screw, 10-32 x 3/8" (Use as required) |
| | 650128 | | Screw, 10-24 x 1/2" |
| | 29716 | | Screw, 1/4-28 x 7/16" |
| | 30824 | | Link, Throttle |
| | 650815 | | Washer, Belleville |
| | 8116 | | Nut, Hex |
| | 33013 | | Cover, Bubble |
| | 650736 | | Screw, 10-16 x 3/8" |
| | 610118 | | Cover, Spark plug (Use as required) |
| | 33109A | | Control Bracket (Incl. 224 & 274) |
| | 30826 | | Spring, Extension |
| | 650257 | | Screw, 8-32 x 5/16" |
| | 33134 | | Cover, Carburetor |
| | 32398 | | Bracket, Choke |
| | 28820 | | Screw, 10-32 x 1/2" |
| | 650765 | | Screw, 10-32 x 1/2" |
| | 650760 | | Screw, 8-32 x 3/8" |
| | 650764 | | Nut, "U" Type (Use as required) |
| | 610973 | | Terminal Ass'y. (As req. on late prod uction) |
| 282 | 32397 | | Plate Assy., Choke |
| 283 | 32399 | | Spring, Choke stop |
| 284 | 32400 | | Knob, Choke |
| 292 | 31680 | | Guard, Starter |
| 293 | 32576 | | Seal, Snow guard |
| 331G | 31683 | | Decal, Choke |
| 331 | 32679 | | Decal, 7 HP |
| 331H | 31682 | | Decal, Instruction |
| 331E | 35344 | | Decal, Control |
| 338 | 590473 | | Rewind Starter (Refer to Division 5, Section C, page 29 for |
| | | | breakdown) |
| 340 | 33328D | | Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#342). Refer to service number stamped on end cap of motor, or on decal, for identifica |
| 342 | 30811A | | Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above) |
| 342 | 611042 | | Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using 110-120 volt starter kits listed above) |
| 342 | 611085 | | Flywheel (Minimum ring gear flywheel required on engines using 110-120 volt starter kits listed above) (Use withSolid State ignition) |

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983

Page 7 of 8



www.mymowerparts.com

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 $_{\rm Page~8~of~8}$ Engine Parts List #3

| Ref # | Part Number | Qty Description |
|--|--|--|
| 27 36 36 36 38 42 42 50 | 27513 650697A 650695A 650694A 27896A 26073 650691 650548 30319 32326A | Lockwasher, 1/4" (Use as required) Screw, 5/16-18 x 2-1/2" (Use as requi red) Screw, 5/16-18 x 2-1/4" (Use as requi red) Screw, 5/16-18 x 2" (Use as required) * Gasket, Breather cover Washer (Use as required) Washer, Flat (Use as required) Screw, 8-32 x 5/16" Rivet, Split (Used in early production) Lever, Governor (New lever does not need 1 of 51,66,132,164,165,207) |
| 57 58 59 61 66 | 30205 730130 30196 29216 29826 29918 730561 | Bracket, Adjusting Exh.Adap.Kit (Incl. 58 & 125) (Use as req.) Screw, 5/16-18 x 3/4" (Use as require d) Nut, Lock, 10-32 Screw, 10-32 x 3/4" Lockwasher, #8 E.T. Air cleaner kit (Incl. 38, 67A, 83, 84B, 85,89B, 89C, 90A, 91, 91A, 91B, 91C, 91D, 245 & 331B) (Use only on engines with an externally vented fully adjustable carburetor) |
| | 730127 34819 | Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89A, 90, 238 & 331B) (Use as required) Air Cleaner Elbow (Incl. 84B, 86A, 91, 91A, 91B & 91C) (Use in 730561 assembly only) NOTE: 130010 thru 10C & 11 |
| 111B 113 116 118 118 118 125 126 128 132 146 148 148 202 203 | 391026 33353 650561 33352A 29774 30705 30962 27930A 30196 650694A 650548 792020 34067 34069 31288 650697A 6021A 26460 | used in early production only. Opt. Spark Arrest Muffler (Incl.196,1 97,199) Bracket, Lower fuel tank Screw, 1/4-20 x 5/8" Plate, Upper fuel tank mounting Fuel Line (Braided 8-1/4" 21 cm)(Use as req.) Fuel Line (Braided 16") (41 cm) (Use as req.) Fuel Line (Braided 32") (81 cm) (Use as req.) Gasket, Exhaust Screw, 5/16-18 x 3/4" Screw, 5/16-18 x 2" (Use as required) Screw, 8-32 x 5/16" (Early production) Screw, 1/4-20 x 2-1/4" Wire Assy., Alternator adapter (4-1/4") Wire Assy., Alternator adapter (6-3/4") Exh. Adaptor Kit (Incl.125,203,204) (As req.) Screw, 5/16-18 x 2-1/2" (Use as required) Screw, 5/16-18 x 1-1/2" (Use as required) Clamp, Fuel line |