
For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 H70-130182A Page 1 of 8



www.mymowerparts.com

| Ref # Part Number | Qty Description |
|----------------------|--|
| 1 32586C | Cylinder (Incl. 2, 3, 4 & 76) (2-3/4" Bore) |
| 2 27652 | Pin, Dowel |
| 3 27642 | Plug, Oil drain |
| 4 32630 | Seal, Oil |
| 5 32783 | Intake Valve (Std.) (Incl. 9) |
| 5 32784 | Intake Valve (1/32" OS) (Incl. 9) |
| 6 27878A | Exhaust Valve (Std.) (Incl. 9) |
| 6 27880A | Exhaust Valve (1/32" OS) (Incl. 9) |
| 7 27882 | Cap, Upper valve spring |
| 7A 20810 | Pin, Valve spring retainer (Use as re quired) |
| 8A 27881 | Spring, Valve |
| 8 27881 | Spring, Valve |
| 9A 32581 | Cap, Lower valve spring |
| 9 32581 | Cap, Lower valve spring |
| 10A 32590 | Plate, Lock & Oil dipper (This plate may be replaced by |
| | 34242 oil dipper but 650662C screw must be used.) |
| 10 34242 | Dipper, Oil |
| 11 32587 | Crankshaft (Incl. 12 & 13) |
| 12 29783 | Crankshaft Gear Pin (Early production) |
| 13 27884 | Gear, Crankshaft (Used in early production) This gear is |
| | servicable onlywhen it is pinned to the crankshaft. |
| 14A 32592B | Piston & Pin Ass'y. (Std.)(2-3/4")(In cl.16) |
| 14A 32593B | Piston & Pin Ass'y. (.010" OS) (Incl. 16) |
| 14A 32594B | Piston & Pin Ass'y. (.020" OS) (Incl. 16) |
| 14 34517 | Piston, Pin & Ring Set (Std.) (2-3/4" Bore) |
| 14 34518 | Piston, Pin & Ring Set (.010" OS) |
| 14 34519 | Piston, Pin & Ring Set (.020" OS) |
| 15 32595 | Ring Set (Std.) (2-3/4" Bore) |
| 15 32596 | Ring Set (.010" OS) |
| 15 32597 | Ring Set (.020" OS) |
| 16 27888 | Ring, Piston pin retaining |
| 17 32591C | Rod Assy., Connecting (Incl. 10 & 18) |
| 18 650662C | Screw, Connecting rod (2 each) |
| 21 32115 22 34034 | Camshaft (MCR) Lifter, Valve |
| 23 31303B | Cover, Cylinder (Incl. 24, 106 & 279) |
| 24B 31546 | Bushing, Crankshaft (Use as required) |
| 24 28427 | Seal, Oil |
| 25 29668 | Dipstick, Oil (Incl. 30) |
| 26 30684 | * Gasket, Cylinder cover |
| 28 650488 | Screw, 1/4-20 x 1-1/4" |
| 30 29673 | * Gasket, Oil filler |
| 31 650489 | Screw, 1/4-20 x 5/8" |
| 32 32631A | * Gasket, Cylinder head |
| 33 30938A | Head, Cylinder |
| 34 27793 | Clip, Conduit (Use as required) |
| 35 28942 | Screw, 10-32 x 3/8" (Use as required) |
| 36 650697A | Screw, 5/16-18 x 2-1/2" (Use as requi red) |
| 36 650695A | Screw, 5/16-18 x 2-1/4" (Use as requi red) |
| 36 650694A | Screw, 5/16-18 x 2" (Use as required) |
| 37 33636 | Resistor Spark Plug (RJ-8C) |
| 37 34251 | Resistor Spark Plug |
| 38 27896A | * Gasket, Breather cover |
| 39 28423 | Body, Breather |
| 40 28424 | Element, Breather |
| 41 28425 | Cover, Valve spring |
| 42A 650690 | Washer, Belleville (Use as required) |

Washer, Belleville (Use as required)

WWW.mymowerparts.com

| Ref # | Part Number G | aty Description |
|-----------|---------------|--|
| | 26073 | Washer (Use as required) |
| | 650691 | Washer, Flat (Use as required) |
| | 650128 | Screw, 10-24 x 1/2" |
| | 27915A | * Gasket, Intake |
| | 30195A | Flange, Carburetor (Incl. 79 & 80) |
| | 30196 | |
| | | Screw, 5/16-18 x 3/4" |
| | 29716 | Screw, 1/4-28 x 7/16" |
| | 650548 | Screw, 8-32 x 5/16" |
| 52 | 32326A | Lever, Governor (New lever does not need 1 of |
| | | 51,66,132,164,165,207) |
| 55 | 30205 | Bracket, Adjusting |
| | 30824 | Link, Throttle |
| | 29216 | Nut, Lock, 10-32 |
| | 650152 | Screw, 8-32 x 3/8" |
| | 29826 | Screw, 10-32 x 3/4" |
| | 29642 | |
| | | Ring, Retaining |
| | 30699C | Rod Assy., Governor (Incl. 64 & 65) |
| 63 | 30699B | Governor Rod Ass'y. (This one-piece governor rodis no longer |
| | | used. It is replaced by 30699C ass'y.,Ref. no. 63A) |
| 64 | 30700 | Yoke, Governor |
| | 650494 | Screw, 6-40 x 5/16" |
| | 29918 | Lockwasher, #8 E.T. |
| | 35350 | Tube, Breather |
| | 29747B | Screw, 5/16-24 x 21/32" |
| | 32158E | |
| | | Blower Housing (For elec.star.)(Incl. 134,135) |
| | 650815 | Washer, Belleville |
| | 8116 | Nut, Hex |
| /3 | 29536 | Blower Housing Baffle (without electric starter knock-out) |
| | | (Use as required) |
| 73 | 35256A | Blower Housing Baffle (with electric starter knock-out) (Use |
| | | as required) (Point Ignition) |
| 74 | 650561 | Scrow 1/4 20 v 5/9" |
| | | Screw, 1/4-20 x 5/8" |
| | 31688A | * Gasket, Carburetor |
| | 29752 | Nut & Lockwasher Assy., 1/4-28 |
| | 650572 | Screw, 1/4-28 x 1-1/8" |
| 82A | 730164 | Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89, 90A & 331B) |
| | | (Use as required) |
| 83 | 27272A | * Gasket, Air cleaner |
| | 31691 | Bracket, Air cleaner NOTE: 130010 thru 10C & 11 used in |
| <i>31</i> | | early production only. |
| | | • |
| | 650521 | Screw, 10-32 x 1-1/8" |
| | 30727 | Element, Air cleaner |
| | 31715 | Body, Air cleaner |
| | 31902 | Ground Wire |
| 98 | 28569 | Spring, Compression |
| 99 | 29500 | Screw, 8-32 x 3/4" |
| | 31757 | Base, Engine mounting |
| | 31845 | Shaft, Mechanical governor |
| | 30591 | Gear Assy., Governor (Incl. 109) |
| | 30588A | Spool, Governor |
| | 30590A | Washer, Flat |
| | 29193 | Ring, Retaining |
| | 30063 | Screw, 1/4-20 x 1/2" |
| | | |
| 115 | 410144B | Fuel Cap (White Plastic)(Std)(As requ ired) |


www.mymowerparts.com

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 $_{\rm Page\ 4\ of\ 8}$ Engine Parts List #1

| Ref # | Part Number Qty | Description |
|-------|------------------|---|
| 115 | 33032 | Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile) (Use as required) |
| 115 | 34210 | Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as required) |
| 118 | 35355 29774 | Fuel Cap (Use as required) Fuel Line (Braided 8-1/4" 21 cm)(Use as req.) |
| 118 | 30705 30962 | Fuel Line (Braided 16") (41 cm) (Use as req.) Fuel Line (Braided 32") (81 cm) (Use as req.) |
| 121 | 650128 30622A | Screw, 10-24 x 1/2" (Use as required) Extension, Blower housing |
| 127 | 650542 26073 | Screw, 5/16-18 x 3/4" Washer (Use as required) |
| 129 | 650694A 32589 | Screw, 5/16-18 x 2" (Use as required) Key, Flywheel |
| 131 | 31843A 650836 | Bracket, Governor gear Screw, 10-24 x 1/2" |
| 149 | 650493 30747 | Screw, 1/4-20 x 1-3/4" Clip, Shorting |
| 205 | 610118 650561 | Cover, Spark plug (Use as required) Screw, 1/4-20 x 5/8" (Use as required) |
| 246 | 30939A 32125 | Cover, Cylinder head Cup, Starter |
| 266 | 590417 26460 | Screen, Starter cup Clamp, Fuel line |
| 274 | 31461 610973 | Bushing, Crankshaft (Use as required) Terminal Ass'y. (As req. on late prod uction) |
| 287 | 27275 34246 | Clip, Hi-tension wire (Use as require d) Clip, Ground wire (Use as required) |
| 331A | 31752 34346 | Decal, Air cleaner Decal, Instruction |
| 333 | 30547A 30548B | Contact Assy., Breaker Condenser |
| | 631021 631454 | Inlet Needle, Seat & Clip Assy. Carburetor (Incl. 75) (Refer to Division 5, Section A, page 100 for breakdown) |
| 337 | 610689A | Magneto NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as show in parts list. (Refer to Division 5, Section B, page 24 for breakdown) |
| 338 | 590420 | Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown) |
| 343 | 33239A | Gasket Set (Incl. items marked*) |

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983

Page 5 of 8



www.mymowerparts.com

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 $_{\rm Page~6~of~8}$ Engine Parts List #2


| Ref # | Part Number | Qtv | Description |
|-------|-------------|-----|--|
| | 650489 | , | Screw, 1/4-20 x 5/8" |
| 34 | 27793 | | Clip, Conduit (Use as required) |
| | 28942 | | Screw, 10-32 x 3/8" (Use as required) |
| 43A | 650128 | | Screw, 10-24 x 1/2" |
| 48 | 29716 | | Screw, 1/4-28 x 7/16" |
| 56 | 30824 | | Link, Throttle |
| 71 | 650815 | | Washer, Belleville |
| 72 | 8116 | | Nut, Hex |
| 98 | 28569 | | Spring, Compression |
| | 29500 | | Screw, 8-32 x 3/4" |
| | 610118 | | Cover, Spark plug (Use as required) |
| | 33110A | | Control Bracket (Incl. 224 & 274) |
| | 30826 | | Spring, Extension |
| | 30820 | | Baffle, Heat |
| | 28942 | | Screw, 10-32 x 3/8" |
| | 650764 | | Nut, "U" Type (Use as required) |
| | 32203 | | Air cleaner, Starter |
| | 32204 | | Bracket, Starter air cleaner |
| | 610973 | | Terminal Ass'y. (As req. on late prod uction) |
| | 32179 | | Decal, "Super Start" |
| 338 | 590420 | | Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown) |
| 340 | 33328D | | Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#342). Refer to service number stamped on end cap of motor, or on decal, for identifica |
| 342 | 30811A | | Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above) |
| 342 | 611042 | | Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using 110-120 volt starter kits listed above) |
| 342 | 611085 | | Flywheel (Minimum ring gear flywheel required on engines using 110-120 volt starter kits listed above) (Use withSolid State ignition) |

www.mymowerparts.com

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983

Page 7 of 8

Engine Parts List #3



www.mymowerparts.com

| D.(!! | Det Marilan | 01 | Description |
|-----------|-------------|-----|--|
| | | Qty | Description 1/4 / / / / / / / / / / / / / / / / / / |
| | 27513 | | Lockwasher, 1/4" (Use as required) |
| | 650697A | | Screw, 5/16-18 x 2-1/2" (Use as requi red) |
| | 650695A | | Screw, 5/16-18 x 2-1/4" (Use as requi red) |
| | 650694A | | Screw, 5/16-18 x 2" (Use as required) |
| 38 | 27896A | | * Gasket, Breather cover |
| 42 | 26073 | | Washer (Use as required) |
| 42 | 650691 | | Washer, Flat (Use as required) |
| 50 | 650548 | | Screw, 8-32 x 5/16" |
| 51 | 30319 | | Rivet, Split (Used in early productio n) |
| 52 | 32326A | | Lever, Governor (New lever does not need 1 of |
| | | | 51,66,132,164,165,207) |
| 55 | 30205 | | Bracket, Adjusting |
| | 730130 | | Exh.Adap.Kit (Incl. 58 & 125) (Use as req.) |
| | 30196 | | Screw, 5/16-18 x 3/4" (Use as require d) |
| | 29216 | | Nut, Lock, 10-32 |
| | 29826 | | Screw, 10-32 x 3/4" |
| | 29918 | | Lockwasher, #8 E.T. |
| | 730127 | | Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89A, 90, 238 & |
| 02 | 100121 | | 331B) (Use as required) |
| 82B | 730561 | | Air cleaner kit (Incl. 38, 67A, 83, 84B, 85,89B, 89C, 90A, 91, |
| 020 | 730301 | | 91A, 91B, 91C, 91D, 245 & 331B) (Use only on engines with |
| | | | an externally vented fully adjustable carburetor) |
| | | | , |
| | 27272A | | * Gasket, Air cleaner |
| | 31431 | | Elbow, Air cleaner |
| 84D | 34819 | | Air Cleaner Elbow (Incl. 84B, 86A, 91, 91A, 91B & 91C) (Use |
| | | | in 730561 assembly only) |
| 85 | 650163 | | Screw, 10-32 x 7/8" |
| 88 | 650521 | | Screw, 10-32 x 1-1/8" |
| 90 | 31715 | | Body, Air cleaner |
| 101 | 29574 | | Muffler Elbow |
| | 30244 | | Muffler Nipple |
| | 391026 | | Opt. Spark Arrest Muffler (Incl.196,1 97,199) |
| | 29633 | | Muffler |
| | 32862 | | Conduit Nut |
| | 30063 | | Screw, 1/4-20 x 1/2" |
| | 29774 | | Fuel Line (Braided 8-1/4" 21 cm)(Use as req.) |
| | 30705 | | Fuel Line (Braided 16") (41 cm) (Use as req.) |
| | 30962 | | Fuel Line (Braided 32") (81 cm) (Use as req.) |
| | 650694A | | Screw, 5/16-18 x 2" (Use as required) |
| | 650548 | | Screw, 8-32 x 5/16" (Early production) |
| | 30936 | | Flange, Air cleaner |
| | 34067 | | Wire Assy., Alternator adapter (4-1/4 ") |
| | 34069 | | Wire Assy., Alternator adapter (6-3/4 ") |
| | 31288 | | Exh. Adaptor Kit (Incl.125,203,204) (As req.) |
| | 650697A | | Screw, 5/16-18 x 2-1/2" (Use as requi red) |
| | 6021A | | Screw, 5/16-18 x 1-1/2" (Use as requi red) |
| | 26460 | | Clamp, Fuel line |
| | 730512 | | Kit. Pre-cleaner (Incl 290 & 291) |
| | 31667 | | Spring, Pre-cleaner bag |
| | 31668 | | Bag, Pre-cleaner |
| | 31752 | | Decal, Air cleaner |
| | | | |