
For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983

H70-130196B Page 1 of 8 Engine Parts List #1



www.mymowerparts.com

	Part Number	Qty	Description
	32586C		Cylinder (Incl. 2, 3, 4 & 76) (2-3/4" Bore)
	27652		Pin, Dowel
	27642		Plug, Oil drain
	32630		Seal, Oil
	32783		Intake Valve (Std.) (Incl. 9)
	32784		Intake Valve (1/32" OS) (Incl. 9)
	27878A		Exhaust Valve (Std.) (Incl. 9)
	27880A		Exhaust Valve (1/32" OS) (Incl. 9)
7A	20810		Pin, Valve spring retainer (Use as re quired)
7	27882		Cap, Upper valve spring
8A	27881		Spring, Valve
8	27881		Spring, Valve
9A	32581		Cap, Lower valve spring
9	32581		Cap, Lower valve spring
10A	32590		Plate, Lock & Oil dipper (This plate may be replaced by
			34242 oil dipper but 650662C screw must be used.)
40	04040		,
	34242		Dipper, Oil
	32587		Crankshaft (Incl. 12 & 13)
	29783		Crankshaft Gear Pin (Early production)
13	27884		Gear, Crankshaft (Used in early production) This gear is
			servicable onlywhen it is pinned to the crankshaft.
14	34517		Piston, Pin & Ring Set (Std.) (2-3/4" Bore)
	34518		Piston, Pin & Ring Set (.010" OS)
	34519		Piston, Pin & Ring Set (.020" OS)
	32592B		Piston & Pin Ass'y. (Std.)(2-3/4")(In cl.16)
	32593B		Piston & Pin Ass'y. (.010" OS) (Incl. 16)
	32594B		Piston & Pin Ass'y. (.020" OS) (Incl. 16)
	32595		Ring Set (Std.) (2-3/4" Bore)
	32596		Ring Set (.010" OS)
	32597		Ring Set (.020" OS)
	27888		Ring, Piston pin retaining
	32591C		Rod Assy., Connecting (Incl. 10 & 18)
	650662C		Screw, Connecting rod (2 each)
	32115		Camshaft (MCR)
	34034		Lifter, Valve
	31303B		Cover, Cylinder (Incl. 24, 106 & 279)
	31546		Bushing, Crankshaft (Use as required)
	28427		Seal, Oil
	34011A		Dipstick, Oil (Incl. 30)
	33893A		Tube, Oil filler * Coolect Culinder cover
	30684 650488		* Gasket, Cylinder cover
	650488		Screw, 1/4-20 x 1-1/4"
	33590		"O" Ring
	650489		Screw, 1/4-20 x 5/8" * Coolean Colling on bood
	32631A		* Gasket, Cylinder head
	30938A		Head, Cylinder
	27793		Clip, Conduit (Use as required)
	28942		Screw, 10-32 x 3/8" (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as required)
	650695A		Screw, 5/16-18 x 2-1/4" (Use as required)
	650694A		Screw, 5/16-18 x 2" (Use as required)
	33636		Resistor Spark Plug (RJ-8C)
	34251		Resistor Spark Plug
	27896A		* Gasket, Breather cover
	28423		Body, Breather
	28424		Element, Breather
41	28425		Cover, Valve spring
	11111111 1011100	X X 7	177117T() ()()777

Cover, Valve spring WWW.mymowerparts.com

Pof #	Part Number	Otv.	Description
	26073	Qty	Washer (Use as required)
	650691		Washer, Flat (Use as required)
	650690		Washer, Belleville (Use as required)
	650128		Screw, 10-24 x 1/2"
			•
	27915A		* Gasket, Intake
	30195A		Flange, Carburetor (Incl. 79 & 80)
	30196		Screw, 5/16-18 x 3/4"
	650548		Screw, 8-32 x 5/16"
52	32326A		Lever, Governor (New lever does not need 1 of
			51,66,132,164,165,207)
55	30205		Bracket, Adjusting
	30206		Link, Throttle
	29216		Nut, Lock, 10-32
	650152		Screw, 8-32 x 3/8"
	29826		Screw, 10-32 x 3/4"
	29642		Ring, Retaining
	30699B		Governor Rod Ass'y. (This one-piece governor rodis no longer
00	000002		used. It is replaced by 30699C ass'y.,Ref. no. 63A)
	<u>-</u>		
	30699C		Rod Assy., Governor (Incl. 64 & 65)
	30700		Yoke, Governor
	650494		Screw, 6-40 x 5/16"
	29918		Lockwasher, #8 E.T.
	35350_		Tube, Breather
	29747B		Screw, 5/16-24 x 21/32"
	31754A		Housing, Blower
	650815		Washer, Belleville
	8116		Nut, Hex
73	29536		Blower Housing Baffle (without electric starter knock-out)
			(Use as required)
73	35256A		Blower Housing Baffle (with electric starter knock-out) (Use
			as required) (Point Ignition)
74	650561		Screw, 1/4-20 x 5/8"
	31688A		* Gasket, Carburetor
	29752		Nut & Lockwasher Assy., 1/4-28
	650572		Screw, 1/4-28 x 1-1/8"
	730164		Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89, 90A & 331B)
021	700101		(Use as required)
00	070704		,
	27272A		* Gasket, Air cleaner
8/	31691		Bracket, Air cleaner NOTE: 130010 thru 10C & 11 used in
			early production only.
88	28820		Screw, 10-32 x 1/2"
88	650521		Screw, 10-32 x 1-1/8"
89	30727		Element, Air cleaner
90	31715		Body, Air cleaner
97	31902		Ground Wire
98	32924		Spring, Compression
99	650688		Screw, 10-32 x 1"
	31757		Base, Engine mounting
	31845		Shaft, Mechanical governor
	30591		Gear Assy., Governor (Incl. 109)
	30588A		Spool, Governor
	30590A		Washer, Flat
	29193		Ring, Retaining
	30063		Screw, 1/4-20 x 1/2"
	410144B		Fuel Cap (White Plastic)(Std)(As requ ired)
	www mumo	***	

Fuel Cap (White Plastic)(Std)(As requ ired)

WWW.mymowerparts.com

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 $_{\mathrm{Page}\,4\,\mathrm{of}\,8}$

Engine Parts List #1

343 33239A

	Part Number Qty	
115	33032	Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile) (Use as required)
115	34210	Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as required)
118 118	35355 29774 30705 30962	Fuel Cap (Use as required) Fuel Line (Braided 8-1/4" 21 cm)(Use as req.) Fuel Line (Braided 16") (41 cm) (Use as req.) Fuel Line (Braided 32") (81 cm) (Use as req.)
120	650128 30622A	Screw, 10-24 x 1/2" (Use as required) Extension, Blower housing
127	650542 26073	Screw, 5/16-18 x 3/4" Washer (Use as required)
129	650694A 32589	Screw, 5/16-18 x 2" (Use as required) Key, Flywheel
131	31843A 650836 650493	Bracket, Governor gear Screw, 10-24 x 1/2" Screw, 1/4-20 x 1-3/4"
139	30972 30747	Bracket, Choke control Clip, Shorting
193	610118 650561	Cover, Spark plug (Use as required) Screw, 1/4-20 x 5/8" (Use as required)
266	30939A 26460	Cover, Cylinder head Clamp, Fuel line
274	31461 610973 27275	Bushing, Crankshaft (Use as required) Terminal Ass'y. (As req. on late prod uction) Clip Littension wire (Use as required)
287	27275 34246 31752	Clip, Hi-tension wire (Use as require d) Clip, Ground wire (Use as required) Decal, Air cleaner
331A	34346 30547A	Decal, Instruction Contact Assy., Breaker
333	30548B 631021	Condenser Inlet Needle, Seat & Clip Assy.
	631453	Carburetor (Incl. 75) (Refer to Division 5, Section A, page 100 for breakdown)
337	610689A	Magneto NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference

www.mymowerparts.com


breakdown)

Gasket Set (Incl. items marked*)

purposes only. Order component parts individually, as show in parts list. (Refer to Division 5, Section B, page 24 for

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983
Page 5 of 8

Engine Parts List #2




www.mymowerparts.com

31 34 35 43A 56 71 72 92A 92 92C 92B 93 93A 94A 94 95 96 98	Part Number 650489 27793 28942 650128 30206 650815 8116 650399 30312 31879 30712 29530 28562 33450 30199A 30202 30201A 32924 650688 610118 730152	Screw, 1/4-20 x 5/8" Clip, Conduit (Use as required) Screw, 10-32 x 3/8" (Use as required) Screw, 10-24 x 1/2" Link, Throttle Washer, Belleville Nut, Hex Screw, 10-32 x 5/8" (Supplied by OEM) Screw, 10-32 x 1/2" Link, Governor lever-to-bellcrank Lever, Bellcrank Bushing, Bellcrank Bushing, RPM adjusting lever Nut, Lock Bracket, Speed control (Incl. 98 & 99) Spring, Extension Lever, Speed control Spring, Compression Screw, 10-32 x 1" Cover, Spark plug (Use as required) Control Bracket (Incl. 92, 92A, 92B,93, 93A,94, 95, 95A & 96)
274 314 315 316 317 318 319 320A 320 331D	650764 610973 650597 27261 28942 31755 650583 31880 31756 31753 32187 33328D	Nut, "U" Type (Use as required) Terminal Ass'y. (As req. on late prod uction) Screw, 10-24 x 5/8" Washer Screw, 10-32 x 3/8" Bracket, Guard Washer, Flat Spacer, Screen Screen, Air Pulley, Rope starter Decal, "Super Start" Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#342). Refer to service number stamped on end cap of motor, or on decal, for identifica
342	30811A	Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above)
342	611042	Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using 110-120 volt starter kits listed above)
342	611085	Flywheel (Minimum ring gear flywheel required on engines using 110-120 volt starter kits listed above) (Use withSolid State ignition)

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983

Page 7 of 8

Engine Parts List #3



www.mymowerparts.com

Ref #	Part Number C	Qty Description
36 36 38 42 42 50 51 52	27513 650697A 650695A 650694A 27896A 26073 650691 650548 30319 32326A	Lockwasher, 1/4" (Use as required) Screw, 5/16-18 x 2-1/2" (Use as requi red) Screw, 5/16-18 x 2-1/4" (Use as requi red) Screw, 5/16-18 x 2" (Use as required) * Gasket, Breather cover Washer (Use as required) Washer, Flat (Use as required) Screw, 8-32 x 5/16" Rivet, Split (Used in early production) Lever, Governor (New lever does not need 1 of 51,66,132,164,165,207)
57 58 59 61 66	30205 730130 30196 29216 29826 29918 730127	Bracket, Adjusting Exh.Adap.Kit (Incl. 58 & 125) (Use as req.) Screw, 5/16-18 x 3/4" (Use as require d) Nut, Lock, 10-32 Screw, 10-32 x 3/4" Lockwasher, #8 E.T. Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89A, 90, 238 & 331B) (Use as required)
82B	730561	Air cleaner kit (Incl. 38, 67A, 83, 84B, 85,89B, 89C, 90A, 91, 91A, 91B, 91C, 91D, 245 & 331B) (Use only on engines with an externally vented fully adjustable carburetor)
	27272A 34819	* Gasket, Air cleaner Air Cleaner Elbow (Incl. 84B, 86A, 91, 91A, 91B & 91C) (Use in 730561 assembly only)
88 88 90 101 102 103A 103E 104 113 118 118 118 128 132 148 148 202 203 204 266 289 290 291	31988 28820 650521 31715 29574 30244 29633 391026 32862 30063 29774 30705 30962 650694A 650548 34067 34069 31288 650697A 6021A 26460 730512 31667 31668 31752	Elbow, Air cleaner Screw, 10-32 x 1/2" Screw, 10-32 x 1-1/8" Body, Air cleaner Muffler Elbow Muffler Nipple Muffler Opt. Spark Arrest Muffler (Incl.196,1 97,199) Conduit Nut Screw, 1/4-20 x 1/2" Fuel Line (Braided 8-1/4" 21 cm)(Use as req.) Fuel Line (Braided 16") (41 cm) (Use as req.) Fuel Line (Braided 32") (81 cm) (Use as req.) Screw, 5/16-18 x 2" (Use as required) Screw, 8-32 x 5/16" (Early production) Wire Assy., Alternator adapter (4-1/4") Wire Assy., Alternator adapter (6-3/4") Exh. Adaptor Kit (Incl.125,203,204) (As req.) Screw, 5/16-18 x 2-1/2" (Use as requi red) Screw, 5/16-18 x 1-1/2" (Use as requi red) Clamp, Fuel line Kit. Pre-cleaner (Incl 290 & 291) Spring, Pre-cleaner Decal, Air cleaner