
For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 H70-130201B Engine Parts List #1



www.mymowerparts.com

| Ref # | Part Number       | Qty Description   |
|-------|-------------------|---|
| 1     | 32586C            | Cylinder (Incl. 2, 3, 4 & 76) (2-3/4" Bore)   |
| 2     | 27652             | Pin, Dowel  |
| 3     | 27642             | Plug, Oil drain   |
| 4     | 32630             | Seal, Oil   |
| 5     | 32783             | Intake Valve (Std.) (Incl. 9)   |
| 5     | 32784             | Intake Valve (1/32" OS) (Incl. 9)   |
| 6     | 27878A            | Exhaust Valve (Std.) (Incl. 9)  |
| 6     | 27880A            | Exhaust Valve (1/32" OS) (Incl. 9)  |
| 7     | 27882             | Cap, Upper valve spring   |
| 7A    | 20810             | Pin, Valve spring retainer (Use as re quired)                                       |
| 8     | 27881             | Spring, Valve   |
| 8A    | 27881             | Spring, Valve   |
| 9     | 32581             | Cap, Lower valve spring   |
| 9A    | 32581             | Cap, Lower valve spring   |
| 10A   | 32590             | Plate, Lock & Oil dipper (This plate may be replaced by                             |
|       |                   | 34242 oil dipper but 650662C screw must be used.)                                   |
| 10    | 34242             | Dipper, Oil   |
| 11    | 32670             | Crankshaft (Incl. 12 & 13)  |
|       | 29783             | Crankshaft Gear Pin (Early production)  |
| 13    | 27884             | Gear, Crankshaft (Used in early production) This gear is                            |
|       |                   | servicable onlywhen it is pinned to the crankshaft.                                 |
| 14A   | 32592B            | Piston & Pin Ass'y. (Std.)(2-3/4")(In cl.16)  |
|       | 32593B            | Piston & Pin Ass'y. (.010" OS) (Incl. 16)   |
| 14A   | 32594B            | Piston & Pin Ass'y. (.020" OS) (Incl. 16)   |
| 14    | 34517             | Piston, Pin & Ring Set (Std.) (2-3/4" Bore)   |
| 14    | 34518             | Piston, Pin & Ring Set (.010" OS)   |
| 14    | 34519             | Piston, Pin & Ring Set (.020" OS)   |
| 15    | 32595             | Ring Set (Std.) (2-3/4" Bore)   |
| 15    | 32596             | Ring Set (.010" OS)   |
|       | 32597             | Ring Set (.020" OS)   |
|       | 27888             | Ring, Piston pin retaining  |
|       | 32591C            | Rod Assy., Connecting (Incl. 10 & 18)   |
|       | 650662C           | Screw, Connecting rod (2 each)  |
|       | 32115             | Camshaft (MCR)  |
|       | 34034             | Lifter, Valve   |
|       | 31303B            | Cover, Cylinder (Incl. 24, 106 & 279)   |
|       | 31546             | Bushing, Crankshaft (Use as required)   |
|       | 28427             | Seal, Oil   |
|       | 34011A            | Dipstick, Oil (Incl. 30)  |
|       | 33893A            | Tube, Oil filler  |
|       | 30684             | * Gasket, Cylinder cover  |
|       | 650488            | Screw, 1/4-20 x 1-1/4"  |
|       | 33590             | "O" Ring  |
|       | 650489<br>23631 A | Screw, 1/4-20 x 5/8"<br>* Context Outinder based                                    |
|       | 32631A            | * Gasket, Cylinder head   |
|       | 30938A<br>27703   | Head, Cylinder  |
|       | 27793<br>28942    | Clip, Conduit (Use as required)   |
|       | 650697A           | Screw, 10-32 x 3/8" (Use as required)<br>Screw, 5/16-18 x 2-1/2" (Use as requi red) |
|       | 650695A           | Screw, 5/16-18 x 2-1/2" (Use as required)   |
|       | 650694A           | Screw, $5/16-18 \times 2^{\circ}$ (Use as required)                                 |
|       | 33636             | Resistor Spark Plug (RJ-8C)   |
|       | 34251             | Resistor Spark Plug   |
|       | 27896A            | * Gasket, Breather cover  |
|       | 28423             | Body, Breather  |
|       | 28424             | Element, Breather   |
|       | 28425             | Cover, Valve spring   |
| 17-   |                   | werparts.com  |

|     | Dout Numer or           | <u></u> | Description  |
|-----|-------------------------|---------|--|
|     | Part Number 0<br>650690 |         | Description<br>Washer, Belleville (Use as required)          |
|     | 26073                   |         |  |
|     |                         |         | Washer (Use as required)                                     |
|     | 650691                  |         | Washer, Flat (Use as required)                               |
|     | 650128                  |         | Screw, 10-24 x 1/2"  |
|     | 27915A                  |         | * Gasket, Intake   |
|     | 30195A                  |         | Flange, Carburetor (Incl. 79 & 80)                           |
|     | 30196                   |         | Screw, 5/16-18 x 3/4"  |
| 48  | 29716                   |         | Screw, 1/4-28 x 7/16"  |
| 50  | 650548                  |         | Screw, 8-32 x 5/16"  |
| 52  | 32326A                  |         | Lever, Governor (New lever does not need 1 of                |
|     |                         |         | 51,66,132,164,165,207)                                       |
| 55  | 30205                   |         | Bracket, Adjusting   |
|     | 32327                   |         | Link, Throttle   |
|     | 29216                   |         | Nut, Lock, 10-32   |
|     | 650152                  |         | Screw, 8-32 x 3/8"   |
|     |                         |         |  |
|     | 29826                   |         | Screw, 10-32 x 3/4"  |
|     | 29642                   |         | Ring, Retaining  |
| 63  | 30699B                  |         | Governor Rod Ass'y. (This one-piece governor rodis no longer |
|     |                         |         | used. It is replaced by 30699C ass'y.,Ref. no. 63A)          |
| 63A | 30699C                  |         | Rod Assy., Governor (Incl. 64 & 65)                          |
|     | 30700                   |         | Yoke, Governor   |
|     | 650494                  |         | Screw, 6-40 x 5/16"  |
|     | 29918                   |         | Lockwasher, #8 E.T.  |
|     | 35350                   |         | Tube, Breather   |
|     | 29747B                  |         | Screw, 5/16-24 x 21/32"                                      |
|     | 32158E                  |         |  |
|     |                         |         | Blower Housing (For elec.star.)(Incl. 134,135)               |
|     | 650815                  |         | Washer, Belleville   |
|     | 8116                    |         | Nut, Hex   |
| 73  | 29536                   |         | Blower Housing Baffle (without electric starter knock-out)   |
|     |                         |         | (Use as required)  |
| 73  | 35256A                  |         | Blower Housing Baffle (with electric starter knock-out) (Use |
|     |                         |         | as required) (Point Ignition)                                |
| 74  | 650561                  |         | Screw, 1/4-20 x 5/8"   |
|     | 31688A                  |         | * Gasket, Carburetor   |
|     | 29752                   |         | Nut & Lockwasher Assy., 1/4-28                               |
|     | 650572                  |         | Screw, 1/4-28 x 1-1/8"                                       |
|     | 730164                  |         | Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89, 90A & 331B)    |
| 02A | 730104                  |         | (Use as required)  |
|     |                         |         |  |
|     | 27272A                  |         | * Gasket, Air cleaner  |
| 87  | 31691                   |         | Bracket, Air cleaner NOTE: 130010 thru 10C & 11 used in      |
|     |                         |         | early production only.                                       |
| 88  | 28820                   |         | Screw, 10-32 x 1/2"  |
|     | 30727                   |         | Element, Air cleaner   |
|     | 31715                   |         | Body, Air cleaner  |
|     | 29538                   |         | •  |
|     |                         |         | Base, Engine mounting  |
|     | 31845                   |         | Shaft, Mechanical governor                                   |
|     | 30591                   |         | Gear Assy., Governor (Incl. 109)                             |
|     | 30588A                  |         | Spool, Governor  |
|     | 30590A                  |         | Washer, Flat   |
|     | 29193                   |         | Ring, Retaining  |
| 113 | 650561                  |         | Screw, 1/4-20 x 5/8"   |
| 114 | 31301                   |         | Fuel Tank (Incl. 115)  |
|     | 410144B                 |         | Fuel Cap (White Plastic)(Std)(As required)                   |
|     |                         |         |  |


|     | Part Number     | Qty | Description   |
|-----|-----------------|-----|---|
| 115 | 33032           |     | Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile)<br>(Use as required)   |
| 115 | 34210           |     | Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as required)  |
| 115 | 35355           |     | Fuel Cap (Use as required)  |
|     | 28584           |     | Fitting, Fuel strainer & elbow  |
| 118 | 29774           |     | Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)   |
| 118 | 30705           |     | Fuel Line (Braided 16") (41 cm) (Use as req.)   |
| 118 | 30962           |     | Fuel Line (Braided 32") (81 cm) (Use as req.)   |
| 120 | 650128          |     | Screw, 10-24 x 1/2" (Use as required)   |
| 121 | 30622A          |     | Extension, Blower housing   |
|     | 650542          |     | Screw, 5/16-18 x 3/4"   |
|     | 27930A          |     | Gasket, Exhaust   |
|     | 30196           |     | Screw, 5/16-18 x 3/4"   |
|     | 26073           |     | Washer (Use as required)  |
|     | 650694A         |     | Screw, 5/16-18 x 2" (Use as required)   |
|     | 32589           |     | Key, Flywheel   |
|     | 31843A          |     | Bracket, Governor gear  |
|     | 650836          |     | Screw, 10-24 x 1/2"   |
|     | 650493          |     | Screw, 1/4-20 x 1-3/4"  |
|     | 30747           |     | Clip, Shorting  |
|     | 650890          |     | Lockwasher  |
|     | 610118          |     | Cover, Spark plug (Use as required)   |
|     | 650561          |     | Screw, 1/4-20 x 5/8" (Use as required )   |
|     | 30939A          |     | Cover, Cylinder head  |
|     | 32125<br>590417 |     | Cup, Starter  |
|     | 26460           |     | Screen, Starter cup<br>Clamp, Fuel line   |
|     | 31461           |     | Bushing, Crankshaft (Use as required)   |
|     | 610973          |     | Terminal Ass'y. (As req. on late prod uction)   |
|     | 27275           |     | Clip, Hi-tension wire (Use as require d)  |
|     | 34246           |     | Clip, Ground wire (Use as required)   |
|     | 31752           |     | Decal, Air cleaner  |
|     | 34346           |     | Decal, Instruction  |
|     | 30547A          |     | Contact Assy., Breaker  |
|     | 30548B          |     | Condenser   |
|     | 631021          |     | Inlet Needle, Seat & Clip Assy.   |
|     | 631453          |     | Carburetor (Incl. 75) (Refer to Division 5, Section A, page 100   |
|     |                 |     | for breakdown)  |
| 337 | 610689A         |     | Magneto NOTE: The complete magneto is not available as<br>an assembly. The magneto number is shown for reference<br>purposes only. Order component parts individually, as show<br>in parts list. (Refer to Division 5, Section B, page 24 for |
| 338 | 590420          |     | breakdown)<br>Rewind Starter (Refer to Division 5, Section C, page 25 for<br>breakdown)   |
| 343 | 33239A          |     | Gasket Set (Incl. items marked*)  |
|     |                 |     |   |

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 H70-130201B Engine Parts List #2



|     |        | Description   |
|-----|--------|---|
|     | 650489 | Screw, 1/4-20 x 5/8"  |
|     | 27793  | Clip, Conduit (Use as required)   |
|     | 28942  | Screw, 10-32 x 3/8" (Use as required)   |
| 43A | 650597 | Screw, 10-24 x 5/8"   |
| 48  | 29716  | Screw, 1/4-28 x 7/16"   |
| 53  | 32328  | Bracket, Speed adjusting (Incl. 239)  |
| 54  | 8269   | Washer, Lock (Can be purchased locall y)  |
| 56  | 32327  | Link, Throttle  |
| 71  | 650815 | Washer, Belleville  |
| 72  | 8116   | Nut, Hex  |
| 193 | 610118 | Cover, Spark plug (Use as required)   |
| 239 | 33450  | Nut, Lock   |
| 240 | 30845A | Bolt, Governor adjusting  |
| 241 | 30886A | Spring, Governor bolt   |
| 263 | 650764 | Nut, "U" Type (Use as required)   |
| 274 | 610973 | Terminal Ass'y. (As req. on late prod uction)   |
| 338 | 590420 | Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)  |
| 340 | 33328D | Starter Motor Kit (110-120 Volt) This 110-120 volt starter<br>motor kit may have been added to this engine. It can be<br>added only if cylinder hasdrilled and tapped starter mounting<br>bosses and a ring gear flywheel (see#342). Refer to service<br>number stamped on end cap of motor, or on decal, for<br>identifica |
| 342 | 30811A | Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above)   |
| 342 | 611042 | Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using 110-120 volt starter kits listed above)   |
| 342 | 611085 | Flywheel (Minimum ring gear flywheel required on engines<br>using 110-120 volt starter kits listed above) (Use withSolid<br>State ignition)   |

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 H70-130201B Engine Parts List #3



\_

| Ref # | Part Number | Qty | Description  |
|-------|-------------|-----|--|
| 27    | 27513       |     | Lockwasher, 1/4" (Use as required)   |
| 36    | 650697A     |     | Screw, 5/16-18 x 2-1/2" (Use as required)  |
| 36    | 650695A     |     | Screw, 5/16-18 x 2-1/4" (Use as required)  |
| 36    | 650694A     |     | Screw, 5/16-18 x 2" (Use as required)  |
|       | 27896A      |     | * Gasket, Breather cover   |
|       | 26073       |     | Washer (Use as required)   |
|       | 650691      |     | Washer, Flat (Use as required)   |
|       | 650548      |     | Screw, 8-32 x 5/16"  |
|       |             |     |  |
|       | 30319       |     | Rivet, Split (Used in early productio n)   |
| 52    | 32326A      |     | Lever, Governor (New lever does not need 1 of  |
|       |             |     | 51,66,132,164,165,207)   |
| 55    | 30205       |     | Bracket, Adjusting   |
|       | 730130      |     | Exh.Adap.Kit (Incl. 58 & 125) (Use as req.)  |
|       | 30196       |     | Screw, $5/16-18 \times 3/4$ " (Use as require d)   |
|       | 29216       |     | Nut, Lock, 10-32   |
|       | 29826       |     | Screw, 10-32 x 3/4"  |
|       | 29918       |     | Lockwasher, #8 E.T.  |
|       | 730561      |     |  |
| OZD   | 750501      |     | Air cleaner kit (Incl. 38, 67A, 83, 84B, 85,89B, 89C, 90A, 91, 01A, 04B, 04C, 04D, 245 & 231B) (I lease only on angines with |
|       |             |     | 91A, 91B, 91C, 91D, 245 & 331B) (Use only on engines with  |
|       |             |     | an externally vented fully adjustable carburetor)  |
| 82    | 730127      |     | Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89A, 90, 238 &   |
|       |             |     | 331B) (Use as required)  |
|       |             |     |  |
|       | 27272A      |     | * Gasket, Air cleaner  |
| 84D   | 34819       |     | Air Cleaner Elbow (Incl. 84B, 86A, 91, 91A, 91B & 91C) (Use  |
|       |             |     | in 730561 assembly only)   |
| 88    | 28820       |     | Screw, 10-32 x 1/2"  |
|       | 31715       |     | Body, Air cleaner  |
|       | 391026      |     | Opt. Spark Arrest Muffler (Incl.196,1 97,199)  |
|       | 31694       |     | Bracket, Fuel tank   |
|       |             |     |  |
|       | 650561      |     | Screw, 1/4-20 x 5/8"   |
|       | 29774       |     | Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)  |
|       | 30705       |     | Fuel Line (Braided 16") (41 cm) (Use as req.)  |
|       | 30962       |     | Fuel Line (Braided 32") (81 cm) (Use as req.)  |
|       | 27930A      |     | Gasket, Exhaust  |
|       | 30196       |     | Screw, 5/16-18 x 3/4"  |
|       | 650694A     |     | Screw, 5/16-18 x 2" (Use as required)  |
|       | 650548      |     | Screw, 8-32 x 5/16" (Early production )  |
|       | 34067       |     | Wire Assy., Alternator adapter (4-1/4 ")   |
| 148   | 34069       |     | Wire Assy., Alternator adapter (6-3/4 ")   |
| 189   | 6201        |     | Screw, 1/4-28 x 7/8"   |
| 202   | 31288       |     | Exh. Adaptor Kit (Incl.125,203,204) ( As req.)   |
| 203   | 650697A     |     | Screw, 5/16-18 x 2-1/2" (Use as required)  |
|       | 6021A       |     | Screw, 5/16-18 x 1-1/2" (Use as required)  |
|       | 29752       |     | Nut, Lock  |
|       | 26460       |     | Clamp, Fuel line   |
|       | 31697       |     | Strap, Fuel tank   |
|       | 29212       |     | Screw, Hex hd. Sems, 1/4-28 x 7/16   |
|       | 31752       |     | Decal, Air cleaner   |
| 5510  |             |     |  |
|       |             |     |  |