
For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983

Page 1 of 8

Engine Parts List #1



www.mymowerparts.com

Ref # Part Number	Qty Description
1 32586C	Cylinder (Incl. 2, 3, 4 & 76) (2-3/4" Bore)
2 27652	Pin, Dowel
3 27642	Plug, Oil drain
4 32630	Seal, Oil
5 32783	Intake Valve (Std.) (Incl. 9)
5 32784	Intake Valve (1/32" OS) (Incl. 9)
6 27878A	Exhaust Valve (Std.) (Íncl. 9)
6 27880A	Exhaust Valve (1/32" OS) (Incl. 9)
7 27882	Cap, Upper valve spring
7A 20810	Pin, Valve spring retainer (Use as re quired)
8A 27881	Spring, Valve
8 27881	Spring, Valve
9 32581	Cap, Lower valve spring
9A 32581	Cap, Lower valve spring
10A 32590	Plate, Lock & Oil dipper (This plate may be replaced by
.6.1. 6266	34242 oil dipper but 650662C screw must be used.)
10 34242	Dipper, Oil
11 32670	Crankshaft (Incl. 12 & 13)
12 29783	Crankshaft Gear Pin (Early production )
13 27884	Gear, Crankshaft (Used in early production) This gear is
	servicable onlywhen it is pinned to the crankshaft.
14A 32592B	Piston & Pin Ass'y. (Std.)(2-3/4")(In cl.16)
14A 32593B	Piston & Pin Ass'y. (.010" OS) (Incl. 16)
14A 32594B	Piston & Pin Ass'y. (.020" OS) (Incl. 16)
14 34517	Piston, Pin & Ring Set (Std.) (2-3/4" Bore)
14 34518	Piston, Pin & Ring Set (.010" OS)
14 34519	Piston, Pin & Ring Set (.020" OS)
15 32595	Ring Set (Std.) (2-3/4" Bore)
15 32596	Ring Set (.010" OS)
15 32597	Ring Set (.020" OS)
16 27888	Ring, Piston pin retaining
17 32591C	Rod Assy., Connecting (Incl. 10 & 18)
18 650662C	Screw, Connecting rod (2 each)
21 32115	Camshaft (MCR)
22 34034	Lifter, Valve
23 31303B	Cover, Cylinder (Incl. 24, 106 & 279)
24B 31546	Bushing, Crankshaft (Use as required)
24 28427	Seal, Oil
25A 33951A	Tube, Oil filler
25 34122A	Dipstick (Incl. 30)
26 30684	* Gasket, Cylinder cover
28 650488	Screw, 1/4-20 x 1-1/4"
30 33590	"O" Ring
31 650489	Screw, 1/4-20 x 5/8"
32 32631A	* Gasket, Cylinder head
33 30938A	Head, Cylinder
34 27793	Clip, Conduit (Use as required)
35 28942	Screw, 10-32 x 3/8" (Use as required)
36 650697A	Screw, 5/16-18 x 2-1/2" (Use as requi red)
36 650695A	Screw, 5/16-18 x 2-1/4" (Use as requi red)
36 650694A	Screw, 5/16-18 x 2" (Use as required)
37 33636	Resistor Spark Plug (RJ-8C)
37 34251	Resistor Spark Plug
38 27896A	* Gasket, Breather cover
39 28423	Body, Breather
40 28424	Element, Breather
41 28425	Cover, Valye spring

www.mymowerparts.com


Ref #	Part Number 0	Qtv	Description
42 42 43 45 46 47 48 50	650690 26073 650691 650128 27915A 30195A 30196 29716 650548 32326A		Washer, Belleville (Use as required) Washer (Use as required) Washer, Flat (Use as required) Screw, 10-24 x 1/2" * Gasket, Intake Flange, Carburetor (Incl. 79 & 80) Screw, 5/16-18 x 3/4" Screw, 1/4-28 x 7/16" Screw, 8-32 x 5/16" Lever, Governor (New lever does not need 1 of 51,66,132,164,165,207)
56 59 60 61 62	30205 32327 29216 650152 29826 29642 30699B		Bracket, Adjusting Link, Throttle Nut, Lock, 10-32 Screw, 8-32 x 3/8" Screw, 10-32 x 3/4" Ring, Retaining Governor Rod Ass'y. (This one-piece governor rodis no longer used. It is replaced by 30699C ass'y.,Ref. no. 63A)
64 65 66 67 69 70 71 72	30699C 30700 650494 29918 35350 29747B 32158E 650815 8116 29536		Rod Assy., Governor (Incl. 64 & 65) Yoke, Governor Screw, 6-40 x 5/16" Lockwasher, #8 E.T. Tube, Breather Screw, 5/16-24 x 21/32" Blower Housing (For elec.star.)(Incl. 134,135) Washer, Belleville Nut, Hex Blower Housing Baffle (without electric starter knock-out) (Use as required)
73	35256A		Blower Housing Baffle (with electric starter knock-out) (Use as required) (Point Ignition)
75 79 80	650561 31688A 29752 650572 730164		Screw, 1/4-20 x 5/8"  * Gasket, Carburetor Nut & Lockwasher Assy., 1/4-28 Screw, 1/4-28 x 1-1/8" Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89, 90A & 331B) (Use as required)
	27272A 31691		* Gasket, Air cleaner Bracket, Air cleaner NOTE: 130010 thru 10C & 11 used in early production only.
89 90 97 100 106 107 108 109 110 113	28820 30727 31715 35349 29538 31845 30591 30588A 30590A 29193 650561 33350 410144B		Screw, 10-32 x 1/2" Element, Air cleaner Body, Air cleaner Ground Wire Base, Engine mounting Shaft, Mechanical governor Gear Assy., Governor (Incl. 109) Spool, Governor Washer, Flat Ring, Retaining Screw, 1/4-20 x 5/8" Fuel Tank (Incl. 115 & 117A) Fuel Cap (White Plastic)(Std)(As requ ired)

## www.mymowerparts.com

Ref #	Part Number C	Qty Description
	33032	Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile) (Use as required)
115	34210	Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as required)
117 118 118 119 120 121 124 127 128 129 130 131 133 149 150 193 205 209 226 227 246 247 266 270 274 287 331A 331B 332	35355 33395 29774 30705 30962 33679 650128 30622A 650542 26073 650694A 32589 31843A 650836 650493 30747 650890 610118 27276 650561 30939A 650760 28545 32125 590417 26460 31461 610973 27275 34246 34346 31752 30547A	Fuel Cap (Use as required) Fitting, Fuel strainer & elbow (Incl. 119) Fuel Line (Braided 8-1/4" 21 cm) (Use as req.) Fuel Line (Braided 16") (41 cm) (Use as req.) Fuel Line (Braided 32") (81 cm) (Use as req.) Bushing, Fuel fitting Screw, 10-24 x 1/2" (Use as required) Extension, Blower housing Screw, 5/16-18 x 3/4" Washer (Use as required) Screw, 5/16-18 x 2" (Use as required) Key, Flywheel Bracket, Governor gear Screw, 10-24 x 1/2" Screw, 1/4-20 x 1-3/4" Clip, Shorting Lockwasher Cover, Spark plug (Use as required) Cover, Spark plug Screw, 1/4-20 x 5/8" (Use as required) Cover, Cylinder head Screw, 8-32 x 3/8" Grommet Cup, Starter Screen, Starter cup Clamp, Fuel line Bushing, Crankshaft (Use as required) Terminal Ass'y. (As req. on late prod uction) Clip, Hi-tension wire (Use as required) Decal, Instruction Decal, Air cleaner Contact Assy., Breaker
334	30548B 631021 631453	Condenser Inlet Needle, Seat & Clip Assy. Carburetor (Incl. 75) (Refer to Division 5, Section A, page 100 for breakdown)
337	610689A	Magneto NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as show in parts list. (Refer to Division 5, Section B, page 24 for breakdown)
338	590420	Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)
343	33239A	Gasket Set (Incl. items marked*)

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983
Page 5 of 8

Engine Parts List #2



www.mymowerparts.com


## For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 $_{\rm Page~6~of~8}$ Engine Parts List #2

Ref #	Part Number C	ty Description
31	650489	Screw, 1/4-20 x 5/8"
34	27793	Clip, Conduit (Use as required)
35	28942	Screw, 10-32 x 3/8" (Use as required)
43A	650128	Screw, 10-24 x 1/2"
48	29716	Screw, 1/4-28 x 7/16"
56	32327	Link, Throttle
71	650815	Washer, Belleville
72	8116	Nut, Hex
193	610118	Cover, Spark plug (Use as required)
193	27276	Cover, Spark plug
239	33450	Nut, Lock
240	30845A	Bolt, Governor adjusting
241	30886A	Spring, Governor bolt
	650764	Nut, "U" Type (Use as required)
274	610973	Terminal Ass'y. (As req. on late prod uction)
338	590420	Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)
340	33328D	Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#342). Refer to service number stamped on end cap of motor, or on decal, for identifica
342	30811A	Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above)
342	611042	Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using 110-120 volt starter kits listed above)
342	611085	Flywheel (Minimum ring gear flywheel required on engines using 110-120 volt starter kits listed above) (Use withSolid State ignition)

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983

Page 7 of 8

Engine Parts List #3



www.mymowerparts.com

Ref #	Part Number	Qty	Description
27	27513		Lockwasher, 1/4" (Use as required)
36	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
	650695A		Screw, 5/16-18 x 2-1/4" (Use as required)
	650694A		Screw, 5/16-18 x 2" (Use as required)
	27896A		* Gasket, Breather cover
	26073		·
			Washer (Use as required)
	650691		Washer, Flat (Use as required)
	650548		Screw, 8-32 x 5/16"
	30319		Rivet, Split (Used in early productio n)
52	32326A		Lever, Governor (New lever does not need 1 of
			51,66,132,164,165,207)
55	30205		Bracket, Adjusting
	730130		Exh.Adap.Kit (Incl. 58 & 125) (Use as req.)
	30196		Screw, 5/16-18 x 3/4" (Use as require d)
	29216		Nut, Lock, 10-32
	29826		Screw, 10-32 x 3/4"
	29918		Lockwasher, #8 E.T.
82B	730561		Air cleaner kit (Incl. 38, 67A, 83, 84B, 85,89B, 89C, 90A, 91,
			91A, 91B, 91C, 91D, 245 & 331B) (Use only on engines with
			an externally vented fully adjustable carburetor)
02	730127		Air Clooper Apply (Incl. 60, 92, 97, 99, 90A, 90, 229, 9
02	130121		Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89A, 90, 238 & 231B) (Llea as required)
			331B) (Use as required)
83	27272A		* Gasket, Air cleaner
84D	34819		Air Cleaner Elbow (Incl. 84B, 86A, 91, 91A, 91B & 91C) (Use
			in 730561 assembly only)
00	28820		Sorow 10.32 v 1/2"
			Screw, 10-32 x 1/2"
	31715		Body, Air cleaner
	29574		Muffler Elbow
	391026		Opt. Spark Arrest Muffler (Incl.196,1 97,199)
	32862		Conduit Nut
	33353		Bracket, Lower fuel tank
113	650561		Screw, 1/4-20 x 5/8"
116	33352A		Plate, Upper fuel tank mounting
118	29774		Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)
	30705		Fuel Line (Braided 16") (41 cm) (Use as req.)
	30962		Fuel Line (Braided 32") (81 cm) (Use as req.)
	650694A		Screw, 5/16-18 x 2" (Use as required)
	650548		Screw, 8-32 x 5/16" (Early production )
	33356		Terminal
	792020		Screw, 1/4-20 x 2-1/4"
	34067		Wire Assy., Alternator adapter (4-1/4 ")
	34069		Wire Assy., Alternator adapter (6-3/4 ")
	31288		Exh. Adaptor Kit (Incl.125,203,204) ( As req.)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
204	6021A		Screw, 5/16-18 x 1-1/2" (Use as requi red)
226	650760		Screw, 8-32 x 3/8"
227	28545		Grommet
	26460		Clamp, Fuel line
	31752		Decal, Air cleaner
55.2			,