
For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 H70-130205G Engine Parts List #1



www.mymowerparts.com

Ref #	Part Number	Qty Description
	32586C	Cylinder (Incl. 2, 3, 4 & 76) (2-3/4" Bore)
	27652	Pin, Dowel
	27642	Plug, Oil drain
	32630	Seal, Oil
	32783	Intake Valve (Std.) (Incl. 9)
	32784	Intake Valve (1/32" OS) (Incl. 9)
	27878A	Exhaust Valve (Std.) (Incl. 9)
	27880A	Exhaust Valve (1/32" OS) (Incl. 9)
	20810	Pin, Valve spring retainer (Use as re quired)
	27882	Cap, Upper valve spring
	27881	Spring, Valve
	27881	Spring, Valve
	32581	Cap, Lower valve spring
	32581	Cap, Lower valve spring
	32590	Plate, Lock & Oil dipper (This plate may be replaced by
10,1	02000	34242 oil dipper but 650662C screw must be used.)
	34242	Dipper, Oil
	32680A	Crankshaft (Incl. 12 & 13)
	29783	Crankshaft Gear Pin (Early production)
13	27884	Gear, Crankshaft (Used in early production) This gear is
		servicable onlywhen it is pinned to the crankshaft.
14A	32592B	Piston & Pin Ass'y. (Std.)(2-3/4")(In cl.16)
14A	32593B	Piston & Pin Ass'y. (.010" OS) (Incl. 16)
14A	32594B	Piston & Pin Ass'y. (.020" OS) (Incl. 16)
14	34517	Piston, Pin & Ring Set (Std.) (2-3/4" Bore)
14	34518	Piston, Pin & Ring Set (.010" OS)
14	34519	Piston, Pin & Ring Set (.020" OS)
15	32595	Ring Set (Std.) (2-3/4" Bore)
15	32596	Ring Set (.010" OS)
15	32597	Ring Set (.020" OS)
16	27888	Ring, Piston pin retaining
17	32591C	Rod Assy., Connecting (Incl. 10 & 18)
18	650662C	Screw, Connecting rod (2 each)
	32678	Nipple, Oil drain
20	30969	Cap, Oil drain
21	32115	Camshaft (MCR)
22	34034	Lifter, Valve
23	31303B	Cover, Cylinder (Incl. 24, 106 & 279)
24B	31546	Bushing, Crankshaft (Use as required)
	28427	Seal, Oil
	34011A	Dipstick, Oil (Incl. 30)
	33893A	Tube, Oil filler
	30684	* Gasket, Cylinder cover
	650488	Screw, 1/4-20 x 1-1/4"
	33590	"O" Ring
	650489	Screw, 1/4-20 x 5/8"
	32631A	* Gasket, Cylinder head
	30938A	Head, Cylinder
	27793	Clip, Conduit (Use as required)
	28942	Screw, 10-32 x 3/8" (Use as required)
	650697A	Screw, 5/16-18 x 2-1/2" (Use as required)
	650695A	Screw, 5/16-18 x 2-1/4" (Use as required)
	650694A	Screw, 5/16-18 x 2" (Use as required)
	33636	Resistor Spark Plug (RJ-8C)
	34251	Resistor Spark Plug
	27896A	* Gasket, Breather cover
39	28423	Body, Breather
		werparts.com

D-f //	Deut Neurole en	Description		
	Part Number 28424	Qty Description		
	28425	Element, Breather		
	650690	Cover, Valve spring Washer, Belleville (Lise as required)		
	26073	Washer, Belleville (Use as required)		
	650691	Washer (Use as required)		
	650128	Washer, Flat (Use as required)		
		Screw, 10-24 x 1/2"		
	27915A	* Gasket, Intake		
	34712	Flange Carburetor		
	30196	Screw, 5/16-18 x 3/4"		
	29716	Screw, 1/4-28 x 7/16"		
	650548	Screw, 8-32 x 5/16"		
	33454	Lever Assy., Governor		
	34662	Link, Throttle		
	29216	Nut, Lock, 10-32		
	29826	Screw, 10-32 x 3/4"		
	29642	Ring, Retaining		
	30699C	Rod Assy., Governor (Incl. 64 & 65)		
63	30699B	Governor Rod Ass'y. (This one-piece governor rodis no longer		
		used. It is replaced by 30699C ass'y.,Ref. no. 63A)		
64	30700	Yoke, Governor		
	650494	Screw, 6-40 x 5/16"		
	29918	Lockwasher, #8 E.T.		
	35350	Tube, Breather		
	29747B	Screw, 5/16-24 x 21/32"		
	35260	Blower Housing (For electric starter)		
	650815	Washer, Belleville		
	8116	Nut, Hex		
	29536	Blower Housing Baffle (without electric starter knock-out)		
10	20000	(Use as required)		
73	35256A	Blower Housing Baffle (with electric starter knock-out) (Use		
		as required) (Point Ignition)		
74	650561	Screw, 1/4-20 x 5/8"		
	31688A	* Gasket, Carburetor		
80A	650517	Screw, 1/4-20 x 27/32"		
	730164	Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89, 90A & 331B)		
		(Use as required)		
97	34240	Ground Wire		
98	31342	Spring, Compression		
99	650549	Screw, 5-40 x 7/16"		
100	29538	Base, Engine mounting		
103	32401	Muffler		
106	31845	Shaft, Mechanical governor		
107	30591	Gear Assy., Governor (Incl. 109)		
108	30588A	Spool, Governor		
	30590A	Washer, Flat		
	29193	Ring, Retaining		
	34158	Bracket, Fuel tank		
	650561	Screw, 1/4-20 x 5/8"		
	34186A	Fuel Tank (Incl. 115 & 266) NOTE: These tanks were built		
		with different size fuel inlet openings. Tanks with the 1-3/16"		
		I.D. opening use fuel cap 33032 or 34210. Tanks with the		
		1-1/2" I.D. opening use fuel cap 35355 or 35650.		
115	410144B	Fuel Cap (White Plastic)(Std)(As required)		
	33032	Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile)		
		(Use as required)		


		y Description
115	34210	Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as
		required)
115	35355	Fuel Cap (Use as required)
	34159	Plate, Fuel tank mounting
	29774	Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)
	30705	Fuel Line (Braided 16") (41 cm) (Use as req.)
	30962	Fuel Line (Braided 32") (81 cm) (Use as req.)
	650128	Screw, 10-24 x 1/2" (Use as required)
	30622A	Extension, Blower housing
	650542	Screw, 5/16-18 x 3/4"
	27930A	Gasket, Exhaust
	30196	Screw, 5/16-18 x 3/4"
	26073	Washer (Use as required)
	650694A	Screw, 5/16-18 x 2" (Use as required)
	32589	Key, Flywheel
	31843A	Bracket, Governor gear
	650836	Screw, 10-24 x 1/2"
	650493	Screw, 1/4-20 x 1-3/4"
149	30747	Clip, Shorting
151	650665	Screw, 1/4-15 x 7/8"
193	610118	Cover, Spark plug (Use as required)
205	650561	Screw, 1/4-20 x 5/8" (Use as required)
209	30939A	Cover, Cylinder head
219	34814	Primer Assy.
223	32180C	Line, Primer
	34126	Bracket, Grommet mounting
	650760	Screw, 8-32 x 3/8"
	28545	Grommet
	32125	Cup, Starter
	590417	Screen, Starter cup
	26460	Clamp, Fuel line
	31461	Bushing, Crankshaft (Use as required)
	33876	Gasket, Stator
	610973	Terminal Ass'y. (As req. on late prod uction)
	27275	Clip, Hi-tension wire (Use as require d)
	34246	Clip, Ground wire (Use as required)
	34346	Decal, Instruction
	34170	Decal, Instruction
	30547A	Contact Assy., Breaker
	30548B	Condenser
	631021	Inlet Needle, Seat & Clip Assy.
	631920	Carburetor (Incl. 75) (Refer to Division 5, Section A, page 138
330	051920	for breakdown)
337	610694A	Magneto (w/ring gear for 110 volt sta rter) NOTE: The
		complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as show in parts list. (Refer to Division 5, Section B, page 24 for breakdown)
338	590473	Rewind Starter (Refer to Division 5, Section C, page 29 for breakdown)
343	33239A	Gasket Set (Incl. items marked*)

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 H70-130205G Page 5 of 8 Engine Parts List #2



Ref # Part Number	Qty Description
31 650489	Screw, 1/4-20 x 5/8"
34 27793	Clip, Conduit (Use as required)
35 28942	Screw, 10-32 x 3/8" (Use as required)
43A 650128	Screw, 10-24 x 1/2"
48 29716	Screw, 1/2-4 x 1/2 Screw, 1/4-28 x 7/16"
56 34662	Link, Throttle
71 650815	Washer, Belleville
72 8116	Nut, Hex
98 31342	Spring, Compression
99 650549	Screw, 5-40 x 7/16"
134 33013	Cover, Bubble
135 650760	Screw, 8-32 x 3/8"
180 650821	Screw, 10-32 x 1/2"
180A 34663	Spring, Speed control
181 34661	Link, Governor
193 610118	Cover, Spark plug (Use as required)
214 32410	Knob, Speed control
214A 35438	Knob, Control
223 32180C	Line, Primer
224 30826	Spring, Extension
230 650257	Screw, 8-32 x 5/16"
231 34672	Cover, Carburetor
254 32398	Bracket, Choke
255 28820	Screw, 10-32 x 1/2"
256A 650765	Screw, 10-32 x 1/2"
256 650760	Screw, 8-32 x 3/8"
263 650764	•
	Nut, "U" Type (Use as required)
272 34664	Control Bracket (Incl. 98, 99, 180A & 274)
274 610973	Terminal Ass'y. (As req. on late prod uction)
292 34127	Guard Starter
293 32576	Seal, Snow guard
331G 34416	Decal, Choke
331E 34144	Decal, Primer
331 34170	Decal, Instruction
331H 34414	Decal, Warning
338 590473	Rewind Starter (Refer to Division 5, Section C, page 29 for
	breakdown)
340 33328D	Starter Motor Kit (110-120 Volt) This 110-120 volt starter
	motor kit may have been added to this engine. It can be
	added only if cylinder hasdrilled and tapped starter mounting
	bosses and a ring gear flywheel (see#342). Refer to service
	number stamped on end cap of motor, or on decal, for
	identifica
342 30811A	Flywheel (Ring gear flywheel requiredon engines using
	110-120 volt starter kits listed above)
342 611042	Flywheel (Used on Type letters H and above) (Std. Point
	ignition) (Ring gear flywheel required on engines using
	110-120 volt starter kits listed above)
342 611085	Flywheel (Minimum ring gear flywheel required on engines
	using 110-120 volt starter kits listed above) (Use withSolid
	State ignition)
	- ,

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 H70-130205G Engine Parts List #3



		Description	
	27513	.ockwasher, 1/4" (Use as required)
36	650697A	Screw, 5/16-18 x 2-1/2" (Use as required)	
36	650695A	Screw, 5/16-18 x 2-1/4" (Use as required)	
36	650694A	Screw, 5/16-18 x 2" (Use as required)	
38	27896A	* Gasket, Breather cover	
42	26073	Vasher (Use as re	equired)
42	650691	Vasher, Flat (Use	
	650548	Screw, 8-32 x 5/16	
	30319		n early productio n)
	33454	ever Assy., Gover	
	730130		58 & 125) (Use as req.)
	30196		3/4" (Use as require d)
	29216	Nut, Lock, 10-32	
	29826	Screw, 10-32 x 3/4"	
	29918	Lockwasher, #8 E.T.	
	730561		. 38, 67A, 83, 84B, 85,89B, 89C, 90A, 91,
020			D, 245 & 331B) (Use only on engines with
			d fully adjustable carburetor)
		-	
82	730127	•	(Incl. 60, 83, 87, 88, 89A, 90, 238 &
		31B) (Use as requ	uired)
84D	34819	Air Cleaner Elbow	(Incl. 84B, 86A, 91, 91A, 91B & 91C) (Use
	0-1010		ly only) NOTE: 130010 thru 10C & 11
		ised in early produ	,
		sed in early produ	
103E	391026	Opt. Spark Arrest I	Nuffler (Incl.196,1 97,199)
113	650561	Screw, 1/4-20 x 5/8	8"
118	29774	Fuel Line (Braided	8-1/4" 21 cm)(Use as req.)
118	30705	Fuel Line (Braided 16") (41 cm) (Use as req.)	
118	30962	Fuel Line (Braided 32") (81 cm) (Use as req.)	
125	27930A	Gasket, Exhaust	
126	30196	Screw, 5/16-18 x 3/4"	
128	650694A	Screw, 5/16-18 x 2" (Use as required)	
	650548	Screw, 8-32 x 5/16" (Early production)	
	34067	Wire Assy., Alternator adapter (4-1/4 ")	
	34069	Wire Assy., Alternator adapter (6-3/4 ")	
	30322	Nut & Lockwasher (Early Prod. Only)	
	29916	Clamp, Governor lever (Early Prod. On ly)	
	31288	Exh. Adaptor Kit (Incl.125,203,204) (As req.)	
	650697A	Screw, 5/16-18 x 2-1/2" (Use as required)	
	6021A	Screw, 5/16-18 x 1-1/2" (Use as required)	
	650760	Screw, 5/16-18 x 1-1/2" (Use as required) Screw, 8-32 x 3/8"	
	28545	Grommet	
	20040 26460	Clamp, Fuel line	
')(_')_		Tomp Live line	