
For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983

H70-130205H

Page 1 of 8

Engine Parts List #1



www.mymowerparts.com

	Dath when	De la Contraction de la Contra		
		Other (Incl. 2, 3, 4, 8, 76) (2, 3/4", Para)		
	32586C 27652	Cylinder (Incl. 2, 3, 4 & 76) (2-3/4" Bore) Pin, Dowel		
	27642	Plug, Oil drain		
	32630	Seal, Oil		
	32783	Intake Valve (Std.) (Incl. 9)		
	32784	Intake Valve (1/32" OS) (Incl. 9)		
	27878A	Exhaust Valve (Std.) (Incl. 9)		
	27880A	Exhaust Valve (1/32" OS) (Incl. 9)		
	20810	Pin, Valve spring retainer (Use as re quired)		
	27882	Cap, Upper valve spring		
	27881	Spring, Valve		
8	27881	Spring, Valve		
9A	32581	Cap, Lower valve spring		
9	32581	Cap, Lower valve spring		
10A	32590	Plate, Lock & Oil dipper (This plate may be replaced by		
		34242 oil dipper but 650662C screw must be used.)		
	34242	Dipper, Oil		
	34894	Crankshaft (Incl. 12 & 13)		
	29783	Crankshaft Gear Pin (Early production)		
13	27884	Gear, Crankshaft (Used in early production) This gear is		
		servicable onlywhen it is pinned to the crankshaft.		
	32592B	Piston & Pin Ass'y. (Std.)(2-3/4")(In cl.16)		
	32593B	Piston & Pin Ass'y. (.010" OS) (Incl. 16)		
	32594B	Piston & Pin Ass'y. (.020" OS) (Incl. 16)		
	34517	Piston, Pin & Ring Set (Std.) (2-3/4" Bore)		
	34518	Piston, Pin & Ring Set (.010" OS)		
	34519	Piston, Pin & Ring Set (.020" OS)		
	32595	Ring Set (Std.) (2-3/4" Bore)		
	32596 32597	Ring Set (.010" OS) Ring Set (.020" OS)		
	27888	Ring Set (.020 '05) Ring, Piston pin retaining		
	27600 32591C	Ring, Fision pin retaining Rod Assy., Connecting (Incl. 10 & 18)		
	650662C	Screw, Connecting rod (2 each)		
	32678	Nipple, Oil drain		
	30969	Cap, Oil drain		
	32115	Camshaft (MCR)		
	34034	Lifter, Valve		
	31303B	Cover, Cylinder (Incl. 24, 106 & 279)		
24B	31546	Bushing, Crankshaft (Use as required)		
	28427	Seal, Oil		
	34011A	Dipstick, Oil (Incl. 30)		
	33893A	Tube, Oil filler		
	30684	* Gasket, Cylinder cover		
	650488	Screw, 1/4-20 x 1-1/4"		
	33590	"O" Ring		
	650489	Screw, 1/4-20 x 5/8" * Cooleat Oldinder bood		
	32631A 20038A	* Gasket, Cylinder head		
	30938A 37703	Head, Cylinder Clip, Conduit (Use as required)		
	27793 28942	Clip, Conduit (Use as required) Screw, 10-32 x 3/8" (Use as required)		
	650697A	Screw, 5/16-18 x 2-1/2" (Use as required)		
	650695A	Screw, 5/16-18 x 2-1/2" (Use as required)		
	650694A	Screw, 5/16-18 x 2" (Use as required)		
	33636	Resistor Spark Plug (RJ-8C)		
	34251	Resistor Spark Plug		
	27896A	* Gasket, Breather cover		
	28423	Body, Breather		
www.mymowerparts.com				


Ref #	Part Number Qty	Description
40	28424	Element, Breather
41	28425	Cover, Valve spring
42A	650690	Washer, Belleville (Use as required)
42	26073	Washer (Use as required)
42	650691	Washer, Flat (Use as required)
	650128	Screw, 10-24 x 1/2"
	27915A	* Gasket, Intake
	34712	Flange Carburetor
	30196	Screw, 5/16-18 x 3/4"
	29716	Screw, 1/4-28 x 7/16"
	650548	Screw, 8-32 x 5/16"
	33454	Lever Assy., Governor
	34662	
		Link, Throttle
	29216	Nut, Lock, 10-32
	29826	Screw, 10-32 x 3/4"
	29642	Ring, Retaining
	30699C	Rod Assy., Governor (Incl. 64 & 65)
63	30699B	Governor Rod Ass'y. (This one-piece governor rodis no longer
		used. It is replaced by 30699C ass'y.,Ref. no. 63A)
64	30700	Yoke, Governor
	650494	Screw, 6-40 x 5/16"
	29918	Lockwasher, #8 E.T.
	35350	•
		Tube, Breather
	29747B	Screw, 5/16-24 x 21/32"
	35260	Blower Housing (For electric starter)
	650815	Washer, Belleville
	8116	Nut, Hex
73	29536	Blower Housing Baffle (without electric starter knock-out)
		(Use as required)
73	35256A	Blower Housing Baffle (with electric starter knock-out) (Use
. •	33237	as required) (Point Ignition)
74	050504	
	650561	Screw, 1/4-20 x 5/8"
	31688A	* Gasket, Carburetor
	650517	Screw, 1/4-20 x 27/32"
82A	730164	Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89, 90A & 331B)
		(Use as required)
07	34240	Ground Wire
	31342	Spring, Compression
	650549	Screw, 5-40 x 7/16"
	29538	Base, Engine mounting
	32401	Muffler
	31845	Shaft, Mechanical governor
	30591	Gear Assy., Governor (Incl. 109)
	30588A	Spool, Governor
	30590A	Washer, Flat
	29193	Ring, Retaining
111C	34158	Bracket, Fuel tank
	650561	Screw, 1/4-20 x 5/8"
	34186A	Fuel Tank (Incl. 115 & 266) NOTE: These tanks were built
		with different size fuel inlet openings. Tanks with the 1-3/16"
		I.D. opening use fuel cap 33032 or 34210. Tanks with the
		1-1/2" I.D. opening use fuel cap 35355 or 35650.
	410144B	Fuel Cap (White Plastic)(Std)(As required)
115	33032	Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile)
		(Use as required)

www.mymowerparts.com

Ref #	Part Number 0	Oty Description
115	34210	Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as
		required)
115	35355	Fuel Cap (Use as required)
116D	34159	Plate, Fuel tank mounting
	29774	Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)
	30705	Fuel Line (Braided 16") (41 cm) (Use as req.)
	30962	Fuel Line (Braided 32") (81 cm) (Use as req.)
	650128	Screw, 10-24 x 1/2" (Use as required)
	30622A	Extension, Blower housing
	650542	Screw, 5/16-18 x 3/4"
	27930A	Gasket, Exhaust
	30196	Screw, 5/16-18 x 3/4"
	26073	Washer (Use as required)
	650694A	Screw, 5/16-18 x 2" (Use as required)
	32589	Key, Flywheel
	31843A	Bracket, Governor gear
	650836	Screw, 10-24 x 1/2"
	650493	Screw, 1/4-20 x 1-3/4"
	30747	Clip, Shorting
	650665	Screw, 1/4-15 x 7/8"
	610118	Cover, Spark plug (Use as required)
	650561	Screw, 1/4-20 x 5/8" (Use as required)
	30939A	Cover, Cylinder head
	34814	Primer Assy.
	32180C	Line, Primer
	34126	Bracket, Grommet mounting
	650760	Screw, 8-32 x 3/8"
	28545	Grommet
	32125	Cup, Starter
	35009	Screen, Starter cup
	26460	Clamp, Fuel line
	31461	Bushing, Crankshaft (Use as required)
	33876	Gasket, Stator
	610973	Terminal Ass'y. (As req. on late prod uction)
	27275	Clip, Hi-tension wire (Use as require d)
	34246	Clip, Ground wire (Use as required)
	34346	Decal, Instruction
	34170	Decal, Instruction
	30547A	Contact Assy., Breaker
	30548B	Condenser
	631021	Inlet Needle, Seat & Clip Assy.
	631920	Carburetor (Incl. 75) (Refer to Division 5, Section A, page 138
	33.3_3	for breakdown)
337	611043	Magneto (w/ring gear) NOTE: The complete magneto is not
		available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as show in parts list. (Refer to Division 3, Section B, page 39 for breakdown)
338	590473	Rewind Starter (Refer to Division 5, Section C, page 29 for breakdown)
343	33239A	Gasket Set (Incl. items marked*)

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983

Page 5 of 8




Ref #	Part Number (Qty	Description
31	650489		Screw, 1/4-20 x 5/8"
34	27793		Clip, Conduit (Use as required)
35	28942		Screw, 10-32 x 3/8" (Use as required)
43A	650128		Screw, 10-24 x 1/2"
48	29716		Screw, 1/4-28 x 7/16"
	34662		Link, Throttle
	650815		Washer, Belleville
	8116		Nut, Hex
	31342		Spring, Compression
	650549		Screw, 5-40 x 7/16"
	33013		Cover, Bubble
	650760		Screw, 8-32 x 3/8"
	650821		Screw, 10-32 x 1/2"
	34663		Spring, Speed control
	34661		Link, Governor
	610118		Cover, Spark plug (Use as required)
	32410		Knob, Speed control
	35438		Knob, Control
	32180C		Line, Primer
	30826		Spring, Extension
	650257		Screw, 8-32 x 5/16"
	34672		Cover, Carburetor
	32398		Bracket, Choke
	28820		Screw, 10-32 x 1/2"
	650765		Screw, 10-32 x 1/2"
	650760		Screw, 8-32 x 3/8"
	650764		Nut, "U" Type (Use as required)
	34664		Control Bracket (Incl. 98, 99, 180A & 274)
	610973		Terminal Ass'y. (As req. on late prod uction)
	34127		Guard Starter
	32576		Seal, Snow guard
	34416		Decal, Choke
	34144		Decal, Primer
	34170		Decal, Instruction
	34414		Decal, Warning
	590473		Rewind Starter (Refer to Division 5, Section C, page 29 for
300	030-110		breakdown)
			·
340	33328D		Starter Motor Kit (110-120 Volt) This 110-120 volt starter
			motor kit may have been added to this engine. It can be
			added only if cylinder hasdrilled and tapped starter mounting
			bosses and a ring gear flywheel (see#342). Refer to service
			number stamped on end cap of motor, or on decal, for
			identifica
342	30811A		Flywheel (Ring gear flywheel requiredon engines using
			110-120 volt starter kits listed above)
0.10	044040		,
342	611042		Flywheel (Used on Type letters H and above) (Std. Point
			ignition) (Ring gear flywheel required on engines using
			110-120 volt starter kits listed above)
342	611085		Flywheel (Minimum ring gear flywheel required on engines
			using 110-120 volt starter kits listed above) (Use with Solid
			State ignition)
			- ,

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983

Page 7 of 8

Engine Parts List #3



www.mymowerparts.com

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 $_{\rm Page~8~of~8}$ Engine Parts List #3

Ref #	Part Number	Qty	Description
27	27513		Lockwasher, 1/4" (Use as required)
36	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
36	650695A		Screw, 5/16-18 x 2-1/4" (Use as requi red)
36	650694A		Screw, 5/16-18 x 2" (Use as required)
38	27896A		* Gasket, Breather cover
42	26073		Washer (Use as required)
42	650691		Washer, Flat (Use as required)
50	650548		Screw, 8-32 x 5/16"
51	30319		Rivet, Split (Used in early productio n)
52	33454		Lever Assy., Governor
57	730130		Exh.Adap.Kit (Incl. 58 & 125) (Use as req.)
58	30196		Screw, 5/16-18 x 3/4" (Use as require d)
	29216		Nut, Lock, 10-32
	29826		Screw, 10-32 x 3/4"
66	29918		Lockwasher, #8 E.T.
82B	730561		Air cleaner kit (Incl. 38, 67A, 83, 84B, 85,89B, 89C, 90A, 91,
			91A, 91B, 91C, 91D, 245 & 331B) (Use only on engines with
			an externally vented fully adjustable carburetor)
00	720427		• • •
82	730127		Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89A, 90, 238 &
			331B) (Use as required)
84D	34819		Air Cleaner Elbow (Incl. 84B, 86A, 91, 91A, 91B & 91C) (Use
			in 730561 assembly only) NOTE: 130010 thru 10C & 11
			used in early production only.
103E	391026		Opt. Spark Arrest Muffler (Incl.196,1 97,199)
	650561		Screw, 1/4-20 x 5/8"
	29774		Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)
	30705		Fuel Line (Braided 16") (41 cm) (Use as req.)
	30962		Fuel Line (Braided 32") (81 cm) (Use as req.)
	27930A		Gasket, Exhaust
	30196		Screw, 5/16-18 x 3/4"
	650694A		Screw, 5/16-18 x 2" (Use as required)
	650548		Screw, 8-32 x 5/16" (Early production)
	34067		Wire Assy., Alternator adapter (4-1/4 ")
	34069		Wire Assy., Alternator adapter (6-3/4 ")
	30322		Nut & Lockwasher (Early Prod. Only)
	29916		Clamp, Governor lever (Early Prod. On ly)
	31288		Exh. Adaptor Kit (Incl.125,203,204) (As req.)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
	6021A		Screw, 5/16-18 x 1-1/2" (Use as requi red)
	650760		Screw, 8-32 x 3/8"
	28545		Grommet
	26460		Clamp, Fuel line
			1, Hermin