
For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983

Page 1 of 8

Engine Parts List #1



www.mymowerparts.com

D.(!!	Dout Ni wash au	O+	Description
		Qty	Description Odinder (Incl. 2, 2, 4, 8, 76) (2, 2/4" Pere)
	32586C		Cylinder (Incl. 2, 3, 4 & 76) (2-3/4" Bore)
	27652		Pin, Dowel
	27642		Plug, Oil drain
	32630		Seal, Oil
	32783		Intake Valve (Std.) (Incl. 9)
	32784		Intake Valve (1/32" OS) (Incl. 9)
	27878A 27880A		Exhaust Valve (Std.) (Incl. 9)
	20810		Exhaust Valve (1/32" OS) (Incl. 9) Pin, Valve spring retainer (Use as re quired)
	27882		
	27881		Cap, Upper valve spring Spring, Valve
	27881		Spring, Valve
	32581		Cap, Lower valve spring
	32581		Cap, Lower valve spring
	32590		Plate, Lock & Oil dipper (This plate may be replaced by
10/1	02000		34242 oil dipper but 650662C screw must be used.)
			,
	34242		Dipper, Oil
	32670		Crankshaft (Incl. 12 & 13)
	29783		Crankshaft Gear Pin (Early production)
13	27884		Gear, Crankshaft (Used in early production) This gear is
			servicable onlywhen it is pinned to the crankshaft.
14A	32592B		Piston & Pin Ass'y. (Std.)(2-3/4")(In cl.16)
14A	32593B		Piston & Pin Ass'y. (.010" OS) (Incl. 16)
14A	32594B		Piston & Pin Ass'y. (.020" OS) (Incl. 16)
14	34517		Piston, Pin & Ring Set (Std.) (2-3/4" Bore)
	34518		Piston, Pin & Ring Set (.010" OS)
	34519		Piston, Pin & Ring Set (.020" OS)
	32595		Ring Set (Std.) (2-3/4" Bore)
	32596		Ring Set (.010" OS)
	32597		Ring Set (.020" OS)
	27888		Ring, Piston pin retaining
	32591C		Rod Assy., Connecting (Incl. 10 & 18)
	650662C		Screw, Connecting rod (2 each)
	32115		Camshaft (MCR)
	34034 34303B		Lifter, Valve
	31303B		Cover, Cylinder (Incl. 24, 106 & 279)
	31546		Bushing, Crankshaft (Use as required)
	28427 33893A		Seal, Oil
	34011A		Tube, Oil filler Dipstick, Oil (Incl. 30)
	30684		* Gasket, Cylinder cover
	650488		Screw, 1/4-20 x 1-1/4"
	33590		"O" Ring
	650489		Screw, 1/4-20 x 5/8"
	32631A		* Gasket, Cylinder head
	30938A		Head, Cylinder
	27793		Clip, Conduit (Use as required)
	28942		Screw, 10-32 x 3/8" (Use as required)
36	650697A		Screw, 5/16-18 x 2-1/2" (Use as required)
	650695A		Screw, 5/16-18 x 2-1/4" (Use as requi red)
36	650694A		Screw, 5/16-18 x 2" (Use as required)
37	33636		Resistor Spark Plug (RJ-8C)
37	34251		Resistor Spark Plug
38	27896A		* Gasket, Breather cover
	28423		Body, Breather
	28424		Element, Breather
41	28425		Cover, Valve spring
	www.mymo	W	erparts.com

Ref #	Part Number (Description	
	26073	Washer (Use a	as required)
42	650691		Jse as required)
	650690	•	rille (Use as required)
	650128	Screw, 10-24 x	
	27915A	* Gasket, Intak	
	30195A	•	etor (Incl. 79 & 80)
	30196	Screw, 5/16-18	,
	29716	Screw, 1/4-28	
	650548	Screw, 8-32 x 5	
32	32326A	•	r (New lever does not need 1 of
		51,66,132,164,	100,207)
55	30205	Bracket, Adjus	ting
56	32327	Link, Throttle	
59	29216	Nut, Lock, 10-3	32
	650152	Screw, 8-32 x 3	
	29826	Screw, 10-32 x	
	29642	Ring, Retaining	
	30699B		Ass'y. (This one-piece governor rodis no longer
05	30099D		aced by 30699C ass'y.,Ref. no. 63A)
		useu. It is repie	aced by 30099C assy., Net. 110. 03A)
	30699C	Rod Assy., Gov	vernor (Incl. 64 & 65)
64	30700	Yoke, Governo	r
65	650494	Screw, 6-40 x 5	5/16"
66	29918	Lockwasher, #8	3 E.T.
67	35350	Tube, Breather	
	29747B	Screw, 5/16-24	
	32158E		g (For elec.star.)(Incl. 134,135)
	650815	Washer, Bellev	
	8116	Nut, Hex	
	29536	•	g Baffle (without electric starter knock-out)
70	25000	(Use as require	• • • • • • • • • • • • • • • • • • • •
			,
73	35256A		g Baffle (with electric starter knock-out) (Use
		as required) (P	oint Ignition)
74	650561	Screw, 1/4-20	x 5/8"
	31688A	* Gasket, Carb	
	29752	,	sher Assy., 1/4-28
	650572	Screw, 1/4-28	• •
	730164		s'y. (Incl. 60, 83, 87, 88, 89, 90A & 331B)
52 (700101	(Use as require	
	070704	` '	,
	27272A	* Gasket, Air cl	
87	31691	·	aner NOTE: 130010 thru 10C & 11 used in
		early production	n only.
88	28820	Screw, 10-32 x	: 1/2"
	30727	Element, Air cle	
	31715	Body, Air clean	
	29538	Base, Engine r	
	31845	Shaft, Mechani	
	30591		
			overnor (Incl. 109)
	30588A	Spool, Governo	וו
	30590A	Washer, Flat	_
	29193	Ring, Retaining	
	650561	Screw, 1/4-20	
	31301	Fuel Tank (Incl.	
115	410144B	Fuel Cap (Whit	te Plastic)(Std)(As requ ired)

www.mymowerparts.com

Engine Parts List #1

343 33239A

Ref # Part Number Qty Description 115 33032 Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile)


		(Use as required)
115	34210	Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as required)
117 118 118 118 118 120 121 124 127 128 129 130 131 133 149 150 193 205 209 246 247 266 270 274 287 287 331B 331A 332 333	35355 28837 29774 30705 30962 650128 30622A 650542 26073 650694A 32589 31843A 650836 650493 30747 650890 610118 27276 650561 30939A 32125 590417 26460 31461 610973 27275 34246 31752 34346 30547A 30548B 631021 631453	Fuel Cap (Use as required) Fitting, Fuel strainer Fuel Line (Braided 8-1/4" 21 cm)(Use as req.) Fuel Line (Braided 16") (41 cm) (Use as req.) Fuel Line (Braided 32") (81 cm) (Use as req.) Screw, 10-24 x 1/2" (Use as required) Extension, Blower housing Screw, 5/16-18 x 3/4" Washer (Use as required) Screw, 5/16-18 x 2" (Use as required) Key, Flywheel Bracket, Governor gear Screw, 10-24 x 1/2" Screw, 1/4-20 x 1-3/4" Clip, Shorting Lockwasher Cover, Spark plug Screw, 1/4-20 x 5/8" (Use as required) Cover, Spark plug Screw, 1/4-20 x 5/8" (Use as required) Cover, Cylinder head Cup, Starter Screen, Starter cup Clamp, Fuel line Bushing, Crankshaft (Use as required) Terminal Ass'y. (As req. on late prod uction) Clip, Hi-tension wire (Use as required) Decal, Air cleaner Decal, Instruction Contact Assy., Breaker Condenser Inlet Needle, Seat & Clip Assy. Carburetor (Incl. 75) (Refer to Division 5, Section A, page 100 for breakdown)
337	610689A	Magneto NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as show in parts list. (Refer to Division 5, Section B, page 24 for breakdown)
338	590420	Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)
242	000004	O = 1 = 1 O = 1 /(= 1 - 1 (= 1 = 1 + 1 + 1 + 1 + 1 + 1 + 1 + 1 + 1

Gasket Set (Incl. items marked*)

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983

Page 5 of 8

Engine Parts List #2



www.mymowerparts.com


For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 $_{\rm Page~6~of~8}$ Engine Parts List #2

Ref #	Part Number Qty	
	650489	Screw, 1/4-20 x 5/8"
34	27793	Clip, Conduit (Use as required)
35	28942	Screw, 10-32 x 3/8" (Use as required)
43A	650128	Screw, 10-24 x 1/2"
	29716	Screw, 1/4-28 x 7/16"
	32327	Link, Throttle
	650815	Washer, Belleville
	8116	Nut, Hex
	610118	Cover, Spark plug (Use as required)
	27276	Cover, Spark plug
	33450	Nut, Lock
	30845A	Bolt, Governor adjusting
	30886A	Spring, Governor bolt
	650764	Nut, "U" Type (Use as required)
	610973	Terminal Ass'y. (As req. on late prod uction)
338	590420	Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)
340	33328D	Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#342). Refer to service number stamped on end cap of motor, or on decal, for identifica
342	30811A	Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above)
342	611042	Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using 110-120 volt starter kits listed above)
342	611085	Flywheel (Minimum ring gear flywheel required on engines using 110-120 volt starter kits listed above) (Use withSolid State ignition)

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983

Page 7 of 8

Engine Parts List #3



www.mymowerparts.com

	Part Number	Qty Description
27 36 36 38 42 42 50 51 52 55 57 58 59	Part Number 27513 650697A 650695A 650694A 27896A 26073 650691 650548 30319 32326A 30205 730130 30196 29216 29826	Qty Description Lockwasher, 1/4" (Use as required) Screw, 5/16-18 x 2-1/2" (Use as requi red) Screw, 5/16-18 x 2-1/4" (Use as requi red) Screw, 5/16-18 x 2" (Use as required) * Gasket, Breather cover Washer (Use as required) Washer, Flat (Use as required) Screw, 8-32 x 5/16" Rivet, Split (Used in early production) Lever, Governor (New lever does not need 1 of 51,66,132,164,165,207) Bracket, Adjusting Exh.Adap.Kit (Incl. 58 & 125) (Use as req.) Screw, 5/16-18 x 3/4" (Use as require d) Nut, Lock, 10-32 Screw, 10-32 x 3/4"
66	29918 730561	Lockwasher, #8 E.T. Air cleaner kit (Incl. 38, 67A, 83, 84B, 85,89B, 89C, 90A, 91, 91A, 91B, 91C, 91D, 245 & 331B) (Use only on engines with an externally vented fully adjustable carburetor)
82	730127	Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89A, 90, 238 & 331B) (Use as required)
	27272A 34819	* Gasket, Air cleaner Air Cleaner Elbow (Incl. 84B, 86A, 91, 91A, 91B & 91C) (Use in 730561 assembly only)
90 101 102 103E 104 104 111 113 118 118 118 128 132 148 148 148 149 202 203 204 262 266	28820 31715 32394 32454 391026 28443 32862 31694 650561 29774 30705 30962 650694A 650548 34067 34069 6201 31288 650697A 6021A 29752 26460	Screw, 10-32 x 1/2" Body, Air cleaner Muffler Elbow Muffler Nipple Opt. Spark Arrest Muffler (Incl.196,1 97,199) Conduit Nut Conduit Nut Bracket, Fuel tank Screw, 1/4-20 x 5/8" Fuel Line (Braided 8-1/4" 21 cm)(Use as req.) Fuel Line (Braided 16") (41 cm) (Use as req.) Fuel Line (Braided 32") (81 cm) (Use as req.) Screw, 5/16-18 x 2" (Use as required) Screw, 8-32 x 5/16" (Early production) Wire Assy., Alternator adapter (4-1/4") Wire Assy., Alternator adapter (6-3/4") Screw, 1/4-28 x 7/8" Exh. Adaptor Kit (Incl.125,203,204) (As req.) Screw, 5/16-18 x 2-1/2" (Use as requi red) Screw, 5/16-18 x 1-1/2" (Use as requi red) Nut, Lock Clamp, Fuel line
277	31697 29212 31752	Strap, Fuel tank Screw, Hex hd. Sems, 1/4-28 x 7/16 Decal, Air cleaner