
For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983

H70-130211D Page 1 of 8 Engine Parts List #1



www.mymowerparts.com

	Part Number Qty	
	32586C	Cylinder (Incl. 2, 3, 4 & 76) (2-3/4" Bore)
	27652	Pin, Dowel
	27642	Plug, Oil drain
	32630	Seal, Oil
	32783	Intake Valve (Std.) (Incl. 9)
	32784	Intake Valve (1/32" OS) (Incl. 9)
	27878A	Exhaust Valve (Std.) (Incl. 9)
	27880A	Exhaust Valve (1/32" OS) (Incl. 9)
	20810	Pin, Valve spring retainer (Use as re quired)
	27882	Cap, Upper valve spring
	27881	Spring, Valve
	27881	Spring, Valve
	32581	Cap, Lower valve spring
	32581	Cap, Lower valve spring
10A	32590	Plate, Lock & Oil dipper (This plate may be replaced by
		34242 oil dipper but 650662C screw must be used.)
10	34242	Dipper, Oil
	32680A	Crankshaft (Incl. 12 & 13)
	29783	Crankshaft Gear Pin (Early production)
	27884	Gear, Crankshaft (Used in early production) This gear is
		servicable onlywhen it is pinned to the crankshaft.
1/1Δ	32592B	Piston & Pin Ass'y. (Std.)(2-3/4")(In cl.16)
	32593B	Piston & Pin Ass'y. (.010" OS) (Incl. 16)
	32594B	Piston & Pin Ass'y. (.020" OS) (Incl. 16)
	34517	Piston, Pin & Ring Set (Std.) (2-3/4" Bore)
	34518	Piston, Pin & Ring Set (Old.) (2-3/4 Bole)
	34519	Piston, Pin & Ring Set (.020" OS)
	32595	Ring Set (Std.) (2-3/4" Bore)
	32596	Ring Set (.010" OS)
	32597	Ring Set (.020" OS)
	27888	Ring, Piston pin retaining
	32591C	Rod Assy., Connecting (Incl. 10 & 18)
	650662C	Screw, Connecting rod (2 each)
	31857	Nipple, Oil drain
	30969	Cap, Oil drain
	32115	Camshaft (MCR)
	34034	Lifter, Valve
	31303B	Cover, Cylinder (Incl. 24, 106 & 279)
	28427	Seal, Oil
	31546	Bushing, Crankshaft (Use as required)
	33893A	Tube, Oil filler
	34011A	Dipstick, Oil (Incl. 30)
	30684	* Gasket, Cylinder cover
	650488	Screw, 1/4-20 x 1-1/4"
	33590	"O" Ring
	650516	Screw, 1/4-20 x 1-1/8"
32	32631A	* Gasket, Cylinder head
33	30938A	Head, Cylinder
34	27793	Clip, Conduit (Use as required)
35	28942	Screw, 10-32 x 3/8" (Use as required)
36	650697A	Screw, 5/16-18 x 2-1/2" (Use as requi red)
	650695A	Screw, 5/16-18 x 2-1/4" (Use as requi red)
	650694A	Screw, 5/16-18 x 2" (Use as required)
37	33636	Resistor Spark Plug (RJ-8C)
	34251	Resistor Spark Plug
38	27896A	* Gasket, Breather cover
39	28423	Body, Breather

www.mymowerparts.com

Ref #	Part Number Qty	Description
	28424	Element, Breather
41 2	28425	Cover, Valve spring
42A (650690	Washer, Belleville (Use as required)
42 2	26073	Washer (Use as required)
42 (650691	Washer, Flat (Use as required)
43 (650128	Screw, 10-24 x 1/2"
45 2	27915A	* Gasket, Intake
46 3	30195A	Flange, Carburetor (Incl. 79 & 80)
47 3	30196	Screw, 5/16-18 x 3/4"
48 2	29716	Screw, 1/4-28 x 7/16"
50 (650548	Screw, 8-32 x 5/16"
52 3	32326A	Lever, Governor (New lever does not need 1 of
		51,66,132,164,165,207)
55 3	30205	Bracket, Adjusting
	30824	Link, Throttle
	29216	Nut, Lock, 10-32
	29826	Screw, 10-32 x 3/4"
	29642	Ring, Retaining
	30699C	Rod Assy., Governor (Incl. 64 & 65)
	30699B	Governor Rod Ass'y. (This one-piece governor rodis no longer
		used. It is replaced by 30699C ass'y., Ref. no. 63A)
64 :	30700	Yoke, Governor
	650494	Screw, 6-40 x 5/16"
	29918	Lockwasher, #8 E.T.
	35350	Tube, Breather
	29747B	Screw, 5/16-24 x 21/32"
	32158E	Blower Housing (For elec.star.)(Incl. 134,135)
	650815	Washer, Belleville
	8116	Nut, Hex
	29536	Blower Housing Baffle (without electric starter knock-out)
		(Use as required)
73 '	35256A	Blower Housing Baffle (with electric starter knock-out) (Use
70 .	00250/1	as required) (Point Ignition)
74	GEOEG1	, , , ,
	650561	Screw, 1/4-20 x 5/8"
	31688A	* Gasket, Carburetor
	29752	Nut & Lockwasher Assy., 1/4-28
	650572	Screw, 1/4-28 x 1-1/8"
6∠A	730164	Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89, 90A & 331B) (Use as required)
07 (24240	
	34240 20539	Ground Wire
	29538 22404	Base, Engine mounting
	32401 34845	Muffler Shoft Machanical gavernor
	31845 30591	Shaft, Mechanical governor
		Gear Assy., Governor (Incl. 109)
	30588A 30590A	Spool, Governor
	30590A 29193	Washer, Flat
111C (Ring, Retaining Bracket, Fuel tank
		Screw, 1/4-20 x 5/8"
	650561 34186A	
114 、	UT TOUM	Fuel Tank (Incl. 115 & 266) NOTE: These tanks were built with different size fuel inlet openings. Tanks with the 1-3/16"
		I.D. opening use fuel cap 33032 or 34210. Tanks with the
		1.D. opening use ruel cap 35052 of 342 to. Taliks with the 1-1/2" I.D. opening use fuel cap 35355 or 35650.
	4404445	
115	410144B	Fuel Cap (White Plastic)(Std)(As requ ired)

www.mymowerparts.com


Engine Parts List #1

Ref # Part Number	Qty Description
115 33032	Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile) (Use as required)
115 34210	Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as required)
115 35355	Fuel Cap (Use as required)
116D 34159	Plate, Fuel tank mounting
117A 32961	Valve, Shut-off
118 29774	Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)
118 30705	Fuel Line (Braided 16") (41 cm) (Use as req.)
118 30962	Fuel Line (Braided 32") (81 cm) (Use as req.)
120 650128	Screw, 10-24 x 1/2" (Use as required)
121 30622A	Extension, Blower housing
124 650542	Screw, 5/16-18 x 3/4"
125 27930A 126 30196	Gasket, Exhaust Screw, 5/16-18 x 3/4"
120 30190	Washer (Use as required)
127 20073 128 650694A	Screw, 5/16-18 x 2" (Use as required)
129 32589	Key, Flywheel
130 31843A	Bracket, Governor gear
131 650836	Screw, 10-24 x 1/2"
133 650493	Screw, 1/4-20 x 1-3/4"
149 30747	Clip, Shorting
151 650665	Screw, 1/4-15 x 7/8"
193 610118	Cover, Spark plug (Use as required)
205 650561	Screw, 1/4-20 x 5/8" (Use as required)
209 30939A	Cover, Cylinder head
223 32180C	Line, Primer
225 34126	Bracket, Grommet mounting
226 650760 227 28545	Screw, 8-32 x 3/8" Grommet
246 32125	Cup, Starter
247 590417	Screen, Starter cup
266 26460	Clamp, Fuel line
270 31461	Bushing, Crankshaft (Use as required)
271 33876	Gasket, Stator
274 610973	Terminal Ass'y. (As req. on late prod uction)
287 27275	Clip, Hi-tension wire (Use as require d)
287 34246	Clip, Ground wire (Use as required)
331A 34346	Decal, Instruction
332 30547A	Contact Assy., Breaker
333 610767A	Condenser
334 631021	Inlet Needle, Seat & Clip Assy.
336 631870	Carburetor (Incl. 75) (Refer to Division 5, Section A, page 134 for breakdown)
337 610985	Magneto (w/ring gear) (12 Volt) (3 Am p) NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as show in parts list. (Refer to Division 5, Section B, page 36 for breakdown)
338 590473	Rewind Starter (Refer to Division 5, Section C, page 29 for breakdown)
343 33239A	Gasket Set (Incl. items marked*)

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983

Page 5 of 8

Engine Parts List #2




www.mymowerparts.com

Ref #	Part Number (Qty	Description
31	650516		Screw, 1/4-20 x 1-1/8"
34	27793		Clip, Conduit (Use as required)
35	28942		Screw, 10-32 x 3/8" (Use as required)
43A	650128		Screw, 10-24 x 1/2"
48	29716		Screw, 1/4-28 x 7/16"
56	30824		Link, Throttle
71	650815		Washer, Belleville
72	8116		Nut, Hex
134	33013		Cover, Bubble
135	650736		Screw, 10-16 x 3/8"
193	610118		Cover, Spark plug (Use as required)
200	33109A		Control Bracket (Incl. 224 & 274)
219A	570629A		Primer Assy.
	32180C		Line, Primer
	30826		Spring, Extension
	650257		Screw, 8-32 x 5/16"
	33723		Cover, Carburetor
	32398		Bracket, Choke
	28820		Screw, 10-32 x 1/2"
	650760		Screw, 8-32 x 3/8"
	650765		Screw, 10-32 x 1/2"
	650764		Nut, "U" Type (Use as required)
	610973		Terminal Ass'y. (As req. on late prod uction)
	31680		Guard, Starter
	32576		Seal, Snow guard
	34150		Decal, Choke
	34151		Decal, Choke
	33722		Decal, Instruction
	34414		Decal, Warning
	590473		Rewind Starter (Refer to Division 5, Section C, page 29 for
			breakdown)
			,
340	33328D		Starter Motor Kit (110-120 Volt) This 110-120 volt starter
			motor kit may have been added to this engine. It can be
			added only if cylinder hasdrilled and tapped starter mounting
			bosses and a ring gear flywheel (see#342). Refer to service
			number stamped on end cap of motor, or on decal, for
			identifica
342	30811A		Flywheel (Ring gear flywheel requiredon engines using
0.12	0001171		110-120 volt starter kits listed above)
			•
342	611042		Flywheel (Used on Type letters H and above) (Std. Point
			ignition) (Ring gear flywheel required on engines using
			110-120 volt starter kits listed above)
3/12	611085		Flywheel (Minimum ring gear flywheel required on engines
3 1 2	0.1000		using 110-120 volt starter kits listed above) (Use with Solid
			State ignition)
			State Ignition)

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983

Page 7 of 8

Engine Parts List #3



www.mymowerparts.com

Ref # Part Number	Qty Description
27 27513	Lockwasher, 1/4" (Use as required)
36 650697A	Screw, 5/16-18 x 2-1/2" (Use as requi red)
36 650695A	Screw, 5/16-18 x 2-1/4" (Use as requi red)
36 650694A	Screw, 5/16-18 x 2" (Use as required)
38 27896A	* Gasket, Breather cover
42 26073	Washer (Use as required)
42 650691	Washer, Flat (Use as required)
50 650548	Screw, 8-32 x 5/16"
51 30319	Rivet, Split (Used in early productio n)
52 32326A	Lever, Governor (New lever does not need 1 of
	51,66,132,164,165,207)
55 30205	Bracket, Adjusting
57 730130	Exh.Adap.Kit (Incl. 58 & 125) (Use as req.)
58 30196	Screw, 5/16-18 x 3/4" (Use as require d)
59 29216	Nut, Lock, 10-32
61 29826	Screw, 10-32 x 3/4"
66 29918	Lockwasher, #8 E.T.
82B 730561	Air cleaner kit (Incl. 38, 67A, 83, 84B, 85,89B, 89C, 90A, 91,
	91A, 91B, 91C, 91D, 245 & 331B) (Use only on engines with
	an externally vented fully adjustable carburetor)
82 730127	Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89A, 90, 238 &
	331B) (Use as required)
84D 34819	Air Cleaner Elbow (Incl. 84B, 86A, 91, 91A, 91B & 91C) (Use
	in 730561 assembly only) NOTE: 130010 thru 10C & 11
	used in early production only.
103E 391026	Opt. Spark Arrest Muffler (Incl.196,1 97,199)
113 650561	Screw, 1/4-20 x 5/8"
118 29774	Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)
118 30705	Fuel Line (Braided 16") (41 cm) (Use as req.)
118 30962	Fuel Line (Braided 32") (81 cm) (Use as req.)
125 27930A	Gasket, Exhaust
126 30196	Screw, 5/16-18 x 3/4"
128 650694A	Screw, 5/16-18 x 2" (Use as required)
132 650548	Screw, 8-32 x 5/16" (Early production)
148 34067	Wire Assy., Alternator adapter (4-1/4 ")
148 34069	Wire Assy., Alternator adapter (6-3/4 ")
202 31288	Exh. Adaptor Kit (Incl.125,203,204) (As req.)
203 650697A	Screw, 5/16-18 x 2-1/2" (Use as requi red)
204 6021A	Screw, 5/16-18 x 1-1/2" (Use as requi red)
226 650760	Screw, 8-32 x 3/8"
	Grommet
227 28545	Cioninci