
For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983

H70-130217D Page 1 of 8

Engine Parts List #1



www.mymowerparts.com

	Part Number Qty	
	32586C	Cylinder (Incl. 2, 3, 4 & 76) (2-3/4" Bore)
	27652	Pin, Dowel
	27642	Plug, Oil drain
	32630	Seal, Oil
5	32783	Intake Valve (Std.) (Incl. 9)
5	32784	Intake Valve (1/32" OS) (Incl. 9)
6	27878A	Exhaust Valve (Std.) (Incl. 9)
6	27880A	Exhaust Valve (1/32" OS) (Incl. 9)
	27882	Cap, Upper valve spring
	20810	Pin, Valve spring retainer (Use as re quired)
	27881	Spring, Valve
	27881	Spring, Valve
	32581	Cap, Lower valve spring
	32581	Cap, Lower valve spring
	34242	
		Dipper, Oil
10A	32590	Plate, Lock & Oil dipper (This plate may be replaced by
		34242 oil dipper but 650662C screw must be used.)
11	32680A	Crankshaft (Incl. 12 & 13)
	29783	Crankshaft Gear Pin (Early production )
	27884	Gear, Crankshaft (Used in early production) This gear is
13	27004	servicable onlywhen it is pinned to the crankshaft.
		servicable onlywhen it is pinned to the crankshalt.
14	34517	Piston, Pin & Ring Set (Std.) (2-3/4" Bore)
14	34518	Piston, Pin & Ring Set (.010" OS)
14	34519	Piston, Pin & Ring Set (.020" OS)
	32592B	Piston & Pin Ass'y. (Std.)(2-3/4")(In cl.16)
	32593B	Piston & Pin Ass'y. (.010" OS) (Incl. 16)
	32594B	Piston & Pin Ass'y. (.020" OS) (Incl. 16)
	32595	Ring Set (Std.) (2-3/4" Bore)
	32596	Ring Set (0.010" OS)
	32597	Ring Set (.020" OS)
	27888	
		Ring, Piston pin retaining
	32591C	Rod Assy., Connecting (Incl. 10 & 18)
	650662C	Screw, Connecting rod (2 each)
	30968	Nipple, Oil drain
	30969	Cap, Oil drain
	32115	Camshaft (MCR)
22	34034	Lifter, Valve
23	31303B	Cover, Cylinder (Incl. 24, 106 & 279)
24	28427	Seal, Oil
24B	31546	Bushing, Crankshaft (Use as required)
	31297	Dipstick, Oil (Incl. 30)
	30684	* Gasket, Cylinder cover
	650488	Screw, 1/4-20 x 1-1/4"
	29673	* Gasket, Oil filler
	650489	Screw, 1/4-20 x 5/8"
	32631A	
		* Gasket, Cylinder head
	30938A	Head, Cylinder
	27793	Clip, Conduit (Use as required)
	28942	Screw, 10-32 x 3/8" (Use as required)
	650697A	Screw, 5/16-18 x 2-1/2" (Use as requi red)
	650695A	Screw, 5/16-18 x 2-1/4" (Use as requi red)
	650694A	Screw, 5/16-18 x 2" (Use as required)
	33636	Resistor Spark Plug (RJ-8C)
37	34251	Resistor Spark Plug
	27896A	* Gasket, Breather cover
	28423	Body, Breather
	28424	Element, Breather
.0		· · · · · · · · · · · · · · · · · · ·

www.mymowerparts.com

41 28425 42 28073 42 6500891 42 6500891 42 6500891 43 650128 43 650128 44 650128 45 27915A 46 30195A 47 30196 48 29716 50 650548 48 29716 50 650548 52 23236A 52 23236A 52 23236A 52 23236A 53 23236A 54 57 57 57 57 57 57 57 57 57 57 57 57 57	Ref #	Part Number	Qty	Description
42 850/691 42 850/690 42 850/690 42 850/690 43 850/128 45 27915A 46 20195A 47 20196 48 29716 59 850/548 48 29716 59 850/548 50 23236A 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50 250/54 50			-	
42, 850691 42, 850690 43, 850128 45, 27915A 46, 20195A 47, 20195A 48, 27915A 48, 20195A 48, 29716 59, 2524, 1,1746 50, 2524, 1,1746 50, 2524, 1,1746 50, 2524, 1,1746 51, 2524, 1,1746 52, 232326A 51, 23232, 3, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	42	26073		·
42A 650600 43 650128 45 72915A 46 20195A 46 20195A 47 30196 48 329716 50 650548 48 329716 50 650548 51 52 32226A 51 52 52226A 52 5226A 52 5226A 52 5226A 52 5226A 53 5226A 53 5226A 54 5226A 55 52 5226A 56 52 5226A 57 52 5226A 57 52 5226A 58 5226A	42	650691		
43 650128 45 27915A 46 30195A 47 30196 48 29716 50 650548 51 52 32326A 51 650348 52 32326A 51 650348 52 32326A 51 650348 52 32326A 52 32326A 53 30205 53 30205 54 30205 55 30205 55 30204 56 30205 56 30206 57 30206 58 30207 58 30207 59 30207 59 30208 59 30204 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 30209 50 302				
45 27915A 46 30195A 47 30196 48 29716 48 29716 50 660548 50744-28 x 71/6" 50 30205 55 30205 55 30205 56 30264 57 57 57 57 57 57 57 57 57 57 57 57 57 5				
46 30195A				·
47 30196 48 29716 50 650548 50 650548 51 52 32326A 51 650548 52 32326A 52 52326A 52 52326A 52 52326A 53 650548 52 52326A 53 650548 52 52326A 53 650548 52 52326A 53 650548 53 650548 54 55 30205 55 30205 56 30824 57 5216 57 53 30205 58 30824 59 29216 59 29216 50 30824 50 29216 51 29826 52 52842 53 30699B 53 30699B 54 52 52842 55 52 52842 56 52 52842 57 52 52842 58 52 52842 58 52 52842 59 52842 59 52842 50 52842 50 52842 50 52842 50 52842 50 52842 50 52842 50 52842 50 52842 50 52842 50 52842 50 52842 50 52842 50 52842 50 52842 50 52842 50 52842 50 52842 50 52842 50 52842 50 52842 50 52842 50 52842 50 52842 50 52842 50 52842 50 52842 50 52842 50 52842 50 52842 50 52842 50 52842 50 52842 50 52842 50 52842 50 52842 50 52842 50 52842 50 52842 50 52842 50 52842 50 52842 50 52842 50 52842 50 52842 50 52842 50 52842 50 52842 50 52842 50 52842 50 52842 50 52842 50 52842 50 52842 50 52842 50 52844 50 52842 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 52844 50 5				·
Screw, 1/4-28 x 7/16"				
Screw. B-32 x 5/16"				,
Lever, Governor (New lever does not need 1 of 51,66,132,164,165,207)				·
51,66,132,164,165,207) 55 30205 56 30824 Link, Throttle 59 29216 Nut, Look, 10-32 61 29826 Screw, 10-32 x 3/4" Ring, Retaining 63A 30899C Rod Assy, Covernor (Incl. 64 & 65) Governor Rod Assy, (This one-piece governor rodis no longer used. It is replaced by 30699C assiy, Ref. no. 63A)  4 30700 7 Yoke, Governor 6 650494 Screw, 6-40 x 5/16" Screw, 6-40 x 5/16" 7 33300 Screw, 6-40 x 5/16" Screw, 6-10 x 5/16" Screw, 6-10 x 5/16" Screw, 6-10 x 5/16" Screw, 6-10 x 5/16" Use as required, (Incl. 134,135) Washer, Belleville 7 3 29536 Blower Housing Baffle (without electric starter knock-out) (Use as required) (Point Ignition)  7 4 650561 Screw, 1/4-20 x 5/8" 7 9 29752 Nut & Lockwasher Assy, 1/4-28 Screw, 1/4-20 x 5/8" Air Cleaner Assy, (Incl. 60, 83, 87, 88, 89, 90A & 331B) (Use as required) 10 29538 Base, Engine mounting Muffler 100 39534 Screw, 1/4-20 x 5/8" Air Cleaner Assy, (Incl. 60, 83, 87, 88, 89, 90A & 331B) (Use as required) 10 30591 Gear Assy, Governor (Incl. 109) Spool, Governor (Incl. 115 & 266) NOTE: These tanks were built with different size fuel inlet openings. Tanks with the 1-12/16' IID, opening use fuel cap 33355 or 36560.				
56 30824 59 28216 Nut, Lock, 10-32 61 29626 62 29642 Ring, Retaining 63 30699B Rod Assy, Governor (Incl. 64 & 65) Governor Rod Assy, Chris one-piece governor rodis no longer used. It is replaced by 30699C ass'y, Ref. no. 63A)  64 30700 7oke, Governor 65 650494 Screw, 6-40 x 5/16" 66 29918 Lockwasher, #8 E.T. 70 35350 Tube, Breather 70 32158E Rower Housing For elec.star.)(Incl. 134,135) Washer, Belleville Nut, Hex 73 29536 Blower Housing Baffle (with electric starter knock-out) (Use as required) (Point Ignition)  74 650561 Screw, 16-20 x 5/8" 78 29752 Nut & Lockwasher Assy, 1/4-28 79 29752 Nut & Lockwasher Assy, 1/4-28 79 29752 Nut & Lockwasher Assy, 1/4-28 79 34240 Ground Wire 100 29538 103 32401 Muffler 106 31845 Screw, 1/4-20 x 5/8" 107 30591 Rasse, Engine mounting Nuffler 107 30591 Rasse, Engine mounting Nuffler 108 31845 Screw, 1/4-20 x 600 Rasse, Engine mounting Nuffler 109 30590A Washer, Flat Ring, Retaining Ring, Retainin	<b>0</b> 2	0_0_0, (		·
56 30824 59 28216 Nut, Lock, 10-32 61 29626 62 29642 Ring, Retaining 63 30699B Rod Assy, Governor (Incl. 64 & 65) Governor Rod Assy, Chris one-piece governor rodis no longer used. It is replaced by 30699C ass'y, Ref. no. 63A)  64 30700 7oke, Governor 65 650494 Screw, 6-40 x 5/16" 66 29918 Lockwasher, #8 E.T. 70 35350 Tube, Breather 70 32158E Rower Housing For elec.star.)(Incl. 134,135) Washer, Belleville Nut, Hex 73 29536 Blower Housing Baffle (with electric starter knock-out) (Use as required) (Point Ignition)  74 650561 Screw, 16-20 x 5/8" 78 29752 Nut & Lockwasher Assy, 1/4-28 79 29752 Nut & Lockwasher Assy, 1/4-28 79 29752 Nut & Lockwasher Assy, 1/4-28 79 34240 Ground Wire 100 29538 103 32401 Muffler 106 31845 Screw, 1/4-20 x 5/8" 107 30591 Rasse, Engine mounting Nuffler 107 30591 Rasse, Engine mounting Nuffler 108 31845 Screw, 1/4-20 x 600 Rasse, Engine mounting Nuffler 109 30590A Washer, Flat Ring, Retaining Ring, Retainin	55	30205		Bracket, Adjusting
59   29216   Nut. Lock, 10-32   Screw, 10-32 x 3/4"   62   29842   Ring, Retaining   Rod Assy., Governor (Incl. 64 & 65)   Governor (Sasy., Governor (Incl. 64 & 65)   Governor (Assy., Christone-piece governor rods no longer used. It is replaced by 30699C assy., Ref. no. 63A)   Yoke, Governor Rod Assy., Christone-piece governor rods no longer used. It is replaced by 30699C assy., Ref. no. 63A)   Yoke, Governor Rod Assy., Christone-piece governor rods no longer used. It is replaced by 30699C assy., Ref. no. 63A)   Yoke, Governor Rod Assy., Christone-piece governor rods no longer used. It is replaced by 30699C assy., Ref. no. 63A)   Yoke, Governor Rod Assy., Christone-piece governor rods no longer used. It is replaced by 30699C assy., Ref. no. 63A)   Yoke, Governor Rod Assy., Ref. no. 63A)   Yoke, Governor Rod Assy., Ref. no. 63A)   Yoke, Governor Rod Screw, Ind. Ref. 2012				• •
61 28626 62 29642 63 30699C 63 30699B 64 30700 65 650494 66 29918 66 29918 67 3330 68 29747B 68 29747B 69 29747B 6015 61 6015 62 316615 63 36596 64 30700 65 6650494 65 629918 66 29918 66 29918 66 29918 67 36350 68 29747B 69 29747B 69 29747B 60515 60615 60615 60615 60615 60616 607 607 607 607 607 608 608 608 608 608 608 608 608 608 608				
62 29642 63A 30699C 63 30699B Covernor Rod Assy., Governor (Incl. 64 & 65) 63 30699B Covernor Rod Assy., (This one-piece governor rodis no longer used. It is replaced by 30699C assy., Ref. no. 63A)  64 30700 65 650494 Screw, 640 x 5/16* 66 29918 Lockwasher, #8 E.T. 70 32158E Slower Housing (For elec.star.)(Incl. 134,135)  71 650815 72 8116 Nut. Hex 816 73 29536 Blower Housing Baffle (without electric starter knock-out) (Use as required) (Use as required)  73 35256A Blower Housing Baffle (with electric starter knock-out) (Use as required)  74 650561 Screw, 14-20 x 5/8* 75 31688A Screw, 14-22 x 5/8* 81 605672 Nut & Lockwasher Assy., 1/4-28 82A 730164 Cleaner Assy. (Incl. 60, 83, 87, 88, 89, 90A & 331B) (Use as required)  97 34240 Ground Wire 100 29538 Base, Engine mounting Nuffler 110 31845 Shaft, Mechanical governor Gear Assy., Governor (Incl. 109) Spool, Governor Washer, Flat Ring, Retaining 113 30063 Fuel Cap (White Plastic) (Sput resistant, Low profile) Fuel Cap (White Plastic) (Sput resistant, Low profile)				
63A 30699B				·
Governor Rod Assy, (This one-piece governor rodis no longer used. It is replaced by 30699C assy, Ref. no. 63A)  64 30700				
used. It is replaced by 30699C assly, Ref. no. 63A)  64 30700 65 650494 66 29918 Lockwasher, #6 E.T. 67 33350 Tube, Breather 70 32158E Blower Housing (For elec.star.)(Incl. 134,135) 71 650815 Washer, Belleville Nut, Hev 73 29536 Blower Housing Baffle (without electric starter knock-out) (Use as required) 73 35256A Blower Housing Baffle (without electric starter knock-out) (Use as required) (Point Ignition)  74 650561 Screw, 1/4-20 x 5/8" 75 31688A 79 29752 80 650572 Nut & Lockwasher Assy., 1/4-28 Screw, 1/4-28 X 1-1/8" 82A 730164 Ground Wire 8ase, Engine mounting Muffler 100 29538 Base, Engine mounting Muffler 106 31845 Ground Wire 107 30591 Gear Assy, Covernor 108 30580A Spool, Governor Washer, Flat 110 29193 Ring, Retaining 113 30063 Fuel Cap (White Plastic) (Std) (As required) Fuel Cap (White Plastic) (Stput resistant, Low profile)				
66 650494 66 29918 66 29918 67 35350 71 Lockwasher, #8 E.T. 73 32158E 70 32158E 71 650815 72 8116 73 29536 81 Blower Housing (For elec.star.) (Incl. 134,135) Washer, Belleville Nut, Hex 81 Blower Housing Baffle (without electric starter knock-out) (Use as required) 81 Blower Housing Baffle (without electric starter knock-out) (Use as required) 82 Screw, 1/4-20 x 5/8' 83 A Blower Housing Baffle (with electric starter knock-out) (Use as required) 83 A Base, Carburetor Nut & Lockwasher Assy., 1/4-28 84 A 730164 85 A Crew, 1/4-28 x 1-1/8' 87 34240 87 34240 87 34240 87 34240 88 Base, Engine mounting Muffler 100 29538 103 32401 106 31845 107 30591 108 30588A 109 30590A 109 30590A 110 30631 111 31063 112 29193 113 30063 114 34186A Fuel Tank (Incl. 115 & 266) NOTE: These tanks were built with different size fuel inlet openings. Tanks with the 1-1/2" I.D. opening use fuel cap 33032 or 34210. Tanks with the 1-1/2" I.D. opening use fuel cap 33032 or 34210. Tanks with the 1-1/2" I.D. opening use fuel cap 33032 or 34210. Tanks with the 1-1/2" I.D. opening use fuel cap 33032 or 34210. Tanks with the 1-1/2" I.D. opening use fuel cap 33032 or 36500.				used. It is replaced by 30699C ass'y.,Ref. no. 63A)
66 29918 67 35350     Tube, Breather     Screw, \$/16-24 x 21/32" 70 32158E 71 650815 72 8116     Nut, Hex 73 29536     Blower Housing (For elec.star.)(Incl. 134,135)     Washer, Belleville     Nut, Hex 73 35256A     Blower Housing Baffle (without electric starter knock-out) (Use as required) (Point Ignition)  74 650561     Screw, 1/4-20 x 5/8"     3 3688A     * Gasket, Carburetor     Nut & Lockwasher Assy., 1/4-28     Screw, 1/4-28 x 1-1/8" 82A 730164     Ground Wire     3 34240     Ground Wire     3 32401     Muffler     3 30583     Base, Engine mounting     Muffler     3 30583A     Spool, Governor (Incl. 109)     3 30583A     Spool, Governor     Washer, Flat     Ting, Retaining     113 30063     Screw, 1/4-20 x 1/2"     Fuel Tank (Incl. 115 & 266) NOTE: These tanks were built with different size fuel inlet openings. Tanks with the 1-1/2" I.D. opening use fuel cap 33032 or 34210. Tanks with the 1-1/2" I.D. opening use fuel cap 33032 or 35500.  115 410144B     Fuel Cap (White Plastic)(Std)(As requ ired)     Fuel Cap (White Plastic)(Std)(As requ ired)     Fuel Cap (Charcoal Plastic) (Sput resistant, Low profile)				
67 35350	65	650494		Screw, 6-40 x 5/16"
69 29747B 70 32158E	66	29918		Lockwasher, #8 E.T.
Blower Housing (For elec.star.)(Incl. 134,135)	67	35350		Tube, Breather
71 650815 72 8116 73 29536	69	29747B		Screw, 5/16-24 x 21/32"
Nut, Hex	70	32158E		Blower Housing (For elec.star.)(Incl. 134,135)
Blower Housing Baffle (without electric starter knock-out) (Use as required)     73   35256A	71	650815		Washer, Belleville
(Use as required)  Blower Housing Baffle (with electric starter knock-out) (Use as required) (Point Ignition)  74 650561  75 31688A  76 9 29752  80 650572  80 650572  81 A 730164  Screw, 1/4-20 x 5/8"  Air Cleaner Assy., 1/4-28  Screw, 1/4-28 x 1-1/8"  Air Cleaner Assy. (Incl. 60, 83, 87, 88, 89, 90A & 331B) (Use as required)  97 34240  Ground Wire  100 29538  Base, Engine mounting  Muffler  106 31845  Shaft, Mechanical governor  107 30591  Gear Assy., Governor (Incl. 109)  Spool, Governor  109 30590A  Washer, Flat  110 29193  Ring, Retaining  Screw, 1/4-20 x 1/2"  Fuel Tank (Incl. 115 & 266) NOTE: These tanks were built with different size fuel inlet openings. Tanks with the 1-3/16"  I.D. opening use fuel cap 35355 or 35650.  115 410144B  Fuel Cap (White Plastic)(Std)(As requ ired)  Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile)	72	8116		
Blower Housing Baffle (with electric starter knock-out) (Use as required) (Point Ignition)   74   650561   Screw, 1/4-20 x 5/8"     75   31688A   * Gasket, Carburetor     79   29752   Nut & Lockwasher Assy., 1/4-28     80   650572   Screw, 1/4-28 x 1-1/8"     82A   730164   Air Cleaner Assy. (Incl. 60, 83, 87, 88, 89, 90A & 331B) (Use as required)   97   34240   Ground Wire     100   29538   Base, Engine mounting     103   32401   Muffler     106   31845   Shaft, Mechanical governor     107   30591   Gear Assy., Governor (Incl. 109)     108   30588A   Spool, Governor (Incl. 109)     109   30590A   Washer, Flat     110   29193   Ring, Retaining     113   30063   Screw, 1/4-20 x 1/2"     114   34186A   Fuel Tank (Incl. 115 & 266) NOTE: These tanks were built with different size fuel inlet openings. Tanks with the 1-3/16"     1.D. opening use fuel cap 33032 or 34210. Tanks with the 1-1/2" I.D. opening use fuel cap 35355 or 35650.     115   410144B   Fuel Cap (White Plastic) (Stuf) (As requ ired)     Fuel Cap (White Plastic) (Spurt resistant, Low profile)	73	29536		
as required) (Point Ignition)  74 650561 Screw, 1/4-20 x 5/8"  75 31688A * Gasket, Carburetor  Nut & Lockwasher Assy., 1/4-28 80 650572 Screw, 1/4-28 x 1-1/8" 82A 730164 Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89, 90A & 331B) (Use as required)  97 34240 Ground Wire 100 29538 Base, Engine mounting Muffler 106 31845 Shaft, Mechanical governor 107 30591 Gear Assy., Governor (Incl. 109) 108 30588A Spool, Governor 109 30590A Washer, Flat 110 29193 Ring, Retaining 113 30063 Screw, 1/4-20 x 1/2" 114 34186A Fuel Tank (Incl. 115 & 266) NOTE: These tanks were built with different size fuel inlet openings. Tanks with the 1-3/16" I.D. opening use fuel cap 33032 or 34210. Tanks with the 1-1/2" I.D. opening use fuel cap 35355 or 35650.				,
74 650561 75 31688A 76 31688A 7 30168BA 7 30164 82A 730164 82A 730164 82B 36 650572 82B 36 650572 82B 36 650572 82B 37 650572 82B 37 650572 82B 37 650572 82B 38	73	35256A		
75       31688A       * Gasket, Carburetor         79       29752       Nut & Lockwasher Assy., 1/4-28         80       650572       Screw, 1/4-28 x 1-1/8"         82A       730164       Air Cleaner Assy. (Incl. 60, 83, 87, 88, 89, 90A & 331B) (Use as required)         97       34240       Ground Wire         100       29538       Base, Engine mounting         103       32401       Muffler         106       31845       Shaft, Mechanical governor         107       30591       Gear Assy., Governor (Incl. 109)         108       30588A       Spool, Governor         109       30590A       Washer, Flat         110       29193       Ring, Retaining         113       30063       Screw, 1/4-20 x 1/2"         114       34186A       Fuel Tank (Incl. 115 & 266) NOTE: These tanks were built with different size fuel inlet openings. Tanks with the 1-3/16" I.D. opening use fuel cap 35355 or 35650.         115       410144B       Fuel Cap (White Plastic)(Std)(As requ ired)         115       33032       Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile)				
Nut & Lockwasher Assy., 1/4-28				
80       650572       Screw, 1/4-28 x 1-1/8"         82A       730164       Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89, 90A & 331B) (Use as required)         97       34240       Ground Wire         100       29538       Base, Engine mounting         103       32401       Muffler         106       31845       Shaft, Mechanical governor         107       30591       Gear Assy., Governor (Incl. 109)         108       30588A       Spool, Governor         109       30590A       Washer, Flat         110       29193       Ring, Retaining         113       30063       Screw, 1/4-20 x 1/2"         114       34186A       Fuel Tank (Incl. 115 & 266) NOTE: These tanks were built with different size fuel inlet openings. Tanks with the 1-3/16" I.D. opening use fuel cap 33032 or 34210. Tanks with the 1-1/2" I.D. opening use fuel cap 35355 or 35650.         115       410144B       Fuel Cap (White Plastic)(Std)(As requ ired)         115       33032       Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile)				•
Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89, 90A & 331B) (Use as required)  97 34240  Ground Wire  100 29538  Base, Engine mounting  Muffler  106 31845  Shaft, Mechanical governor  107 30591  Gear Assy., Governor (Incl. 109)  108 30588A  Spool, Governor  109 30590A  Washer, Flat  110 29193  Ring, Retaining  113 30063  Screw, 1/4-20 x 1/2"  114 34186A  Fuel Tank (Incl. 115 & 266) NOTE: These tanks were built with different size fuel inlet openings. Tanks with the 1-3/16"  I.D. opening use fuel cap 33032 or 34210. Tanks with the 1-1/2" I.D. opening use fuel cap 35355 or 35650.  115 410144B  Fuel Cap (White Plastic)(Std)(As requ ired)  Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile)				
(Use as required)  97 34240     Ground Wire     100 29538     Base, Engine mounting     Muffler     106 31845     Shaft, Mechanical governor     107 30591     Gear Assy., Governor (Incl. 109)     108 30588A     Spool, Governor     109 30590A     Washer, Flat     110 29193     Ring, Retaining     Screw, 1/4-20 x 1/2"     114 34186A     Fuel Tank (Incl. 115 & 266) NOTE: These tanks were built with different size fuel inlet openings. Tanks with the 1-3/16"     I.D. opening use fuel cap 33032 or 34210. Tanks with the 1-1/2" I.D. opening use fuel cap 35355 or 35650.  115 410144B     Fuel Cap (White Plastic)(Std)(As requ ired)     Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile)				·
97 34240 100 29538 Base, Engine mounting 103 32401 Muffler 106 31845 Shaft, Mechanical governor 107 30591 Gear Assy., Governor (Incl. 109) 108 30588A Spool, Governor 109 30590A Washer, Flat 110 29193 Ring, Retaining 113 30063 Screw, 1/4-20 x 1/2" 114 34186A Fuel Tank (Incl. 115 & 266) NOTE: These tanks were built with different size fuel inlet openings. Tanks with the 1-3/16" I.D. opening use fuel cap 33032 or 34210. Tanks with the 1-1/2" I.D. opening use fuel cap 35355 or 35650.  115 410144B Fuel Cap (White Plastic)(Std)(As requ ired) Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile)	82A	730164		· · · · · · · · · · · · · · · · · · ·
100 29538   Base, Engine mounting				(Use as required)
103       32401       Muffler         106       31845       Shaft, Mechanical governor         107       30591       Gear Assy., Governor (Incl. 109)         108       30588A       Spool, Governor         109       30590A       Washer, Flat         110       29193       Ring, Retaining         113       30063       Screw, 1/4-20 x 1/2"         114       34186A       Fuel Tank (Incl. 115 & 266) NOTE: These tanks were built with different size fuel inlet openings. Tanks with the 1-3/16"         I.D. opening use fuel cap 33032 or 34210. Tanks with the 1-1/2" I.D. opening use fuel cap 35355 or 35650.         115       410144B       Fuel Cap (White Plastic)(Std)(As requ ired)         115       33032       Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile)				
Shaft, Mechanical governor Gear Assy., Governor (Incl. 109) Spool, Governor Washer, Flat Ring, Retaining Screw, 1/4-20 x 1/2" Ruel Tank (Incl. 115 & 266) NOTE: These tanks were built with different size fuel inlet openings. Tanks with the 1-3/16" I.D. opening use fuel cap 33032 or 34210. Tanks with the 1-1/2" I.D. opening use fuel cap 35355 or 35650.  Fuel Cap (White Plastic)(Std)(As requ ired) Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile)				
107       30591       Gear Assy., Governor (Incl. 109)         108       30588A       Spool, Governor         109       30590A       Washer, Flat         110       29193       Ring, Retaining         113       30063       Screw, 1/4-20 x 1/2"         114       34186A       Fuel Tank (Incl. 115 & 266) NOTE: These tanks were built with different size fuel inlet openings. Tanks with the 1-3/16" I.D. opening use fuel cap 33032 or 34210. Tanks with the 1-1/2" I.D. opening use fuel cap 35355 or 35650.         115       410144B       Fuel Cap (White Plastic)(Std)(As requ ired)         115       33032       Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile)	103	32401		Muffler
Spool, Governor Washer, Flat Washer, Flat Ring, Retaining Screw, 1/4-20 x 1/2" Fuel Tank (Incl. 115 & 266) NOTE: These tanks were built with different size fuel inlet openings. Tanks with the 1-3/16" I.D. opening use fuel cap 33032 or 34210. Tanks with the 1-1/2" I.D. opening use fuel cap 35355 or 35650.  Fuel Cap (White Plastic)(Std)(As requ ired) Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile)	106	31845		Shaft, Mechanical governor
109 30590A 110 29193 111 30063 112 34186A 113 3063 114 34186A 115 410144B 115 33032  Washer, Flat Ring, Retaining Screw, 1/4-20 x 1/2" Fuel Tank (Incl. 115 & 266) NOTE: These tanks were built with different size fuel inlet openings. Tanks with the 1-3/16" I.D. opening use fuel cap 33032 or 34210. Tanks with the 1-1/2" I.D. opening use fuel cap 35355 or 35650.  Fuel Cap (White Plastic)(Std)(As requ ired) Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile)	107	30591		Gear Assy., Governor (Incl. 109)
Ring, Retaining Screw, 1/4-20 x 1/2"  114 34186A  Fuel Tank (Incl. 115 & 266) NOTE: These tanks were built with different size fuel inlet openings. Tanks with the 1-3/16" I.D. opening use fuel cap 33032 or 34210. Tanks with the 1-1/2" I.D. opening use fuel cap 35355 or 35650.  115 410144B Fuel Cap (White Plastic)(Std)(As requ ired) Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile)	108	30588A		Spool, Governor
113 30063 Screw, 1/4-20 x 1/2" Fuel Tank (Incl. 115 & 266) NOTE: These tanks were built with different size fuel inlet openings. Tanks with the 1-3/16" I.D. opening use fuel cap 33032 or 34210. Tanks with the 1-1/2" I.D. opening use fuel cap 35355 or 35650.  115 410144B Fuel Cap (White Plastic)(Std)(As requ ired) Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile)	109	30590A		Washer, Flat
Fuel Tank (Incl. 115 & 266) NOTE: These tanks were built with different size fuel inlet openings. Tanks with the 1-3/16" I.D. opening use fuel cap 33032 or 34210. Tanks with the 1-1/2" I.D. opening use fuel cap 35355 or 35650.  Fuel Cap (White Plastic)(Std)(As requ ired) Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile)	110	29193		Ring, Retaining
with different size fuel inlet openings. Tanks with the 1-3/16" I.D. opening use fuel cap 33032 or 34210. Tanks with the 1-1/2" I.D. opening use fuel cap 35355 or 35650.  115 410144B Fuel Cap (White Plastic)(Std)(As requ ired) Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile)	113	30063		Screw, 1/4-20 x 1/2"
I.D. opening use fuel cap 33032 or 34210. Tanks with the 1-1/2" I.D. opening use fuel cap 35355 or 35650.  115 410144B Fuel Cap (White Plastic)(Std)(As requ ired) Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile)	114	34186A		Fuel Tank (Incl. 115 & 266) NOTE: These tanks were built
1-1/2 I.D. opening use fuel cap 35355 or 35650.  115 410144B Fuel Cap (White Plastic)(Std)(As requ ired)  115 33032 Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile)				with different size fuel inlet openings. Tanks with the 1-3/16"
115 410144B Fuel Cap (White Plastic)(Std)(As requ ired) 115 33032 Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile)				I.D. opening use fuel cap 33032 or 34210. Tanks with the
115 33032 Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile)				1-1/2" I.D. opening use fuel cap 35355 or 35650.
(Use as required)	115	33032		
				(Use as required)


## www.mymowerparts.com

Ref # Part Number	Qty Description
115 34210	Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as required)
115 35355 118 29774 118 30705 118 30962 120 650128 121 30622A 122 34174 123 650665 124 650542 125 27930A 126 30196 127 26073 128 650694A 129 32589 130 31843A 131 650836 133 650493 149 30747 193 610118 205 650561 209 30939A 225 34126 226 650760 227 28545 246 32125 247 590417 266 26460 270 31461 271 33876 274 610973 287 27275 287 34246 331 550223	Fuel Cap (Use as required) Fuel Line (Braided 8-1/4" 21 cm)(Use as req.) Fuel Line (Braided 16") (41 cm) (Use as req.) Fuel Line (Braided 32") (81 cm) (Use as req.) Fuel Line (Braided 32") (81 cm) (Use as req.) Screw, 10-24 x 1/2" (Use as required) Extension, Blower housing Deflector, Exhaust Screw, 5/16-18 x 3/4" Sasket, Exhaust Screw, 5/16-18 x 3/4" Washer (Use as required) Screw, 5/16-18 x 2" (Use as required) Key, Flywheel Bracket, Governor gear Screw, 10-24 x 1/2" Screw, 1/4-20 x 1-3/4" Clip, Shorting Cover, Spark plug (Use as required) Screw, 1/4-20 x 5/8" (Use as required) Screw, 1/4-20 x 5/8" (Use as required) Cover, Cylinder head Bracket, Grommet mounting Screw, 8-32 x 3/8" Grommet Cup, Starter Screen, Starter cup Clamp, Fuel line Bushing, Crankshaft (Use as required) Gasket, Stator Terminal Ass'y. (As req. on late prod uction) Clip, Hi-tension wire (Use as required) Decal, Name
331A 34346 332 30547A 333 30548B 334 631021 336 631912	Decal, Instruction Contact Assy., Breaker Condenser Inlet Needle, Seat & Clip Assy. Carburetor (Incl. 75) (Refer to Division 5, Section A, page 138 for breakdown)
337 610694A	Magneto (w/ring gear for 110 volt sta rter) NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as show in parts list. (Refer to Division 5, Section B, page 24 for breakdown)
338 590473	Rewind Starter (Refer to Division 5, Section C, page 29 for breakdown)
343 33239A	Gasket Set (Incl. items marked*)

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983

Page 5 of 8

Engine Parts List #2




www.mymowerparts.com

Dof #	Dout Ni week ou	O+.	Description
	Part Number	Qty	Description
	650489		Screw, 1/4-20 x 5/8"
	27793		Clip, Conduit (Use as required)
	28942		Screw, 10-32 x 3/8" (Use as required)
	650128		Screw, 10-24 x 1/2"
	29716		Screw, 1/4-28 x 7/16"
	30824		Link, Throttle
	650815		Washer, Belleville
	8116		Nut, Hex
	33013		Cover, Bubble
	650736		Screw, 10-16 x 3/8"
	610118		Cover, Spark plug (Use as required)
	33108A		Control Bracket (Incl. 224 & 274)
	32410		Knob, Speed control
	30826		Spring, Extension
	650257		Screw, 8-32 x 5/16"
	34217		Cover, Carburetor
	32398		Bracket, Choke
	28820		Screw, 10-32 x 1/2"
	650760		Screw, 8-32 x 3/8"
	650765		Screw, 10-32 x 1/2"
	31291		Plug, Cover
	650764		Nut, "U" Type (Use as required)
	610973		Terminal Ass'y. (As req. on late prod uction)
282A	34132		Plate, Choke indicator
292	31680		Guard, Starter
293	32576		Seal, Snow guard
	550223		Decal, Name
331G	34416		Decal, Choke
331H	34414		Decal, Warning
338	590473		Rewind Starter (Refer to Division 5, Section C, page 29 for breakdown)
0.40	200000		,
340	33328D		Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#342). Refer to service number stamped on end cap of motor, or on decal, for identifica
342	30811A		Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above)
342	611042		Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using 110-120 volt starter kits listed above)
342	611085		Flywheel (Minimum ring gear flywheel required on engines using 110-120 volt starter kits listed above) (Use with Solid State ignition)

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983

Page 7 of 8

Engine Parts List #3



www.mymowerparts.com

	Part Number	Qty Description
36 36 38 42 42 50 51	27513 650697A 650695A 650694A 27896A 26073 650691 650548 30319 32326A	Lockwasher, 1/4" (Use as required) Screw, 5/16-18 x 2-1/2" (Use as requi red) Screw, 5/16-18 x 2-1/4" (Use as requi red) Screw, 5/16-18 x 2" (Use as required) * Gasket, Breather cover Washer (Use as required) Washer, Flat (Use as required) Screw, 8-32 x 5/16" Rivet, Split (Used in early productio n) Lever, Governor (New lever does not need 1 of 51,66,132,164,165,207)
57 58 59 61 66	30205 730130 30196 29216 29826 29918 730561	Bracket, Adjusting Exh.Adap.Kit (Incl. 58 & 125) (Use as req.) Screw, 5/16-18 x 3/4" (Use as require d) Nut, Lock, 10-32 Screw, 10-32 x 3/4" Lockwasher, #8 E.T. Air cleaner kit (Incl. 38, 67A, 83, 84B, 85,89B, 89C, 90A, 91, 91A, 91B, 91C, 91D, 245 & 331B) (Use only on engines with an externally vented fully adjustable carburetor)
82	730127	Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89A, 90, 238 & 331B) (Use as required)
84D	34819	Air Cleaner Elbow (Incl. 84B, 86A, 91, 91A, 91B & 91C) (Use in 730561 assembly only) NOTE: 130010 thru 10C & 11 used in early production only.
113 118 118 118 125 126 128 132 137 148 148 202 203 204 226 227	391026 30063 29774 30705 30962 27930A 30196 650694A 650548 33356 34067 34069 31288 650697A 6021A 650760 28545 26460	Opt. Spark Arrest Muffler (Incl.196,1 97,199) Screw, 1/4-20 x 1/2" Fuel Line (Braided 8-1/4" 21 cm)(Use as req.) Fuel Line (Braided 16") (41 cm) (Use as req.) Fuel Line (Braided 32") (81 cm) (Use as req.) Gasket, Exhaust Screw, 5/16-18 x 3/4" Screw, 5/16-18 x 2" (Use as required) Screw, 8-32 x 5/16" (Early production ) Terminal Wire Assy., Alternator adapter (4-1/4 ") Wire Assy., Alternator adapter (6-3/4 ") Exh. Adaptor Kit (Incl.125,203,204) ( As req.) Screw, 5/16-18 x 2-1/2" (Use as requi red) Screw, 5/16-18 x 1-1/2" (Use as requi red) Screw, 8-32 x 3/8" Grommet Clamp, Fuel line