
For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983

Page 1 of 8



www.mymowerparts.com


	Part Number Qty	
	32586C	Cylinder (Incl. 2, 3, 4 & 76) (2-3/4" Bore)
	27652	Pin, Dowel
	27642	Plug, Oil drain
	32630	Seal, Oil
	32783	Intake Valve (Std.) (Incl. 9)
	32784	Intake Valve (1/32" OS) (Incl. 9)
	27878A	Exhaust Valve (Std.) (Incl. 9)
	27880A	Exhaust Valve (1/32" OS) (Incl. 9)
	27882	Cap, Upper valve spring
	20810	Pin, Valve spring retainer (Use as re quired)
	27881	Spring, Valve
	27881	Spring, Valve
	32581	Cap, Lower valve spring
	32581	Cap, Lower valve spring
10A	32590	Plate, Lock & Oil dipper (This plate may be replaced by
		34242 oil dipper but 650662C screw must be used.)
10	34242	Dipper, Oil
	32680A	Crankshaft (Incl. 12 & 13)
	29783	Crankshaft Gear Pin (Early production )
	27884	Gear, Crankshaft (Used in early production) This gear is
		servicable onlywhen it is pinned to the crankshaft.
4.4	0.454.7	,
	34517 34518	Piston, Pin & Ring Set (Std.) (2-3/4" Bore)
	34519	Piston, Pin & Ring Set (.010" OS) Piston, Pin & Ring Set (.020" OS)
	32592B	
	32593B	Piston & Pin Ass'y. (Std.)(2-3/4")(In cl.16)
	32594B	Piston & Pin Ass'y. (.010" OS) (Incl. 16)
	32595	Piston & Pin Ass'y. (.020" OS) (Incl. 16)
		Ring Set (Std.) (2-3/4" Bore)
	32596	Ring Set (.010" OS)
	32597 27888	Ring Set (.020" OS)
		Ring, Piston pin retaining
	32591C 650662C	Rod Assy., Connecting (Incl. 10 & 18)
	34082	Screw, Connecting rod (2 each) Camshaft (MCR) (Extended)
	34034	Lifter, Valve
	31720A	
	28427	Cover, Cylinder (Incl. 24, 24A, 106 & 279)
		Seal, Oil
	28926 31546	Seal, Oil  Purpling Crapkabett (Lips on required)
	34011A	Bushing, Crankshaft (Use as required)
	33893A	Dipstick, Oil (Incl. 30) Tube, Oil filler
	30684	
	650488	* Gasket, Cylinder cover Screw, 1/4-20 x 1-1/4"
	33590	"O" Ring
	650489	Screw, 1/4-20 x 5/8"
	32631A	* Gasket, Cylinder head
	30938A	Head, Cylinder
	27793	Clip, Conduit (Use as required)
	28942	Screw, 10-32 x 3/8" (Use as required)
	20942 650697A	Screw, 5/16-18 x 2-1/2" (Use as required)
	650695A	Screw, 5/16-18 x 2-1/2 (Use as required) Screw, 5/16-18 x 2-1/4" (Use as required)
	650694A	
		Screw, 5/16-18 x 2" (Use as required)
	33636 34251	Resistor Spark Plug (RJ-8C)
	34251 27806A	Resistor Spark Plug  * Casket Breather cover
	27896A	* Gasket, Breather cover
	28423	Body, Breather
40	28424	Element, Breather

	D. (A)	<u> </u>	
		Qty	Description Cover Volve contract
	28425		Cover, Valve spring
	650690		Washer, Belleville (Use as required)
	26073		Washer (Use as required)
	650691		Washer, Flat (Use as required)
	650128		Screw, 10-24 x 1/2"
	27915A		* Gasket, Intake
	30195A		Flange, Carburetor (Incl. 79 & 80)
	30196		Screw, 5/16-18 x 3/4"
48	29716		Screw, 1/4-28 x 7/16"
50	650548		Screw, 8-32 x 5/16"
52	32326A		Lever, Governor (New lever does not need 1 of
			51,66,132,164,165,207)
55	30205		Product Adjusting
			Bracket, Adjusting
	31710		Link, Throttle
	29216		Nut, Lock, 10-32
	650152		Screw, 8-32 x 3/8"
	29826		Screw, 10-32 x 3/4"
	29642		Ring, Retaining
63	30699B		Governor Rod Ass'y. (This one-piece governor rodis no longer
			used. It is replaced by 30699C ass'y.,Ref. no. 63A)
63A	30699C		Rod Assy., Governor (Incl. 64 & 65)
	30700		Yoke, Governor
	650494		Screw, 6-40 x 5/16"
	29918		Lockwasher, #8 E.T.
	35350		Tube, Breather
	29747B		Screw, 5/16-24 x 21/32"
	32158E		Blower Housing (For elec.star.)(Incl. 134,135)
	650815		Washer, Belleville
	8116		Nut, Hex
	29536		Blower Housing Baffle (without electric starter knock-out)
70	20000		(Use as required)
			, ,
73	35256A		Blower Housing Baffle (with electric starter knock-out) (Use
			as required) (Point Ignition)
74	650561		Screw, 1/4-20 x 5/8"
	31688A		* Gasket, Carburetor
	29752		Nut & Lockwasher Assy., 1/4-28
	650572		Screw, 1/4-28 x 1-1/8"
	730164		Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89, 90A & 331B)
02/1	75010-1		(Use as required)
			,
	27272A		* Gasket, Air cleaner
87	31691		Bracket, Air cleaner NOTE: 130010 thru 10C & 11 used in
			early production only.
28	28820		Screw, 10-32 x 1/2"
	30727		Element, Air cleaner
	31715		Body, Air cleaner
	34235		Ground Wire
	28569		Spring, Compression
	29500		Screw, 8-32 x 3/4"
	29538		Base, Engine mounting
	31845		Shaft, Mechanical governor
	30591		Gear Assy., Governor (Incl. 109)
	30588A		Spool, Governor
	30590A 30590A		Washer, Flat
	29193		Ring, Retaining
	34158		Bracket, Fuel tank
1110	WWW mymov	<b></b>	

Ref #	Part Number Qty	Description
113	650561 34186A	Screw, 1/4-20 x 5/8" Fuel Tank (Incl. 115 & 266) NOTE: These tanks were built with different size fuel inlet openings. Tanks with the 1-3/16" I.D. opening use fuel cap 33032 or 34210. Tanks with the 1-1/2" I.D. opening use fuel cap 35355 or 35650.
	410144B 33032	Fuel Cap (White Plastic)(Std)(As requ ired) Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile) (Use as required)
115	34210	Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as required)
116D 118 118 118 120 121 124 127 128 129 130 131 133 149 151 193 205 209 246 247 266 270 271 273 274 275 287 287 331A 331 332 333	29774 30705 30962 650128 30622A 650542 26073 650694A 32589 31843A 650836 650493 30747 650665 610118 650561 30939A 32125 590417 26460 31461 33876 31711B 610973 34043 27275 34246	Fuel Cap (Use as required) Plate, Fuel tank mounting Fuel Line (Braided 8-1/4" 21 cm) (Use as req.) Fuel Line (Braided 16") (41 cm) (Use as req.) Fuel Line (Braided 32") (81 cm) (Use as req.) Screw, 10-24 x 1/2" (Use as required) Extension, Blower housing Screw, 5/16-18 x 3/4" Washer (Use as required) Screw, 5/16-18 x 2" (Use as required) Key, Flywheel Bracket, Governor gear Screw, 10-24 x 1/2" Screw, 1/4-20 x 1-3/4" Clip, Shorting Screw, 1/4-15 x 7/8" Cover, Spark plug (Use as required) Screw, 1/4-20 x 5/8" (Use as required) Cover, Cylinder head Cup, Starter Screen, Starter cup Clamp, Fuel line Bushing, Crankshaft (Use as required) Gasket, Stator Copntrol Bracket (Incl. 98, 99 & 274) Terminal Ass'y. (As req. on late prod uction) Spring, Control lever Clip, Hi-tension wire (Use as required) Decal, Instruction Decal, Name Contact Assy., Breaker Condenser Inlet Needle, Seat & Clip Assy.
	631453 610694A	Carburetor (Incl. 75) (Refer to Division 5, Section A, page 100 for breakdown)  Magneto (w/ring gear for 110 volt sta rter) NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as show in parts list. (Refer to Division 5, Section B, page 24 for breakdown)
338	590420	Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)
343	33239A	Gasket Set (Incl. items marked*)

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983

Page 5 of 8




## For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 $_{\rm Page~6~of~8}$ Engine Parts List #2

Ref #	Part Number C	ty Description
31	650489	Screw, 1/4-20 x 5/8"
34	27793	Clip, Conduit (Use as required)
35	28942	Screw, 10-32 x 3/8" (Use as required)
43A	650128	Screw, 10-24 x 1/2"
48	29716	Screw, 1/4-28 x 7/16"
56	31710	Link, Throttle
71	650815	Washer, Belleville
72	8116	Nut, Hex
98	28569	Spring, Compression
99	29500	Screw, 8-32 x 3/4"
134	33013	Cover, Bubble
135	650736	Screw, 10-16 x 3/8"
	610118	Cover, Spark plug (Use as required)
	650764	Nut, "U" Type (Use as required)
	610973	Terminal Ass'y. (As req. on late prod uction)
331	550223	Decal, Name
338	590420	Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)
340	33328D	Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#342). Refer to service number stamped on end cap of motor, or on decal, for identifica
342	30811A	Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above)
342	611042	Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using 110-120 volt starter kits listed above)
342	611085	Flywheel (Minimum ring gear flywheel required on engines using 110-120 volt starter kits listed above) (Use withSolid State ignition)

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983

Page 7 of 8



www.mymowerparts.com

## For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 $_{\rm Page~8~of~8}$ Engine Parts List #3

		Qty Description
36 36 38 42 42 50 51 52	27513 650697A 650695A 650694A 27896A 26073 650691 650548 30319 32326A	Lockwasher, 1/4" (Use as required) Screw, 5/16-18 x 2-1/2" (Use as requi red) Screw, 5/16-18 x 2-1/4" (Use as requi red) Screw, 5/16-18 x 2" (Use as required) * Gasket, Breather cover Washer (Use as required) Washer, Flat (Use as required) Screw, 8-32 x 5/16" Rivet, Split (Used in early productio n) Lever, Governor (New lever does not need 1 of 51,66,132,164,165,207)
57 58 59 61 66	30205 730130 30196 29216 29826 29918 730127	Bracket, Adjusting Exh.Adap.Kit (Incl. 58 & 125) (Use as req.) Screw, 5/16-18 x 3/4" (Use as require d) Nut, Lock, 10-32 Screw, 10-32 x 3/4" Lockwasher, #8 E.T. Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89A, 90, 238 & 331B) (Use as required)
82B	730561	Air cleaner kit (Incl. 38, 67A, 83, 84B, 85,89B, 89C, 90A, 91, 91A, 91B, 91C, 91D, 245 & 331B) (Use only on engines with an externally vented fully adjustable carburetor)
	27272A 34819	* Gasket, Air cleaner Air Cleaner Elbow (Incl. 84B, 86A, 91, 91A, 91B & 91C) (Use in 730561 assembly only)
90 101 102 103A 103E 104 113 118 118 118 128 132 148 148 202 203 204	28820 31715 30209 32454 29633 391026 32862 650561 29774 30705 30962 650694A 650548 34067 34069 31288 650697A 6021A 26460	Screw, 10-32 x 1/2" Body, Air cleaner Elbow, Exhaust (45 degree) Muffler Nipple Muffler Opt. Spark Arrest Muffler (Incl.196,1 97,199) Conduit Nut Screw, 1/4-20 x 5/8" Fuel Line (Braided 8-1/4" 21 cm)(Use as req.) Fuel Line (Braided 16") (41 cm) (Use as req.) Fuel Line (Braided 32") (81 cm) (Use as req.) Screw, 5/16-18 x 2" (Use as required) Screw, 8-32 x 5/16" (Early production ) Wire Assy., Alternator adapter (4-1/4") Wire Assy., Alternator adapter (6-3/4") Exh. Adaptor Kit (Incl.125,203,204) ( As req.) Screw, 5/16-18 x 2-1/2" (Use as required) Screw, 5/16-18 x 1-1/2" (Use as required) Clamp, Fuel line