
For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983

H70-130229D Page 1 of 9



www.mymowerparts.com

	Part Number	Qty	Description
	32586C		Cylinder (Incl. 2, 3, 4 & 76) (2-3/4" Bore)
	27652		Pin, Dowel
	27642		Plug, Oil drain
	32630		Seal, Oil
	32783		Intake Valve (Std.) (Incl. 9)
	32784		Intake Valve (1/32" OS) (Incl. 9)
	27878A		Exhaust Valve (Std.) (Incl. 9)
	27880A		Exhaust Valve (1/32" OS) (Incl. 9)
	20810 27882		Pin, Valve spring retainer (Use as re quired)
	27881		Cap, Upper valve spring Spring, Valve
	27881		Spring, Valve
	32581		Cap, Lower valve spring
	32581		Cap, Lower valve spring
	32590		Plate, Lock & Oil dipper (This plate may be replaced by
10/1	02000		34242 oil dipper but 650662C screw must be used.)
10	34242		Dipper, Oil
	32782		Crankshaft (Incl. 12 &13)
	29783		Crankshaft Gear Pin (Early production )
	27884		Gear, Crankshaft (Used in early production) This gear is
	55		servicable onlywhen it is pinned to the crankshaft.
14	34517		Piston, Pin & Ring Set (Std.) (2-3/4" Bore)
14	34518		Piston, Pin & Ring Set (.010" OS)
14	34519		Piston, Pin & Ring Set (.020" OS)
14A	32592B		Piston & Pin Ass'y. (Std.)(2-3/4")(In cl.16)
	32593B		Piston & Pin Ass'y. (.010" OS) (Incl. 16)
	32594B		Piston & Pin Ass'y. (.020" OS) (Incl. 16)
	32595		Ring Set (Std.) (2-3/4" Bore)
	32596		Ring Set (.010" OS)
	32597		Ring Set (.020" OS)
	27888		Ring, Piston pin retaining
	32591C		Rod Assy., Connecting (Incl. 10 & 18)
	650662C		Screw, Connecting rod (2 each)
	32115		Camshaft (MCR)
	34034 31451A		Lifter, Valve Cylinder Cover (Incl.24, 106, 309, 31 0 & 311)
	31546		Bushing, Crankshaft (Use as required)
	28460		Seal, Oil
	34011A		Dipstick, Oil (Incl. 30)
	33893A		Tube, Oil filler
	30684		* Gasket, Cylinder cover
	650488		Screw, 1/4-20 x 1-1/4"
	33590		"O" Ring
	650489		Screw, 1/4-20 x 5/8"
	32631A		* Gasket, Cylinder head
	30938A		Head, Cylinder
34	27793		Clip, Conduit (Use as required)
35	28942		Screw, 10-32 x 3/8" (Use as required)
36	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
	650695A		Screw, 5/16-18 x 2-1/4" (Use as requi red)
	650694A		Screw, 5/16-18 x 2" (Use as required)
	33636		Resistor Spark Plug (RJ-8C)
	34251		Resistor Spark Plug
	27896A		* Gasket, Breather cover
	28423		Body, Breather
	28424		Element, Breather
41	28425	****	Cover, Valve spring

Cover, Valve spring WWW.mymowerparts.com

Ref #	Part Number	Qty	Description
42 42A 43 45 46 47 48 50	26073 650691 650690 650128 27915A 30195A 30196 29716 650548 32326A		Washer (Use as required) Washer, Flat (Use as required) Washer, Belleville (Use as required) Screw, 10-24 x 1/2" * Gasket, Intake Flange, Carburetor (Incl. 79 & 80) Screw, 5/16-18 x 3/4" Screw, 1/4-28 x 7/16" Screw, 8-32 x 5/16" Lever, Governor (New lever does not need 1 of 51,66,132,164,165,207)
56 59 60 61 62	30205 30824 29216 650152 29826 29642 30699B		Bracket, Adjusting Link, Throttle Nut, Lock, 10-32 Screw, 8-32 x 3/8" Screw, 10-32 x 3/4" Ring, Retaining Governor Rod Ass'y. (This one-piece governor rodis no longer used. It is replaced by 30699C ass'y.,Ref. no. 63A)
64 65 66 67 69 70 71 72	30699C 30700 650494 29918 35350 29747B 32158E 650815 8116 29536		Rod Assy., Governor (Incl. 64 & 65) Yoke, Governor Screw, 6-40 x 5/16" Lockwasher, #8 E.T. Tube, Breather Screw, 5/16-24 x 21/32" Blower Housing (For elec.star.)(Incl. 134,135) Washer, Belleville Nut, Hex Blower Housing Baffle (without electric starter knock-out) (Use as required)
73	35256A		Blower Housing Baffle (with electric starter knock-out) (Use as required) (Point Ignition)
75 79 80	650561 31688A 29752 650572 730164		Screw, 1/4-20 x 5/8"  * Gasket, Carburetor  Nut & Lockwasher Assy., 1/4-28  Screw, 1/4-28 x 1-1/8"  Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89, 90A & 331B)  (Use as required)
	27272A 31691		* Gasket, Air cleaner Bracket, Air cleaner NOTE: 130010 thru 10C & 11 used in early production only.
97 100 103 106 107 108 109 110	31715 34240 29538 32401 31845 30591 30588A 30590A 29193 34158 650561		Body, Air cleaner Ground Wire Base, Engine mounting Muffler Shaft, Mechanical governor Gear Assy., Governor (Incl. 109) Spool, Governor Washer, Flat Ring, Retaining Bracket, Fuel tank Screw, 1/4-20 x 5/8"


	Part Number	Qty Description
	34186A	Fuel Tank (Incl. 115 & 266) NOTE: These tanks were built with different size fuel inlet openings. Tanks with the 1-3/16" I.D. opening use fuel cap 33032 or 34210. Tanks with the 1-1/2" I.D. opening use fuel cap 35355 or 35650.
	410144B 33032	Fuel Cap (White Plastic)(Std)(As required) Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile) (Use as required)
115	34210	Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as required)
116D 117A 118 118 118 120 121 124 125 126 127 128 129 130 131 133 149 151 193 205 209 223 225 226 227 246 247 266 270 271 274 287 287 331 331A 332	35355 34159 32961 29774 30705 30962 650128 30622A 650542 27930A 30196 26073 650694A 32589 31843A 650836 650493 30747 650665 610118 650561 30939A 32180C 34126 650760 28545 32125 590417 26460 31461 33876 610973 27275 34246 550223 34346 30547A 30548B	Fuel Cap (Use as required) Plate, Fuel tank mounting Valve, Shut-off Fuel Line (Braided 8-1/4" 21 cm)(Use as req.) Fuel Line (Braided 16") (41 cm) (Use as req.) Fuel Line (Braided 32") (81 cm) (Use as req.) Screw, 10-24 x 1/2" (Use as required) Extension, Blower housing Screw, 5/16-18 x 3/4" Gasket, Exhaust Screw, 5/16-18 x 3/4" Washer (Use as required) Screw, 5/16-18 x 2" (Use as required) Key, Flywheel Bracket, Governor gear Screw, 10-24 x 1/2" Screw, 1/4-20 x 1-3/4" Clip, Shorting Screw, 1/4-15 x 7/8" Cover, Spark plug (Use as required) Screw, 1/4-20 x 5/8" (Use as required) Cover, Cylinder head Line, Primer Bracket, Grommet mounting Screw, 8-32 x 3/8" Grommet Cup, Starter Screen, Starter cup Clamp, Fuel line Bushing, Crankshaft (Use as required) Gasket, Stator Terminal Ass'y. (As req. on late prod uction) Clip, Hi-tension wire (Use as required) Decal, Name Decal, Instruction Contact Assy., Breaker Condenser
	631021 631920	Inlet Needle, Seat & Clip Assy. Carburetor (Incl. 75) (Refer to Division 5, Section A, page 138 for breakdown)
337	610689A	Magneto NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as show in parts list. (Refer to Division 5, Section B, page 24 for breakdown)

## www.mymowerparts.com

## For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 Page 5 of 9

Ref # Part Number	Qty Description
338 590473	Rewind Starter (Refer to Division 5, Section C, page 29 for breakdown)
343 33239A	Gasket Set (Incl. items marked*)


For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983
Page 6 of 9



Ref #	Part Number C	Qty I	Description
31	650489	,	Screw, 1/4-20 x 5/8"
34	27793	(	Clip, Conduit (Use as required)
35	28942	;	Screw, 10-32 x 3/8" (Use as required)
43A	650128	,	Screw, 10-24 x 1/2"
48	29716	,	Screw, 1/4-28 x 7/16"
56	30824	I	Link, Throttle
71	650815	1	Washer, Belleville
	8116		Nut, Hex
	610118		Cover, Spark plug (Use as required)
	33108A		Control Bracket (Incl. 224 & 274)
	32410		Knob, Speed control
	570629A		Primer Assy.
	32180C		Line, Primer
	30826		Spring, Extension
	650257		Screw, 8-32 x 5/16"
	34217		Cover, Carburetor
	32398		Bracket, Choke
	28820		Screw, 10-32 x 1/2"
	650765		Screw, 10-32 x 1/2"
	650760		Screw, 8-32 x 3/8"
	31291		Plug, Cover
	650764		Nut, "U" Type (Use as required)
	610973		Terminal Ass'y. (As req. on late prod uction)
	34132		Plate, Choke indicator
	31680		Guard, Starter
	32576		Seal, Snow guard
	31793		
	31855		Bearing, Ball
	650778		Retainer, Bearing
			Washer, Lock
	650580 31792		Nut, Lock
			Washer, Thrust
	34144		Decal, Primer
	34416		Decal, Choke
	34414		Decal, Warning
	550223		Decal, Name  Paying States (Refer to Division F. Section C. page 20 for
338	590473		Rewind Starter (Refer to Division 5, Section C, page 29 for
		ı	breakdown)
340	33328D	1 3 1	Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#342). Refer to service number stamped on end cap of motor, or on decal, for identifica
342	30811A		Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above)
342	611042	i	Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using 110-120 volt starter kits listed above)
342	611085	ı	Flywheel (Minimum ring gear flywheel required on engines using 110-120 volt starter kits listed above) (Use withSolid State ignition)

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983

Page 8 of 9



www.mymowerparts.com

## For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 $_{\rm Page\ 9\ of\ 9}$ Engine Parts List #3

		Qty Description
36 36 38 42 42 50 51	27513 650697A 650695A 650694A 27896A 26073 650691 650548 30319 32326A	Lockwasher, 1/4" (Use as required) Screw, 5/16-18 x 2-1/2" (Use as requi red) Screw, 5/16-18 x 2-1/4" (Use as requi red) Screw, 5/16-18 x 2" (Use as required) * Gasket, Breather cover Washer (Use as required) Washer, Flat (Use as required) Screw, 8-32 x 5/16" Rivet, Split (Used in early productio n) Lever, Governor (New lever does not need 1 of 51,66,132,164,165,207)
57 58 59 61 66	30205 730130 30196 29216 29826 29918 730127	Bracket, Adjusting Exh.Adap.Kit (Incl. 58 & 125) (Use as req.) Screw, 5/16-18 x 3/4" (Use as require d) Nut, Lock, 10-32 Screw, 10-32 x 3/4" Lockwasher, #8 E.T. Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89A, 90, 238 & 331B) (Use as required)
82B	730561	Air cleaner kit (Incl. 38, 67A, 83, 84B, 85,89B, 89C, 90A, 91, 91A, 91B, 91C, 91D, 245 & 331B) (Use only on engines with an externally vented fully adjustable carburetor)
	27272A 34819	* Gasket, Air cleaner Air Cleaner Elbow (Incl. 84B, 86A, 91, 91A, 91B & 91C) (Use in 730561 assembly only)
90 103E 113 118 118 118 125 126 128 132 148 148 202 203 204 226 227	31700 31715 391026 650561 29774 30705 30962 27930A 30196 650694A 650548 34067 34069 31288 650697A 6021A 650760 28545 26460	Element, Air cleaner Body, Air cleaner Opt. Spark Arrest Muffler (Incl.196,1 97,199) Screw, 1/4-20 x 5/8" Fuel Line (Braided 8-1/4" 21 cm)(Use as req.) Fuel Line (Braided 16") (41 cm) (Use as req.) Fuel Line (Braided 32") (81 cm) (Use as req.) Gasket, Exhaust Screw, 5/16-18 x 3/4" Screw, 5/16-18 x 2" (Use as required) Screw, 8-32 x 5/16" (Early production ) Wire Assy., Alternator adapter (4-1/4") Wire Assy., Alternator adapter (6-3/4") Exh. Adaptor Kit (Incl.125,203,204) ( As req.) Screw, 5/16-18 x 2-1/2" (Use as requi red) Screw, 5/16-18 x 1-1/2" (Use as requi red) Screw, 8-32 x 3/8" Grommet Clamp, Fuel line