
For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 H70-130233H Engine Parts List #1



www.mymowerparts.com

Ref #	Part Number (	Qty Description
	32586C	Cylinder (Incl. 2, 3, 4 & 76) (2-3/4" Bore)
2	27652	Pin, Dowel
	27642	Plug, Oil drain
	32630	Seal, Oil
	32783	Intake Valve (Std.) (Incl. 9)
	32784	
		Intake Valve (1/32" OS) (Incl. 9)
	27878A	Exhaust Valve (Std.) (Incl. 9)
	27880A	Exhaust Valve (1/32" OS) (Incl. 9)
	27882	Cap, Upper valve spring
	20810	Pin, Valve spring retainer (Use as re quired)
8A	27881	Spring, Valve
8	27881	Spring, Valve
9	32581	Cap, Lower valve spring
9A	32581	Cap, Lower valve spring
10	34242	Dipper, Oil
	32590	Plate, Lock & Oil dipper (This plate may be replaced by
		34242 oil dipper but 650662C screw must be used.)
11	34894	Crankshaft (Incl. 12 & 13)
12	29783	Crankshaft Gear Pin (Early production)
13	27884	Gear, Crankshaft (Used in early production) This gear is
		servicable onlywhen it is pinned to the crankshaft.
14	34517	Piston, Pin & Ring Set (Std.) (2-3/4" Bore)
	34518	Piston, Pin & Ring Set (.010" OS)
	34519	Piston, Pin & Ring Set (.020" OS)
	32592B	Piston & Pin Ass'y. (Std.)(2-3/4")(In cl.16)
	32593B	Piston & Pin Ass'y. (.010" OS) (Incl. 16)
	32594B	Piston & Pin Ass'y. (.020" OS) (Incl. 16)
	32595	Ring Set (Std.) (2-3/4" Bore)
	32596	Ring Set (.010" OS)
	32597	Ring Set (.020" OS)
	27888	Ring, Piston pin retaining
	32591C	Rod Assy., Connecting (Incl. 10 & 18)
	650662C	Screw, Connecting rod (2 each)
19	30968	Nipple, Oil drain
20	30969	Cap, Oil drain
21	32115	Camshaft (MCR)
	34034	Lifter, Valve
	31303B	Cover, Cylinder (Incl. 24, 106 & 279)
	28427	Seal, Oil
	31546	Bushing, Crankshaft (Use as required)
	33893A	Tube, Oil filler
	34011A	Dipstick, Oil (Incl. 30)
	30684	* Gasket, Cylinder cover
	650488 23500	Screw, 1/4-20 x 1-1/4"
	33590	"O" Ring Serow 1/4 20 x 5/8"
	650489	Screw, 1/4-20 x 5/8"
	32631A	* Gasket, Cylinder head
	30938A	Head, Cylinder
	27793	Clip, Conduit (Use as required)
	28942	Screw, 10-32 x 3/8" (Use as required)
36	650697A	Screw, 5/16-18 x 2-1/2" (Use as requi red)
36	650695A	Screw, 5/16-18 x 2-1/4" (Use as required)
	650694A	Screw, 5/16-18 x 2" (Use as required)
	33636	Resistor Spark Plug (RJ-8C)
	34251	Resistor Spark Plug
	27896A	* Gasket, Breather cover
	28423	Body, Breather
		werparts.com

\_

D-/ //	Dort Number	<u></u>	Description
		Qty	Description
	28424 28425		Element, Breather
	650690		Cover, Valve spring
	26073		Washer, Belleville (Use as required)
			Washer (Use as required)
	650691		Washer, Flat (Use as required)
	650128		Screw, 10-24 x 1/2"
	27915A		* Gasket, Intake
	34712		Flange Carburetor
	30196		Screw, 5/16-18 x 3/4"
	29716		Screw, 1/4-28 x 7/16"
	650548		Screw, 8-32 x 5/16"
	33454		Lever Assy., Governor
	34662		Link, Throttle
	29216		Nut, Lock, 10-32
	29826		Screw, 10-32 x 3/4"
	29642		Ring, Retaining
63	30699B		Governor Rod Ass'y. (This one-piece governor rodis no longer
			used. It is replaced by 30699C ass'y.,Ref. no. 63A)
63A	30699C		Rod Assy., Governor (Incl. 64 & 65)
64	30700		Yoke, Governor
65	650494		Screw, 6-40 x 5/16"
66	29918		Lockwasher, #8 E.T.
	35350		Tube, Breather
	29747B		Screw, 5/16-24 x 21/32"
	35260		Blower Housing (For electric starter)
	650815		Washer, Belleville
	8116		Nut, Hex
	29536		Blower Housing Baffle (without electric starter knock-out)
			(Use as required)
73	35256A		Blower Housing Baffle (with electric starter knock-out) (Use
			as required) (Point Ignition)
74	650561		Screw, 1/4-20 x 5/8"
75	31688A		* Gasket, Carburetor
80A	650517		Screw, 1/4-20 x 27/32"
82A	730164		Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89, 90A & 331B)
			(Use as required)
97	34240		Ground Wire
98	31342		Spring, Compression
	650549		Screw, 5-40 x 7/16"
100	29538		Base, Engine mounting
	32401		Muffler
	31845		Shaft, Mechanical governor
	30591		Gear Assy., Governor (Incl. 109)
	30588A		Spool, Governor
	30590A		Washer, Flat
	29193		Ring, Retaining
	34158		Bracket, Fuel tank
	650561		Screw, 1/4-20 x 5/8"
	34186A		Fuel Tank (Incl. 115 & 266) NOTE: These tanks were built
			with different size fuel inlet openings. Tanks with the 1-3/16"
			I.D. opening use fuel cap 33032 or 34210. Tanks with the
			1-1/2" I.D. opening use fuel cap 35355 or 35650.
115	410144B		Fuel Cap (White Plastic)(Std)(As requ ired)
	33032		Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile)
			(Use as required)


		y Description	
115	34210	Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as required)	
115	35355	Fuel Cap (Use as required)	
	34159	Plate, Fuel tank mounting	
	32961	Valve, Shut-off	
	29774	Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)	
	30705	Fuel Line (Braided 16") (41 cm) (Use as req.)	
	30962	Fuel Line (Braided 32") (81 cm) (Use as req.)	
	650128	Screw, 10-24 x 1/2" (Use as required)	
	30622A	Extension, Blower housing	
	650542	Screw, 5/16-18 x 3/4"	
	27930A	Gasket, Exhaust	
	30196	Screw, 5/16-18 x 3/4"	
	26073	Washer (Use as required)	
	650694A	Screw, 5/16-18 x 2" (Use as required)	
	32589	Key, Flywheel	
	31843A	Bracket, Governor gear	
	650836	Screw, 10-24 x 1/2"	
	650493	Screw, 1/4-20 x 1-3/4"	
	30747	Clip, Shorting	
	650665	Screw, 1/4-15 x 7/8"	
	610118	Cover, Spark plug (Use as required)	
	650561	Screw, 1/4-20 x 5/8" (Use as required )	
	30939A	Cover, Cylinder head	
	34814	Primer Assy.	
	32180C	Line, Primer	
	34126	Bracket, Grommet mounting	
	650760	Screw, 8-32 x 3/8"	
	28545	Grommet	
	32125	Cup, Starter	
	35009	Screen, Starter cup	
	26460	Clamp, Fuel line	
	31461	Bushing, Crankshaft (Use as required)	
	33876	Gasket, Stator	
	610973	Terminal Ass'y. (As req. on late prod uction)	
	27275	Clip, Hi-tension wire (Use as require d)	
	34246	Clip, Ground wire (Use as required)	
	550223	Decal, Name	
	34346	Decal, Instruction	
	30547A	Contact Assy., Breaker	
	30548B	Condenser	
	631021	Inlet Needle, Seat & Clip Assy.	
	631920	Carburetor (Incl. 75) (Refer to Division 5, Section A, page 138	
	001020	for breakdown)	
337	611043	Magneto (w/ring gear) NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as show in parts list. (Refer to Division 3, Section B, page 39 for breakdown)	
338	590473	Rewind Starter (Refer to Division 5, Section C, page 29 for breakdown)	
343	33239A	Gasket Set (Incl. items marked*)	

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 H70-130233H Engine Parts List #2



Ref #	Part Number Qty	Description
	650489	Screw, 1/4-20 x 5/8"
	27793	Clip, Conduit (Use as required)
	28942	Screw, 10-32 x 3/8" (Use as required)
	650128	Screw, 10-24 x 1/2"
	29716	Screw, 1/4-28 x 7/16"
	34662	Link, Throttle
	650815	Washer, Belleville
	8116	Nut, Hex
	31342	
		Spring, Compression
	650549	Screw, 5-40 x 7/16"
	33013	Cover, Bubble
	650760	Screw, 8-32 x 3/8"
	34663	Spring, Speed control
	650821	Screw, 10-32 x 1/2"
	34661	Link, Governor
	610118	Cover, Spark plug (Use as required)
	35438	Knob, Control
	32180C	Line, Primer
	30826	Spring, Extension
	650257	Screw, 8-32 x 5/16"
	34672	Cover, Carburetor
254	32398	Bracket, Choke
255	28820	Screw, 10-32 x 1/2"
256A	650765	Screw, 10-32 x 1/2"
256	650760	Screw, 8-32 x 3/8"
263	650764	Nut, "U" Type (Use as required)
272	34664	Control Bracket (Incl. 98, 99, 180A & 274)
274	610973	Terminal Ass'y. (As req. on late prod uction)
292	34127	Guard Starter
293	32576	Seal, Snow guard
331H	34414	Decal, Warning
331E	34144	Decal, Primer
331G	34416	Decal, Choke
331	550223	Decal, Name
338	590473	Rewind Starter (Refer to Division 5, Section C, page 29 for
		breakdown)
340	33328D	Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#342). Refer to service number stamped on end cap of motor, or on decal, for identifica
342	30811A	Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above)
342	611042	Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using 110-120 volt starter kits listed above)
342	611085	Flywheel (Minimum ring gear flywheel required on engines using 110-120 volt starter kits listed above) (Use withSolid State ignition)

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 H70-130233H Engine Parts List #3



		Description	
	27513	.ockwasher, 1/4" (	Use as required)
36	650697A		2-1/2" (Use as requi red)
36	650695A	Screw, 5/16-18 x 2-1/4" (Use as required)	
36	650694A	Screw, 5/16-18 x 2" (Use as required)	
38	27896A	* Gasket, Breather cover	
42	26073	Vasher (Use as re	equired)
42	650691	Vasher, Flat (Use	
	650548	Screw, 8-32 x 5/16	
	30319		n early productio n)
	33454	ever Assy., Gover	
	730130		58 & 125) (Use as req.)
	30196		3/4" (Use as require d)
	29216	Nut, Lock, 10-32	
	29826	Screw, 10-32 x 3/4	<u>"</u>
	29918	ockwasher, #8 E.	
	730561		. 38, 67A, 83, 84B, 85,89B, 89C, 90A, 91,
020			D, 245 & 331B) (Use only on engines with
			d fully adjustable carburetor)
		-	
82	730127	•	(Incl. 60, 83, 87, 88, 89A, 90, 238 &
		31B) (Use as requ	uired)
84D	34819	Air Cleaner Elbow	(Incl. 84B, 86A, 91, 91A, 91B & 91C) (Use
	0-1010		ly only) NOTE: 130010 thru 10C & 11
		ised in early produ	,
		ised in early produ	
103E	391026	Opt. Spark Arrest I	Nuffler (Incl.196,1 97,199)
113	650561	Screw, 1/4-20 x 5/8	8"
118	29774	Fuel Line (Braided	8-1/4" 21 cm)(Use as req.)
118	30705	Fuel Line (Braided	16") (41 cm) (Use as req.)
118	30962	uel Line (Braided	32") (81 cm) (Use as req.)
125	27930A	Gasket, Exhaust	
126	30196	Screw, 5/16-18 x 3	3/4"
128	650694A		" (Use as required)
	650548	Screw, 8-32 x 5/16" (Early production )	
	34067	Wire Assy., Alternator adapter (4-1/4 ")	
	34069	Wire Assy., Alternator adapter (6-3/4 ")	
	30322		(Early Prod. Only)
	29916		ever (Early Prod. On ly)
	31288		ncl.125,203,204) ( As req.)
	650697A		2-1/2" (Use as required)
	6021A		-1/2" (Use as required)
	650760	Screw, 8-32 x 3/8"	
	28545	Grommet	
	20040 26460	Clamp, Fuel line	
' )(_')_		Tomp Live line	