
For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 Page 1 of 8

Engine Parts List #1



www.mymowerparts.com

Ref # Part Number	Def #	Dout Ni week ou	O+.	Description
2 27652 3 27642 4 32630 5 27644 4 32630 5 32784 6 327878 6 27878A 6 27878A 6 27880A 6 27880A 7 27882 7 2826 7 2010 8 2 2781 8 2 2782 7 27882 7 2821 9 32581 9 32581 9 32581 9 32581 9 32581 9 32581 10A 32590 10A 32591 10A 32591 10A 32592 11 33680A 12 29783 13 27884 14 32592B 14 34 34519 14 34517 14 34518 14 34517 15 32594 16 34517 17 3595 18 3617 18 3617 19 32595 19 32596 10 34242 10 10 10 10 10 10 10 10 10 10 10 10 10 1			Qty	
3 27642 Plug, Oil drain 4 32630 Seal, Oil 5 32783 Intake Valve (Std.) (Ind. 9) 1 Intake Valve (1/32" OS) (Ind. 9) 5 32784 Intake Valve (Std.) (Ind. 9) 6 27880A Exhaust Valve (Std.) (Ind. 9) 7 27882 Cap, Upper valve spring 7 A 20810 Pin, Valve spring retainer (Use as re quired) 8 A 27881 Spring, Valve 8 27881 Spring, Valve 9 32581 Cap, Lower valve spring 9 32581 Cap, Lower valve spring 10A 32590 Plate, Lock & Oil dipper (This plate may be replaced by 34242 oil dipper by 34242 oi				
4 32630 Seaf, Oil Intake Valve (Std.) (Incl. 9) 5 32783 Intake Valve (Std.) (Incl. 9) 6 27878A Exhaust Valve (Std.) (Incl. 9) 6 27880A Exhaust Valve (Std.) (Incl. 9) 7 27882 Cap. Upper valve Spring 7 20810 Pn, Valve spring retainer (Use as re quired) 8 27881 Spring, Valve 8 27881 Spring, Valve 9 32581 Cap. Upper valve spring 9 32581 Cap. Upper valve spring 9 32581 Cap. Upper valve spring 10A 32590 Plate, Look & Oil dipper (This plate may be replaced by 34242 oil dipper for Use 50662C screw must be used.) 10 34242 Dipper, Oil 11 32680A Crankshaft (Incl. 12 & 13) 12 29783 Crankshaft (Incl. 12 & 13) 13 27884 Crankshaft (For Pin (Early production) 14 32592B Plate Prison & Prin Assy, (Std.) (2-34*) (Incl. 16) 14 34517 Plate Prison & Prin Assy, (COV CS) (Incl. 16) 14 34519 Piston & Prin Assy, (COV CS) (Incl. 16) 14 34519 Piston & Prin Assy, (COV CS) (Incl. 16) 15 32596 Ring Set (O10* OS) 15 32596 Ring Set (O10* OS) 16 27888 Ring Set (O10* OS) 17 32591 Ring Set (O10* OS) 18 2679 Ring Set (O10* OS) 19 32679 Ring Set (O10* OS) 20 3069 Cap. Oil Prison Prin Ring Set (COV OS) 21 33030B Cover, (Valve Cover, Co				
5 32784				
5 32784 Intake Valve (132' OS) (incl. 9) 6 2787bA Exhaust Valve (132' OS) (incl. 9) 6 27880A Exhaust Valve (132' OS) (incl. 9) 7 27882 Cap. Upper valve spring 7 20810 Pin. Valve spring retainer (Use as re quired) 8 27881 Spring, Valve 8 27881 Spring, Valve 9 32281 Cap. Upper valve spring 9 32281 Cap. Lower valve spring 10A 32590 Plate, Lock & Oil dipper (This plate may be replaced by 34242 oil dipper foul 680682C screw must be used.) 10 34242 Dipper, Oil 11 32680A Crankshaft (Incl. 12 & 13) 12 29783 Crankshaft (Gae Pin (Early production) 13 27884 Gen. Crankshaft (Gae Pin (Early production) 14 32594B Piston & Pin Assy, (O20' OS) (incl. 16) 14 34517 Piston & Pin Assy, (O20' OS) (incl. 16) 14 34517 Piston & Pin Assy, (O20' OS) (incl. 16) 14 34519 Piston & Pin Assy, (O20' OS) (incl. 16) 15 32596 Ring Set (O10' OS) 15 32596 Ring Set (O10' OS) 16 32597 Ring Set (O10' OS) 16 32597 Ring Set (O10' OS) 16 32597 Ring Set (O10' OS) 17 32591 Ring Set (O10' OS) 18 46 650682C Screw not set of the care in the c				
6 27878A Exhaust Valve (Std.) (find. 9) 6 2788DA Exhaust Valve (Std.) (find. 9) 7 27882 Cap, Upper valve spring 7 20810 8 27881 Spring, Valve 8 27881 Spring, Valve 9 3 32581 Spring, Valve 9 3 32581 Cap, Lover valve spring 10 A 32590 Plate, Lock & Oil dipper (This plate may be replaced by 34242 oil dipper but 650652C screw must be used.) 10 34242 Dipper, Oil 11 3268DA Crankshaft (Ind. 12 & 13) 12 29783 Crankshaft (Used in early production) 13 27884 Services Plate, Lock & Oil dipper (This plate may be replaced by 34242 oil dipper but 650652C screw must be used.) 14 32592B Plate, Lock & Oil dipper but 650652C screw must be used.) 15 29783 Crankshaft (Used in early production) 16 22784 Services Plate, Lock & Oil dipper but 650652C screw must be used.) 17 25783 Crankshaft (Used in early production) 18 2592B Plate, Lock & Oil dipper but 650652C screw must be used.) 19 26 278 Services Plate of the carnon knaft. 14 32592B Plate of the carnon knaft (Used in early production) 19 26 278 Services Plate of the carnon knaft. 19 2594B Plate of the carnon knaft. 19 2594B Plate of the carnon knaft. 19 2595B Plate of the carnon knaft. 20 30569 Plate of the carnon knaft. 21 2596 Plate of the carnon knaft. 22 34034 Plate of the carnon knaft. 23 31003B Plate of the carnon knaft. 24 28427 Plate of the carnon knaft. 25 32810 Plate of the carnon knaft. 26 30684 Plate of the carnon knaft. 27 32891C Plate of the carnon knaft. 28 30938A Plate of the carnon knaft. 29 3286A Plate of the carnon knaft. 30 30938A Plate of the carnon knaft. 31 30938A Plate of the carnon knaft. 32 3286A Plate of the carnon knaft. 33 30938A Plate of the carnon knaft. 34 2793 Plate of the carnon knaft. 35 2894C Plate of the carnon knaft. 36 680695A Screw, 516-18 x 2-1/2 (Use as				
6 27880A 7 27882 7 27882 7 27882 7 20810 8 27881 8 27881 8 27881 8 27881 9 32581 9 32581 9 32581 10 2590 10 2122 10 322590 10				
7 27882 Cap, Upper valve spring 7 A 20810 Pin, Valve spring retainer (Use as re quired) 8 A 27881 Spring, Valve 9 A 32581 Spring, Valve 9 A 32581 Spring, Valve 9 A 32581 Cap, Lower valve spring 10 A 32590 Pale, Lock & Oil dipper (This plate may be replaced by 34242 oil dipper but 650662C screw must be used.) 10 34242 Dipper, Oil 11 32680A Crankshaft (Incl. 12 & 13) 12 29783 Crankshaft (Incl. 12 & 13) 13 27884 Gear Pin (Early production) 13 3 27884 Crankshaft (Sear Pin (Early production) 14 A 32592B Piston & Pin Assy. (Std.) (2-3/4") (Incl. 16) 14 A 32593B Piston & Pin Assy. (Jo2") (2-3/4") (Incl. 16) 14 A 32594B Piston & Pin Assy. (Jo2") (OS) (Incl. 16) 14 A 34517 Piston, Pin & Ring Set (Std.) (2-3/4" Bore) 15 32596 Piston, Pin & Ring Set (101") OS) 16 32596 Ring Set (Std.) (2-3/4" Bore) 17 32591 Ring Set (Jo2") OS) 18 32597 Ring Set (Jo2") OS) 19 32578 Ring Set (Jo2") OS) 19 32578 Ring Set (Jo2") OS) 20 3069 Cap, Oil drain 21 32115 Carmshaft (MoR) 22 34034 Lifter, Valve 23 31303B Carmshaft (Use as required) 24 28427 Set (Joil Carmshaft) 25 30694 Gearly (Incl. 10) 26 30694 Gearly (Incl. 10) 27 Core, Cylinder (Incl. 24, 106 & 279) 38 32597 Set (Joil (Jo2") (Joil Carmshaft) 39 30380 Carmshaft (Use as required) 39 32578 Set (Joil Carmshaft) 30 30380 Carmshaft (Use as required) 30 30393A Head. (Valve as required) 30 20699 Cap, Oil drain 31 560489 Screw, 14-20 x 5/8" 32 30697 Cip, Conduit (Use as required) 33 30338 Carmshaft (Use as required) 34 27793 Cip, Conduit (Use as required) 36 650697A Screw, 5/16-18 x 2 1/14" (Use as required) 37 32564 Screw, 5/16-18 x 2 1/14" (Use as required) 38 27896A Screw, 5/16-18 x 2 1/14" (Use as required) 38 27896A Screw, 5/16-18 x 2 1/14" (Use as required)				
7A 20810 8A 27881 A 27881 Spring, Valve Spring 10A 32591 Pale, Lock & Oil dipper (This plate may be replaced by 34242 oil dipper but Esot662C screw must be used.) 10 34242 Dipper, Oil 11 336800A Crankshaft (Incl. 12 & 13) Crankshaft (Gear Pin (Early production) Gear, Crankshaft (Used in early production) This gear is senticable onlywhere it is prinned to the crankshaft. 14A 325918 Piston & Pin Assy, (Std.) (2-34") (In cl. 16) Piston & Pin Assy, (O20" OS) (Incl. 16) Piston, Pin & Ring Set (O10" OS) (Incl. 16) Piston, Pin & Ring Set (O20" OS) Spring Set (O20" OS) Fin & Sizes Ring Set (O20" OS) Ring				
8A 27881 Spring, Valve 8 27881 Spring, Valve 9A 32581 Cap, Lower valve spring 9A 32581 Cap, Lower valve spring 1D 32580 Plate, Lock & Oil dipper (This plate may be replaced by 34242 oil dipper but 650662C screw must be used.) 10 34242 Dipper, Oil 11 32680A Crankshaft (Incl. 12 & 13) 12 29783 Crankshaft (Gear Pin (Early production) 13 27884 Servicable onlywhen it is pinned to the crankshaft. 14A 32592B Plston & Pin Assy, (Sal) (23-49")(Incl. 16) 14A 32593B Piston & Pin Assy, (Sal) (23-49") (Incl. 16) 14A 32593B Piston & Pin Assy, (Sal) (23-49" Bore) 14 34517 Piston, Pin & Ring Set (Sal) (23-48" Bore) 15 32596 Ring Set (Sal) (2-34" Bore) 16 32596 Ring Set (Cal) (0-3) 17 32591C Robert Service (Cap) (Incl. 16) 18 650662C Screw, Connecting rod (2 each) 19 32678 Nipple, Oil drain 21 32115 Cap, Oil drain 22 34034 Lifter, Valve 23 31303B Cover, Cylinder (Incl. 24, 106 & 279) 24B 31546 Bushing, Crankshaft (Use as required) 25 34011 Dipstick, Oil (Incl. 30) 25 3596 Screw, Oil (Cap) (Sal) 26 36084 Screw, 1-1-4" 27 30684 Screw, 1-1-4" 26 30684 Screw, 1-1-4" 27 30685 Screw, 1-1-4" 28 60682C Screw, Oil (Incl. 30) 27 16 33990 Screw, 1-1-4" 28 31303B Cover, Cylinder (Incl. 24, 106 & 279) 38 31546 Bushing, Crankshaft (Use as required) 38 30893 Screw, 1-1-4-20 x 1-1-4" 39 360614 Screw, 1-1-4-4" 30 30989 Screw, 1-1-4-20 x 1-1-4" 30 30989 Screw, 1-1-4-20 x 1-1-4" 31 30989 Screw, 1-1-4-20 x 1-1-				· · · · ·
8 27881 Spring, Valve 9A 32581 Cap, Lower valve spring 9 32581 Cap, Lower valve spring 10A 32580 Plate, Lock & Oil dipper (This plate may be replaced by 34242 oil dipper but 650662C screw must be used.) 10 34242 Dipper, Oil 11 32680A Crankshaft (Incl. 12 & 13) 12 29783 Crankshaft (Used in early production) 13 27884 Gear, Crankshaft (Used in early production) This gear is servicable onlywhen it is pinned to the crankshaft. 14A 32593B Piston & Pin Assy. (Std.)(2-3/4")(In cl.16) 14A 32593B Piston & Pin Assy. (O20" OS) (Incl. 16) 14A 32593B Piston & Pin Assy. (O20" OS) (Incl. 16) 14 34517 Piston, Pin & Ring Set (Std.) (2-3/4" Bore) 14 34518 Piston, Pin & Ring Set (O10" OS) 15 32595 Ring Set (O10" OS) 16 27888 Ring, Piston pin retaining 17 32591C Rod Assy. Connecting (Incl. 10 & 18) 18 650662C Screw, Connecting (Incl. 10 & 18) 18 650662C Screw, Connecting (Incl. 10 & 27) 24 31303B Cover, Cylinder (Incl. 24, 106 & 279) 24B 31546 Bushing, Crankshaft (Use as required) 25 34034 Lifter, Valve 26 36048 Screw, 1/4-20 x 1-1/4" 30 33590 'O' Ring 31 650489 Screw, 1/4-20 x 1-1/4" 30 33590 'O' Ring 31 650489 Screw, 1/4-20 x 1-1/4" 31 303636 Resistor Spark Plug (Incl. 16) as required) 32 52942 Screw, 1/4-20 x 5-8" 32 52942 Screw, 1/4-20 x 5-8" 32 52945 Resistor Spark Plug (Incl. 10 & 10 s				
9A 32581 9 32581 Cap, Lower valve spring 10A 32590 Palet, Lock & Oll dipper (This plate may be replaced by 34242 oll dipper but 650662C screw must be used.) 10 34242 Dipper, Oll dipper but 650662C screw must be used.) 11 32680A Crankshaft (Incl. 12 & 13) Crankshaft (Incl. 12 & 13) Crankshaft (Bear Pin (Early production) Trankshaft (Bear Pin (Early production) This gear is servicable onlywhen it is pinned to the crankshaft. 14A 32592B Piston & Pin Assy. (Std.)(2-3/4")(In cl.16) Piston & Pin Assy. (Std.)(2-3/4")(In cl.16) Piston & Pin Assy. (D20" OS) (Incl. 16) Piston & Pin Assy. (D20" OS) (Incl. 16) Piston & Pin Assy. (D20" OS) (Incl. 16) Piston & Pin Assy. (D20" OS) Piston Pin & Ring Set (D10" OS) Piston Pin & Ring Set (D20" OS) Piston Pin & Ring Set (D10" OS) Piston Pin & Ring Set (D20" OS) Piston Pin & Ring Set (D20" OS) Piston Pin & Ring Set (D10" OS) Piston Pin & Ring Set (D20" OS) Piston Pin Assy. (D10" OS) Piston Pin				
9 32581 10A 32590 Plate, Look & Oil dipper (This plate may be replaced by 34242 oil dipper but 650662C screw must be used.) 10 34242 Dipper, Oil 11 32680A Crankshaft (Incl. 12 & 13) Crankshaft (Incl. 12 & 13) Crankshaft (Gear Pin (Early production) Gear, Crankshaft (Incl. 12 & 13) Crankshaft (Incl. 24, 106 & 279) Crankshaft (Incl. 20) Cranksha				. •
Plaie, Lock & Oil dipper (This plate may be replaced by 34242 oil dipper to the 50662C screw must be used.) 10 34242				
34242 oil dipper but 650662C screw must be used.) 10 34242 11 32680A 12 29783 13 27884 14 Crankshaft (Incl. 12 & 13) 15 27884 16 Crankshaft (Incl. 12 & 13) 16 Crankshaft (Incl. 12 & 13) 17 Crankshaft (Used in early production) 18 27884 19 Crankshaft (Used in early production) 19 Cr				
10 34242 11 32680A 12 29783 13 27884 14 Crankshaft (Gear Pin (Early production) Gear, Crankshaft (Gear Pin (Early production) Gear, Crankshaft (Used in early production) Fiston & Pin Assy. (Std.)(2-3)4")(In cl. 16) Fiston & Pin Assy. (Std.)(2-3)4")(In cl. 16) Fiston & Pin Assy. (Std.)(2-3)4")(In cl. 16) Fiston & Pin Assy. (Olto" OS) (Incl. 16) Fiston & Pin Assy. (Olto" OS) (Incl. 16) Fiston & Pin Assy. (Olto" OS) (Incl. 16) Fiston, Pin & Ring Set (Coto" OS) Fiston, Pin & Ring Set (Std.) (2-3)4" Bore) Fiston, Pin & Ring Set (Olto" OS) Fing Set	TUA	32590		
11 32680A 12 29783 13 27884 Crankshaft (Incl. 12 & 13) Crankshaft Gear Pin (Early production) Gear, Crankshaft (Used in early production) This gear is servicable onlywhen it is pinned to the crankshaft. 14A 32592B Piston & Pin Assy. (Std.)(2-3/4")(In cl.16) Piston & Pin Assy. (O20" OS) (Incl. 16) Piston, Pin & Ring Set (Std.) (2-3/4" Bore) Piston, Pin & Ring Set (Std.) (2-3/4" Bore) Piston, Pin & Ring Set (Usd.) (2-3/4" Piston Pin Resistor Spark Plug (RJ-8C) Piston, Pin Assy. (Usd.) (2-3/4" Bore) Piston, Pin Assy. (Usd.) (2-3/4" Piston Pin Resistor Spark Plug (RJ-8C) Piston, Pin Assy. (Usd.) (2-3/4" Piston Pin Assy. (Usd.) (2-3/4" Piston Pin Resistor Spark Plug (RJ-8C) Piston, Pin Assy. (2-3/4" Piston Pin Assy. (2-3/4" Piston Pin Resistor Spark Plug (RJ-8C) Piston Pin Assy. (2-3/4" Piston Pin Assy. (2-3/4" Piston Pin Resistor Spark Plug (RJ-8C) Piston Pin Assy. (2-3/4" Piston Pin Assy. (2-3/4" Piston				34242 Oil dipper but 650662C screw must be used.)
11 32680A 12 29783 13 27884 Crankshaft (Incl. 12 & 13) 14 29783 Crankshaft (Incl. 12 & 13) Crankshaft (Used in early production) Gear, Crankshaft (Used in early production) This gear is servicable onlywhen it is pinned to the crankshaft. 14A 32592B Piston & Pin Assy. (St.)(2-3/4")(In cl.16) Piston & Pin Assy. (0.00" OS) (Incl. 16) Piston & Pin Assy. (0.00" OS) Piston, Pin & Ring Set (St.) (2-3/4" Bore) Piston, Pin & Ring Set (St.) (2-3/4" Bore) Piston, Pin & Ring Set (Us.) (2-3/4" Piston Pin Resistor Spark Plug (RJ-8C) Piston, Pin Assy. (Us.) (2-3/4" Bore) Piston, Pin Assy. (Us.) (2-3/4" Bore) Piston, Pin Assy. (Us.) (2-3/4" Piston Pin Asset,	10	34242		Dipper, Oil
Gear, Crankshaft (Used in early production) This gear is servicable onlywhen it is pinned to the crankshaft. 14A 32592B 14A 32593B 14A 32593B 14A 32594B 14A 32594B 15	11	32680A		Crankshaft (Incl. 12 & 13)
servicable onlywhen it is pinned to the crankshaft." 14A 32592B 14A 32593B 14A 32593B 14A 32594B 15ton & Pin Assy. (Std.)(2;34"/4")(n d.16) 14 34517 14 34517 15ton, Pin & Ring Set (Std.) (2,34" Bore) 15ton, Pin & Ring Set (.010" OS) 14 34519 15 32596 15 32596 16 78788 17 32597 18 78 78 78 78 78 78 78 78 78 78 78 78 78	12	29783		Crankshaft Gear Pin (Early production)
Piston & Pin Ass'y. (Std.)(2-3/4")(In cl.16)	13	27884		Gear, Crankshaft (Used in early production) This gear is
14A 32593B				servicable onlywhen it is pinned to the crankshaft.
14A 32593B	14A	32592B		Piston & Pin Ass'v. (Std.)(2-3/4")(In cl.16)
14A 32594B				
14 34517 Piston, Pin & Ring Set (Std.) (2-3/4" Bore) 14 34518 Piston, Pin & Ring Set (.010" OS) 15 32595 Ring Set (.020" OS) 15 32596 Ring Set (.010" OS) 15 32596 Ring Set (.010" OS) 16 27888 Ring, Piston pin retaining 17 32591C Rod Assy, Connecting (Incl. 10 & 18) 18 650662C Screw, Connecting rod (2 each) 19 32678 Nipple, Oil drain 20 30969 Cap, Oil drain 21 32115 Camshaft (MCR) 22 34034 Lifter, Valve 23 31303B Cover, Cylinder (Incl. 24, 106 & 279) 24B 31546 Bushing, Crankshaft (Use as required) 24 28427 Seal, Oil 25 34011A Dipstick, Oil (Incl. 30) 25 34034 Tube, Oil filler 26 30684 "Gasket, Cylinder cover 28 650488 Screw, 1/4-20 x 1-1/4" 30 33590 "O" Ring 31 650489 Screw, 1/4-20 x 5/8" 32 32631A "Gasket, Cylinder head 42 7793 Cip, Conduit (Use as required) 36 650697A Screw, 5/16-18 x 2-1/2" (Use as required) 37 34251 Resistor Spark Plug 38 27896A "Gasket, Breather cover				
14 34518 Piston, Pin & Ring Set (.010" OS) 14 34519 Piston, Pin & Ring Set (.020" OS) 15 32595 Ring Set (.010" OS) 16 32596 Ring Set (.010" OS) 17 32597 Ring Set (.020" OS) 18 32597 Ring Set (.020" OS) 19 32597 Ring Set (.020" OS) 19 32591C Rod Assy., Connecting not (.2 each) 19 32678 Ring Set (.020" OS) 19 32678 Ring Piston pin retaining 20 30969 Cap, Oil drain 21 32115 Camshaft (MCR) 22 34034 Lifter, Valve 23 31303B Cover, Cylinder (Incl. 24, 106 & 279) 24B 31546 Bushing, Crankshaft (Use as required) 24 28427 Seal, Oil 25 34011A Dipstick, Oil (Incl. 30) 26 30884 Screw, 1/4-20 x 1-1/4" 30 33590 "O" Ring 31 650489 Screw, 1/4-20 x 1-1/4" 30 33590 "O" Ring 31 650489 Screw, 1/4-20 x 1-1/4" 32 32631A * Gasket, Cylinder head 48 424, Cylinder 49 3427 Seal, Oil 40 3793 31 650489 Screw, 1/4-20 x 1-1/4" 32 32631A * Gasket, Cylinder head 49 424, Cylinder head 49 427, Cylinder 40 36 650697A Screw, 1/4-8 x 2-1/4" (Use as required) 50 3650 Screw, 5/16-18 x 2-1/2" (Use as required) 51 34251 Resistor Spark Plug 51 Casket, Cylinger 52 Resistor Spark Plug 53 34251 Resistor Spark Plug 54 Gasket, Dyla Resistor Spark Plug 75 Gasket, Dyla Resistor Spark Plug 76 Gasket, Dyla Resistor Spark Plug 77 Gasket, Cylinger 77 Gasket, Cylinger 78 Asket, Dyla Resistor Spark Plug 78 Gasket, Dyla Resistor Spark Plug 79 Gasket, Dyla Resistor Spark Plug 79 Gasket, Dyla Resistor Spark Plug 79 Gasket, Dyla Resistor Spark Plug 70 Gasket, Breather cover				
14 34519 Piston, Pin & Ring Set (.020" OS) 15 32595 Ring Set (Std.) (2-3/4" Bore) 15 32596 Ring Set (.010" OS) 15 32597 Ring Set (.020" OS) 16 27888 Ring, Piston pin retaining 17 32591C Rod Assy., Connecting (Incl. 10 & 18) 18 650662C Screw, Connecting rod (2 each) 19 32678 Nipple, Oil drain 20 30969 Cap, Oil drain 21 32115 Carnshaft (MCR) 22 34034 Lifter, Valve 23 31303B Cover, Cylinder (Incl. 24, 106 & 279) 24B 31546 Bushing, Crankshaft (Use as required) 24 28427 Seal, Oil 25 34011A Dipstick, Oil (Incl. 30) 25A 33893A Tube, Oil flor 26 30684 * Gasket, Cylinder cover 27 30389 Screw, 1/4-20 x 1-1/4" 30 33590 "O" Ring 31 650489 Screw, 1/4-20 x 5/8" 32 32631A * Gasket, Cylinder head 4 27793 Clip, Conduit (Use as required) 35 28942 Screw, 5/16-18 x 2-1/2" (Use as required) 36 650695A Screw, 5/16-18 x 2-1/2" (Use as required) 37 34251 Resistor Spark Plug (R-J-BC) 38 27896A * Gasket, Preather cover				
15 32595 Ring Set (Ctd.) (2°3/4" Bore) 15 32596 Ring Set (.010" OS) 16 27888 Ring Set (.020" OS) 16 27888 Ring, Piston pin retaining 17 32591C Rod Assy., Connecting (Incl. 10 & 18) 18 650662C Screw, Connecting rod (2 each) 19 32678 Nipple, Oil drain 20 30969 Cap, Oil drain 21 32115 Camshaft (MCR) 22 34034 Lifter, Valve 23 31303B Cover, Cylinder (Incl. 24, 106 & 279) 24B 31546 Bushing, Crankshaft (Use as required) 24 28427 Seal, Oil 25 34011A Dijpstick, Oil (Incl. 30) 25 34011A Dijpstick, Oil (Incl. 30) 26 30684 * Gasket, Cylinder cover 28 650488 Screw, 1/4-20 x 1-1/4" 30 33590 "O" Ring 31 650489 Screw, 1/4-20 x 5/8" 32 32631A * Gasket, Cylinder head 34 27793 Clip, Conduit (Use as required)				
15 32596 Ring Set (.010" OS) 16 32597 Ring Set (.020" OS) 16 27888 Ring, Piston pin retaining 17 32591C Rod Assy., Connecting (Incl. 10 & 18) 18 650662C Screw, Connecting rod (2 each) 19 32678 Nipple, Oil drain 20 30969 Cap, Oil drain 21 32115 Camshaft (MCR) 23 31303B Cover, Cylinder (Incl. 24, 106 & 279) 24B 31546 Bushing, Crankshaft (Use as required) 24 28427 Seal, Oil 25 34011A Dipstick, Oil (Incl. 30) 25A 33893A Tube, Oil filler 26 30684 * Gasket, Cylinder cover 26 30684 * Grew, 1/4-20 x 1-1/4" 30 33590 "O" Ring 31 650489 Screw, 1/4-20 x 5/8" 32 32631A * Gasket, Cylinder head 33 30938A Head, Cylinder 34 27793 Clip, Conduit (Use as required) 36 650697A Screw, 5/16-18 x 2-1/2" (Use as required)				
15 32597 Ring Set (.020" OS) 16 27888 Ring, Piston pin retaining 17 32591C Rod Assy., Connecting (Incl. 10 & 18) 18 650662C Screw, Connecting rod (2 each) 19 32678 Nipple, Oil drain 20 30969 Cap, Oil drain 21 32115 Camshaft (MCR) 22 34034 Lifter, Valve 23 31303B Cover, Cylinder (Incl. 24, 106 & 279) 24B 31546 Bushing, Crankshaft (Use as required) 24 28427 Seal, Oil 25 34011A Dipstick, Oil (Incl. 30) 25A 33893A Tube, Oil filler 26 30684 Screw, 1/4-20 x 1-1/4" 30 33590 "O" Ring 31 650489 Screw, 1/4-20 x 5/8" 32 32631A Fasket, Cylinder head 4 27793 Clip, Conduit (Use as required) 36 650697A Screw, 10-32 x 3/8" (Use as required) 36 650695A Screw, 5/16-18 x 2-1/2" (Use as required) 37 34251 Resistor Spark Plug (RJ-8C) 38 27896A Fasket, Breather cover 4 Gasket, Breather cover 5 Gasket, Breather cover 6 Gasket, Breather cover 7 Gasket, Breather cover 8 Gasket, Breather cover 8 Gasket, Breather cover 9 Casket, Breather cover 9 Casket, Breather cover 9 Casket, Breather cover 10 Casket, Breather cover 11 Casket, Breather cover 12 Casket, Breather cover 13 Casket, Breather cover 14 Casket, Breather cover 15 Casket, Breather cover				
16 27888 Ring, Piston pin retaining 17 32591C Rod Assy, Connecting (Incl. 10 & 18) 18 650662C Screw, Connecting rod (2 each) 19 32678 Nipple, Oil drain 20 30969 Cap, Oil drain 21 32115 Camshaft (MCR) 22 34034 Lifter, Valve 23 31303B Cover, Cylinder (Incl. 24, 106 & 279) 24B 31546 Bushing, Crankshaft (Use as required) 24 28427 Seal, Oil 25 34011A Dipstick, Oil (Incl. 30) 25A 33893A Tube, Oil filler 26 30684 * Gasket, Cylinder cover 28 650488 Screw, 1/4-20 x 1-1/4" 30 33590 "O" Ring 31 650489 Screw, 1/4-20 x 5/8" 32 32631A * Gasket, Cylinder head 43 27793 Clip, Conduit (Use as required) 35 28942 Screw, 10-32 x 3/8" (Use as required) 36 650695A Screw, 5/16-18 x 2-1/2" (Use as requi red) 36 650695A S				
17 32591C 18 650662C Screw, Connecting (Incl. 10 & 18) 18 650662C Screw, Connecting rod (2 each) 19 32678 Nipple, Oil drain 20 30969 Cap, Oil drain 21 32115 Camshaft (MCR) 22 34034 Lifter, Valve 23 31303B Cover, Cylinder (Incl. 24, 106 & 279) 24B 31546 Bushing, Crankshaft (Use as required) 24 28427 Seal, Oil 25 34011A Dipstick, Oil (Incl. 30) 25A 33893A Tube, Oil filler 26 30684 * Gasket, Cylinder cover 28 650488 Screw, 1/4-20 x 1-1/4" 30 33590 "O" Ring 31 650489 Screw, 1/4-20 x 5/8" 32 32631A * Gasket, Cylinder head 4 27793 35 28942 Clip, Conduit (Use as required) 36 650697A Screw, 5/16-18 x 2-1/2" (Use as required) 36 650694A Screw, 5/16-18 x 2-1/2" (Use as required) 37 34251 Resistor Spark Plug Rossel				• ,
18 650662C Screw, Connecting rod (2 each) 19 32678 Nipple, Oil drain 20 30969 Cap, Oil drain 21 32115 Camshaft (MCR) 22 34034 Lifter, Valve 23 31303B Cover, Cylinder (Incl. 24, 106 & 279) 24B 31546 Bushing, Crankshaft (Use as required) 24 28427 Seal, Oil 25 34011A Dipstick, Oil (Incl. 30) 25A 33893A Tube, Oil filler 26 30684 * Gasket, Cylinder cover 28 650488 Screw, 1/4-20 x 1-1/4" 30 33590 "O" Ring 31 650489 Screw, 1/4-20 x 5/8" 32 32631A * Gasket, Cylinder head 43 30938A Head, Cylinder 34 27793 Clip, Conduit (Use as required) 35 28942 Screw, 5/16-18 x 2-1/2" (Use as required) 36 650697A Screw, 5/16-18 x 2-1/2" (Use as requi red) 36 650694A Screw, 5/16-18 x 2-1/2" (Use as requi red) 37 34251 Res	17	32591C		
19 32678 20 30969 2a, Oil drain 21 32115 2a 34034 2a 34034 2b 2ffer, Valve 2a 31303B 2cover, Cylinder (Incl. 24, 106 & 279) 24B 31546 25 34011A 26 30884 27 Seal, Oil 27 34011A 28 3893A 3893B 3893B 3893B 3893B 3993B 3093B 3093B 31 650489 32 631A 33 3093B 34 650695A 35 28942 36 650697A 36 650697A 37 34251 38 27896A 38 27896A 38 Resistor Spark Plug (RJ-8C) 38 27896A 38 27896A 38 2894e 38 2894e 38 Resistor Spark Plug 38 27896A	18	650662C		
20 30969 Cap, Oil drain 21 32115 Carmshaft (MCR) 22 34034 Lifter, Valve 23 31303B Cover, Cylinder (Incl. 24, 106 & 279) 24B 31546 Bushing, Crankshaft (Use as required) 24 28427 Seal, Oil 25 34011A Dipstick, Oil (Incl. 30) 25A 33893A Tube, Oil filler 26 30684 * Gasket, Cylinder cover 28 650488 Screw, 1/4-20 x 1-1/4" 30 33590 "O" Ring 31 650489 Screw, 1/4-20 x 5/8" 32 32631A * Gasket, Cylinder head 33 30938A Head, Cylinder 34 27793 Clip, Conduit (Use as required) 35 28942 Screw, 10-32 x 3/8" (Use as required) 36 650697A Screw, 5/16-18 x 2-1/2" (Use as requi red) 36 650695A Screw, 5/16-18 x 2-1/4" (Use as requi red) 36 650694A Screw, 5/16-18 x 2" (Use as required) 37 34251 Resistor Spark Plug 38 27896A * Gasket, Breather cover	19	32678		
21 32115				
22 34034 Lifter, Valve 23 31303B Cover, Cylinder (Incl. 24, 106 & 279) 24B 31546 Bushing, Crankshaft (Use as required) 24 28427 Seal, Oil 25 34011A Dipstick, Oil (Incl. 30) 25A 33893A Tube, Oil filler 26 30684 * Gasket, Cylinder cover 28 650488 Screw, 1/4-20 x 1-1/4" 30 33590 "O" Ring 31 650489 Screw, 1/4-20 x 5/8" 32 32631A * Gasket, Cylinder head 33 30938A Head, Cylinder 34 27793 Clip, Conduit (Use as required) 35 28942 Screw, 10-32 x 3/8" (Use as required) 36 650697A Screw, 5/16-18 x 2-1/2" (Use as required) 36 650695A Screw, 5/16-18 x 2-1/4" (Use as required) 36 650694A Screw, 5/16-18 x 2-1/4" (Use as required) 37 33636 Resistor Spark Plug (RJ-8C) 37 34251 Resistor Spark Plug 38 27896A * Gasket, Breather cover				Camshaft (MCR)
24B 31546 Bushing, Crankshaft (Use as required) 24 28427 Seal, Oil 25 34011A Dipstick, Oil (Incl. 30) Tube, Oil filler 26 30684 Screw, 1/4-20 x 1-1/4" 30 33590 "O" Ring 31 650489 Screw, 1/4-20 x 5/8" 32 32631A Screw, 1/4-20 x 5/8"	22	34034		
24B 31546	23	31303B		Cover, Cylinder (Incl. 24, 106 & 279)
24 28427 Seal, Oil 25 34011A Dipstick, Oil (Incl. 30) 25A 33893A Tube, Oil filler 26 30684 * Gasket, Cylinder cover 28 650488 Screw, 1/4-20 x 1-1/4" 30 33590 "O" Ring 31 650489 Screw, 1/4-20 x 5/8" 32 32631A * Gasket, Cylinder head 33 30938A Head, Cylinder 34 27793 Clip, Conduit (Use as required) 35 28942 Screw, 10-32 x 3/8" (Use as required) 36 650697A Screw, 5/16-18 x 2-1/2" (Use as requi red) 36 650695A Screw, 5/16-18 x 2-1/4" (Use as requi red) 36 650694A Screw, 5/16-18 x 2" (Use as required) 37 34251 Resistor Spark Plug (RJ-8C) 38 27896A * Gasket, Breather cover	24B	31546		· · · · · · · · · · · · · · · · · · ·
25A 33893A Tube, Oil filler 26 30684 * Gasket, Cylinder cover 28 650488 Screw, 1/4-20 x 1-1/4" 30 33590 "O" Ring 31 650489 Screw, 1/4-20 x 5/8" 32 32631A * Gasket, Cylinder head 33 30938A Head, Cylinder 34 27793 Clip, Conduit (Use as required) 35 28942 Screw, 10-32 x 3/8" (Use as required) 36 650697A Screw, 5/16-18 x 2-1/2" (Use as requi red) 36 650695A Screw, 5/16-18 x 2" (Use as requi red) 36 650694A Screw, 5/16-18 x 2" (Use as required) 37 33636 Resistor Spark Plug (RJ-8C) 37 34251 Resistor Spark Plug 38 27896A * Gasket, Breather cover	24	28427		Seal, Oil
26 30684 * Gasket, Cylinder cover 28 650488 Screw, 1/4-20 x 1-1/4" 30 33590 "O" Ring 31 650489 Screw, 1/4-20 x 5/8" 32 32631A * Gasket, Cylinder head 33 30938A Head, Cylinder 34 27793 Clip, Conduit (Use as required) 35 28942 Screw, 10-32 x 3/8" (Use as required) 36 650697A Screw, 5/16-18 x 2-1/2" (Use as requi red) 36 650695A Screw, 5/16-18 x 2-1/4" (Use as requi red) 36 650694A Screw, 5/16-18 x 2" (Use as required) 37 33636 Resistor Spark Plug (RJ-8C) 37 34251 Resistor Spark Plug 38 27896A * Gasket, Breather cover	25	34011A		
28 650488 Screw, 1/4-20 x 1-1/4" 30 33590 "O" Ring 31 650489 Screw, 1/4-20 x 5/8" 32 32631A * Gasket, Cylinder head 33 30938A Head, Cylinder 34 27793 Clip, Conduit (Use as required) 35 28942 Screw, 10-32 x 3/8" (Use as required) 36 650697A Screw, 5/16-18 x 2-1/2" (Use as requi red) 36 650695A Screw, 5/16-18 x 2-1/4" (Use as requi red) 37 33636 Resistor Spark Plug (RJ-8C) 37 34251 Resistor Spark Plug * Gasket, Breather cover	25A	33893A		Tube, Oil filler
28 650488 Screw, 1/4-20 x 1-1/4" 30 33590 "O" Ring 31 650489 Screw, 1/4-20 x 5/8" 32 32631A * Gasket, Cylinder head 33 30938A Head, Cylinder 34 27793 Clip, Conduit (Use as required) 35 28942 Screw, 10-32 x 3/8" (Use as required) 36 650697A Screw, 5/16-18 x 2-1/2" (Use as requi red) 36 650695A Screw, 5/16-18 x 2-1/4" (Use as requi red) 37 33636 Resistor Spark Plug (RJ-8C) 37 34251 Resistor Spark Plug * Gasket, Breather cover				
31 650489 32 32631A 33 30938A 34 27793 35 28942 36 650697A 36 650695A 37 33636 37 34251 38 27896A Screw, 1/4-20 x 5/8" * Gasket, Cylinder head * Gasket, Cylinder * Gasket, Plug (Use as required) * Gasket, Breather cover	28	650488		Screw, 1/4-20 x 1-1/4"
32 32631A * Gasket, Cylinder head 33 30938A Head, Cylinder 34 27793 Clip, Conduit (Use as required) 35 28942 Screw, 10-32 x 3/8" (Use as required) 36 650697A Screw, 5/16-18 x 2-1/2" (Use as required) 36 650695A Screw, 5/16-18 x 2" (Use as required) 36 650694A Screw, 5/16-18 x 2" (Use as required) 37 33636 Resistor Spark Plug (RJ-8C) 37 34251 Resistor Spark Plug 38 27896A * Gasket, Breather cover	30	33590		"O" Ring
33 30938A Head, Cylinder 34 27793 Clip, Conduit (Use as required) 35 28942 Screw, 10-32 x 3/8" (Use as required) 36 650697A Screw, 5/16-18 x 2-1/2" (Use as requi red) 36 650695A Screw, 5/16-18 x 2-1/4" (Use as requi red) 36 650694A Screw, 5/16-18 x 2" (Use as required) 37 33636 Resistor Spark Plug (RJ-8C) 37 34251 Resistor Spark Plug 38 27896A * Gasket, Breather cover	31	650489		Screw, 1/4-20 x 5/8"
34 27793 Clip, Conduit (Use as required) 35 28942 Screw, 10-32 x 3/8" (Use as required) 36 650697A Screw, 5/16-18 x 2-1/2" (Use as requi red) 36 650695A Screw, 5/16-18 x 2" (Use as requi red) 36 650694A Screw, 5/16-18 x 2" (Use as required) 37 33636 Resistor Spark Plug (RJ-8C) 37 34251 Resistor Spark Plug 38 27896A * Gasket, Breather cover	32	32631A		
35 28942 Screw, 10-32 x 3/8" (Use as required) 36 650697A Screw, 5/16-18 x 2-1/2" (Use as requi red) 36 650695A Screw, 5/16-18 x 2-1/4" (Use as requi red) 36 650694A Screw, 5/16-18 x 2" (Use as required) 37 33636 Resistor Spark Plug (RJ-8C) 37 34251 Resistor Spark Plug 38 27896A * Gasket, Breather cover	33	30938A		
35 28942 Screw, 10-32 x 3/8" (Use as required) 36 650697A Screw, 5/16-18 x 2-1/2" (Use as requi red) 36 650695A Screw, 5/16-18 x 2-1/4" (Use as requi red) 36 650694A Screw, 5/16-18 x 2" (Use as required) 37 33636 Resistor Spark Plug (RJ-8C) 37 34251 Resistor Spark Plug 38 27896A * Gasket, Breather cover	34	27793		Clip, Conduit (Use as required)
36 650695A Screw, 5/16-18 x 2-1/4" (Use as required) 36 650694A Screw, 5/16-18 x 2" (Use as required) 37 33636 Resistor Spark Plug (RJ-8C) 37 34251 Resistor Spark Plug 38 27896A * Gasket, Breather cover	35	28942		
36 650694A Screw, 5/16-18 x 2" (Use as required) 37 33636 Resistor Spark Plug (RJ-8C) 37 34251 Resistor Spark Plug 38 27896A * Gasket, Breather cover	36	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
37 33636 Resistor Spark Plug (RJ-8C) 37 34251 Resistor Spark Plug 38 27896A * Gasket, Breather cover	36	650695A		Screw, 5/16-18 x 2-1/4" (Use as required)
37 34251 Resistor Spark Plug 38 27896A * Gasket, Breather cover	36	650694A		Screw, 5/16-18 x 2" (Use as required)
37 34251 Resistor Spark Plug 38 27896A * Gasket, Breather cover	37	33636		Resistor Spark Plug (RJ-8C)
38 27896A * Gasket, Breather cover	37	34251		• • • • • • • • • • • • • • • • • • • •
·				·
**************************************	39	28423		Body, Breather

www.mymowerparts.com


·		
		y Description
	28424	Element, Breather
	28425	Cover, Valve spring
	650690	Washer, Belleville (Use as required)
	26073	Washer (Use as required)
	650691	Washer, Flat (Use as required)
	650128	Screw, 10-24 x 1/2"
	27915A	* Gasket, Intake
	34712	Flange Carburetor
	30196	Screw, 5/16-18 x 3/4"
	29716	Screw, 1/4-28 x 7/16"
	650548	Screw, 8-32 x 5/16"
	33454	Lever Assy., Governor
	34662	Link, Throttle
	29216	Nut, Lock, 10-32
	29826	Screw, 10-32 x 3/4"
	29642	Ring, Retaining
	30699C	Rod Assy., Governor (Incl. 64 & 65)
63	30699B	Governor Rod Ass'y. (This one-piece governor rodis no longer
		used. It is replaced by 30699C ass'y.,Ref. no. 63A)
64	30700	Yoke, Governor
	650494	Screw, 6-40 x 5/16"
	29918	Lockwasher, #8 E.T.
	35350	Tube, Breather
	29747B	Screw, 5/16-24 x 21/32"
	32158E	Blower Housing (For elec.star.)(Incl. 134,135)
	650815	Washer, Belleville
	8116	Nut, Hex
	29536	Blower Housing Baffle (without electric starter knock-out)
. •		(Use as required)
73	35256A	Blower Housing Baffle (with electric starter knock-out) (Use
13	33230A	as required) (Point Ignition)
_,	0=0=04	. , , ,
	650561	Screw, 1/4-20 x 5/8"
	31688A	* Gasket, Carburetor
	650517	Screw, 1/4-20 x 27/32"
82A	730164	Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89, 90A & 331B)
		(Use as required)
97	34240	Ground Wire
98	31342	Spring, Compression
99	650549	Screw, 5-40 x 7/16"
100	29538	Base, Engine mounting
103	32401	Muffler
106	31845	Shaft, Mechanical governor
107	30591	Gear Assy., Governor (Incl. 109)
108	30588A	Spool, Governor
109	30590A	Washer, Flat
110	29193	Ring, Retaining
111C	34158	Bracket, Fuel tank
113	650561	Screw, 1/4-20 x 5/8"
114	34186A	Fuel Tank (Incl. 115 & 266) NOTE: These tanks were built
		with different size fuel inlet openings. Tanks with the 1-3/16"
		I.D. opening use fuel cap 33032 or 34210. Tanks with the
		1-1/2" I.D. opening use fuel cap 35355 or 35650.
115	410144B	Fuel Cap (White Plastic)(Std)(As required)
	33032	Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile)
		(Use as required)
		1

www.mymowerparts.com

		ty Description
115	34210	Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as
		required)
115	35355	Fuel Cap (Use as required)
	34159	Plate, Fuel tank mounting
	29774	Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)
	30705	Fuel Line (Braided 16") (41 cm) (Use as req.)
	30962	Fuel Line (Braided 32") (81 cm) (Use as req.)
	650128	Screw, 10-24 x 1/2" (Use as required)
	30622A	Extension, Blower housing
	34174	Deflector, Exhaust
	650665	Screw, 1/4-15 x 7/8"
	650542	Screw, 5/16-18 x 3/4"
	27930A	Gasket, Exhaust
	30196	Screw, 5/16-18 x 3/4"
	26073	Washer (Use as required)
	650694A	Screw, 5/16-18 x 2" (Use as required)
	32589	Key, Flywheel
	31843A	Bracket, Governor gear
	650836	Screw, 10-24 x 1/2"
	650493	Screw, 1/4-20 x 1-3/4"
	30747	Clip, Shorting
	650665	Screw, 1/4-15 x 7/8"
	610118	Cover, Spark plug (Use as required)
	650561	Screw, 1/4-20 x 5/8" (Use as required)
	30939A	Cover, Cylinder head
	32180C	Line, Primer
	34126	Bracket, Grommet mounting
	650760	Screw, 8-32 x 3/8"
	28545	Grommet
	32125	Cup, Starter
	590417	Screen, Starter cup
	26460	Clamp, Fuel line
	31461	Bushing, Crankshaft (Use as required)
	33876	Gasket, Stator
	610973	Terminal Ass'y. (As req. on late prod uction)
	27275	Clip, Hi-tension wire (Use as require d)
	34246	Clip, Ground wire (Use as required)
	34346	Decal, Instruction
	30547A	Contact Assy., Breaker
	30548B	Condenser
	631021	Inlet Needle, Seat & Clip Assy.
	631920	Carburetor (Incl. 75) (Refer to Division 5, Section A, page 138
300	001020	for breakdown)
		,
337	610694A	Magneto (w/ring gear for 110 volt sta rter) NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only.
		Order component parts individually, as show in parts list. (Refer to Division 5, Section B, page 24 for breakdown)
338	590473	Rewind Starter (Refer to Division 5, Section C, page 29 for breakdown)
343	33239A	Gasket Set (Incl. items marked*)

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983
Page 5 of 8

Engine Parts List #2




www.mymowerparts.com

Ref #	Part Number	Qty	Description
31	650489		Screw, 1/4-20 x 5/8"
34	27793		Clip, Conduit (Use as required)
35	28942		Screw, 10-32 x 3/8" (Use as required)
43A	650128		Screw, 10-24 x 1/2"
48	29716		Screw, 1/4-28 x 7/16"
56	34662		Link, Throttle
71	650815		Washer, Belleville
72	8116		Nut, Hex
98	31342		Spring, Compression
99	650549		Screw, 5-40 x 7/16"
134	33013		Cover, Bubble
135	650760		Screw, 8-32 x 3/8"
180	650821		Screw, 10-32 x 1/2"
180A	34663		Spring, Speed control
181	34661		Link, Governor
193	610118		Cover, Spark plug (Use as required)
214	32410		Knob, Speed control
214A	35438		Knob, Control
219A	570629A		Primer Assy.
223	32180C		Line, Primer
230	650257		Screw, 8-32 x 5/16"
231	34672		Cover, Carburetor
254	32398		Bracket, Choke
255	28820		Screw, 10-32 x 1/2"
256A	650765		Screw, 10-32 x 1/2"
256	650760		Screw, 8-32 x 3/8"
263	650764		Nut, "U" Type (Use as required)
272	34677		Control Bracket (Incl. 98, 99, 180A & 274)
274	610973		Terminal Ass'y. (As req. on late prod uction)
292	31680		Guard, Starter
293	32576		Seal, Snow guard
331H	34414		Decal, Warning
331H	34680		Decal, Instruction
331G	34416		Decal, Choke
331E	34144		Decal, Primer
338	590473		Rewind Starter (Refer to Division 5, Section C, page 29 for
			breakdown)
340	33328D		Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#342). Refer to service number stamped on end cap of motor, or on decal, for identifica
342	30811A		Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above)
342	611042		Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using 110-120 volt starter kits listed above)
342	611085		Flywheel (Minimum ring gear flywheel required on engines using 110-120 volt starter kits listed above) (Use withSolid State ignition)

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983
Page 7 of 8

Engine Parts List #3



www.mymowerparts.com

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 $_{\rm Page~8~of~8}$ Engine Parts List #3

			escription
	27513		ckwasher, 1/4" (Use as required)
	650697A		rew, 5/16-18 x 2-1/2" (Use as requi red)
	650695A		rew, 5/16-18 x 2-1/4" (Use as requi red)
	650694A		rew, 5/16-18 x 2" (Use as required)
	27896A		Sasket, Breather cover
42	26073	Wa	asher (Use as required)
42	650691	Wa	asher, Flat (Use as required)
	650548		rew, 8-32 x 5/16"
	30319		vet, Split (Used in early productio n)
52	33454	Lev	ver Assy., Governor
	730130	Exl	h.Adap.Kit (Incl. 58 & 125) (Use as req.)
58	30196	Scr	rew, 5/16-18 x 3/4" (Use as require d)
	29216		ıt, Lock, 10-32
	29826		rew, 10-32 x 3/4"
	29918		ckwasher, #8 E.T.
82B	730561		cleaner kit (Incl. 38, 67A, 83, 84B, 85,89B, 89C, 90A, 91,
			A, 91B, 91C, 91D, 245 & 331B) (Use only on engines with
		an	externally vented fully adjustable carburetor)
82	730127	Air	Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89A, 90, 238 &
02	700127		1B) (Use as required)
			, (
84D	34819		Cleaner Elbow (Incl. 84B, 86A, 91, 91A, 91B & 91C) (Use
			730561 assembly only) NOTE: 130010 thru 10C & 11
		use	ed in early production only.
103E	391026	Op	ot. Spark Arrest Muffler (Incl.196,1 97,199)
113	650561		rew, 1/4-20 x 5/8"
118	29774	Fue	el Line (Braided 8-1/4" 21 cm)(Use as req.)
118	30705		el Line (Braided 16") (41 cm) (Ùse as req.)
118	30962		el Line (Braided 32") (81 cm) (Use as req.)
125	27930A		asket, Exhaust
126	30196	Scr	rew, 5/16-18 x 3/4"
128	650694A	Scr	rew, 5/16-18 x 2" (Use as required)
132	650548	Sci	rew, 8-32 x 5/16" (Early production)
148	34067	Wii	re Assy., Alternator adapter (4-1/4 ")
148	34069		re Assy., Alternator adapter (6-3/4 ")
164	30322	Nu	it & Lockwasher (Early Prod. Only)
	29916	Cla	amp, Governor lever (Early Prod. On ly)
202	31288	Exl	h. Adaptor Kit (Incl.125,203,204) (As req.)
	650697A	Scr	rew, 5/16-18 x 2-1/2" (Use as requi red)
204	6021A	Scr	rew, 5/16-18 x 1-1/2" (Use as requi red)
226	650760	Scr	rew, 8-32 x 3/8"
227	28545	Gro	ommet
266	26460	Cla	amp, Fuel line