
For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983

Page 1 of 8

Engine Parts List #1



www.mymowerparts.com

	Part Number Qty	
	32586C	Cylinder (Incl. 2, 3, 4 & 76) (2-3/4" Bore)
	27652	Pin, Dowel
	27642	Plug, Oil drain
	32630	Seal, Oil
	32783	Intake Valve (Std.) (Incl. 9)
	32784	Intake Valve (1/32" OS) (Incl. 9)
	27878A	Exhaust Valve (Std.) (Incl. 9)
	27880A	Exhaust Valve (1/32" OS) (Incl. 9)
	20810	Pin, Valve spring retainer (Use as re quired)
	27882	Cap, Upper valve spring
	27881	Spring, Valve
	27881	Spring, Valve
	32581	Cap, Lower valve spring
	32581	Cap, Lower valve spring
10A	32590	Plate, Lock & Oil dipper (This plate may be replaced by
		34242 oil dipper but 650662C screw must be used.)
10	34242	Dipper, Oil
	32680A	Crankshaft (Incl. 12 & 13)
12	29783	Crankshaft Gear Pin (Early production)
	27884	Gear, Crankshaft (Used in early production) This gear is
		servicable onlywhen it is pinned to the crankshaft.
1/	34517	Piston, Pin & Ring Set (Std.) (2-3/4" Bore)
	34518	Piston, Pin & Ring Set (Old.) (2-3/4 Bole)
	34519	Piston, Pin & Ring Set (.020" OS)
	32592B	Piston & Pin Ass'y. (Std.)(2-3/4")(In cl.16)
	32593B	Piston & Pin Ass'y. (.010" OS) (Incl. 16)
	32594B	Piston & Pin Ass'y. (.020" OS) (Incl. 16)
	32595	Ring Set (Std.) (2-3/4" Bore)
	32596	Ring Set (.010" OS)
	32597	Ring Set (.020" OS)
	27888	Ring, Piston pin retaining
	32591C	Rod Assy., Connecting (Incl. 10 & 18)
	650662C	Screw, Connecting rod (2 each)
	30968	Nipple, Oil drain
	30969	Cap, Oil drain
	32115	Camshaft (MCR)
	34034	Lifter, Valve
	31303B	Cover, Cylinder (Incl. 24, 106 & 279)
	31546	Bushing, Crankshaft (Use as required)
	28427	Seal, Oil
	33893A	Tube, Oil filler
	34011A	Dipstick, Oil (Incl. 30)
	30684	* Gasket, Cylinder cover
	650488	Screw, 1/4-20 x 1-1/4"
	33590	"O" Ring
	650489	Screw, 1/4-20 x 5/8"
	32631A	* Gasket, Cylinder head
33	30938A	Head, Cylinder
	27793	Clip, Conduit (Use as required)
	28942	Screw, 10-32 x 3/8" (Use as required)
	650697A	Screw, 5/16-18 x 2-1/2" (Use as requi red)
	650695A	Screw, 5/16-18 x 2-1/4" (Use as requi red)
	650694A	Screw, 5/16-18 x 2" (Use as required)
	33636	Resistor Spark Plug (RJ-8C)
	34251	Resistor Spark Plug
	27896A	* Gasket, Breather cover
39	28423	Body, Breather

www.mymowerparts.com

Ref#	Part Number Qty	Description
	28424	Element, Breather
	28425	Cover, Valve spring
	650690	Washer, Belleville (Use as required)
	26073	
		Washer (Use as required)
	650691	Washer, Flat (Use as required)
	650128	Screw, 10-24 x 1/2"
45	27915A	* Gasket, Intake
46	30195A	Flange, Carburetor (Incl. 79 & 80)
47	30196	Screw, 5/16-18 x 3/4"
	29716	Screw, 1/4-28 x 7/16"
	650548	Screw, 8-32 x 5/16"
	32326A	Lever, Governor (New lever does not need 1 of
32	32320A	
		51,66,132,164,165,207)
55	30205	Bracket, Adjusting
	30824	Link, Throttle
	29216	Nut, Lock, 10-32
	29826	
		Screw, 10-32 x 3/4"
	29642	Ring, Retaining
63	30699B	Governor Rod Ass'y. (This one-piece governor rodis no longer
		used. It is replaced by 30699C ass'y.,Ref. no. 63A)
621	30699C	Pad Accy Covernor (Incl. 64.8.65)
		Rod Assy., Governor (Incl. 64 & 65)
	30700	Yoke, Governor
	650494	Screw, 6-40 x 5/16"
	29918	Lockwasher, #8 E.T.
67	35350	Tube, Breather
69	29747B	Screw, 5/16-24 x 21/32"
70	32158E	Blower Housing (For elec.star.)(Incl. 134,135)
	650815	Washer, Belleville
	8116	Nut, Hex
	29536	Blower Housing Baffle (without electric starter knock-out)
13	29000	
		(Use as required)
73	35256A	Blower Housing Baffle (with electric starter knock-out) (Use
		as required) (Point Ignition)
		, , ,
74	650561	Screw, 1/4-20 x 5/8"
75	31688A	* Gasket, Carburetor
79	29752	Nut & Lockwasher Assy., 1/4-28
	650572	Screw, 1/4-28 x 1-1/8"
	730164	Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89, 90A & 331B)
02/1	700101	(Use as required)
		,
97	34240	Ground Wire
100	29538	Base, Engine mounting
	32401	Muffler
	31845	Shaft, Mechanical governor
	30591	Gear Assy., Governor (Incl. 109)
		,
	30588A 30500A	Spool, Governor
	30590A	Washer, Flat
	29193	Ring, Retaining
	34158	Bracket, Fuel tank
113	650561	Screw, 1/4-20 x 5/8"
114	34186A	Fuel Tank (Incl. 115 & 266) NOTE: These tanks were built
		with different size fuel inlet openings. Tanks with the 1-3/16"
		I.D. opening use fuel cap 33032 or 34210. Tanks with the
		1-1/2" I.D. opening use fuel cap 35355 or 35650.
		, ,
115	410144B	Fuel Cap (White Plastic)(Std)(As requ ired)
		•

www.mymowerparts.com

Ref #	Part Number Qty	Description
	33032	Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile)
		(Use as required)
115	34210	Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as
113	34210	required)
	35355	Fuel Cap (Use as required)
	34159	Plate, Fuel tank mounting
	32961	Valve, Shut-off
	29774	Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)
	30705	Fuel Line (Braided 16") (41 cm) (Use as req.)
	30962	Fuel Line (Braided 32") (81 cm) (Use as req.)
	650128	Screw, 10-24 x 1/2" (Use as required)
	30622A	Extension, Blower housing
	34174 650665	Deflector, Exhaust
	650542	Screw, 1/4-15 x 7/8" Screw, 5/16-18 x 3/4"
	27930A	Gasket, Exhaust
	30196	Screw, 5/16-18 x 3/4"
	26073	Washer (Use as required)
	650694A	Screw, 5/16-18 x 2" (Use as required)
	32589	Key, Flywheel
	31843A	Bracket, Governor gear
	650836	Screw, 10-24 x 1/2"
	650493	Screw, 1/4-20 x 1-3/4"
	30747	Clip, Shorting
151	650665	Screw, 1/4-15 x 7/8"
193	610118	Cover, Spark plug (Use as required)
205	650561	Screw, 1/4-20 x 5/8" (Use as required)
209	30939A	Cover, Cylinder head
	32180C	Line, Primer
	34126	Bracket, Grommet mounting
	650760	Screw, 8-32 x 3/8"
	28545	Grommet
	32125	Cup, Starter
	590417	Screen, Starter cup
	26460	Clamp, Fuel line
	31461	Bushing, Crankshaft (Use as required)
	33876	Gasket, Stator
	610973	Terminal Ass'y. (As req. on late prod uction)
	27275 34246	Clip, Hi-tension wire (Use as require d) Clip, Ground wire (Use as required)
	34346	Decal, Instruction
	550223	Decal, Name
	30547A	Contact Assy., Breaker
	30548B	Condenser
	631021	Inlet Needle, Seat & Clip Assy.
	631920	Carburetor (Incl. 75) (Refer to Division 5, Section A, page 138
555	351025	for breakdown)
337	610694A	Magneto (w/ring gear for 110 volt starter) NOTE: The
		complete magneto is not available as an assembly. The magneto number is shown for reference purposes only.
		Order component parts individually, as show in parts list.
		(Refer to Division 5, Section B, page 24 for breakdown)
338	590473	Rewind Starter (Refer to Division 5, Section C, page 29 for
		breakdown)


www.mymowerparts.com

343 33239A

Gasket Set (Incl. items marked*)

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983
Page 5 of 8

Engine Parts List #2




For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 $_{\rm Page~6~of~8}$ Engine Parts List #2

Ref #	Part Number Qt	y Description
31	650489	Screw, 1/4-20 x 5/8"
34	27793	Clip, Conduit (Use as required)
35	28942	Screw, 10-32 x 3/8" (Use as required)
43A	650128	Screw, 10-24 x 1/2"
	29716	Screw, 1/4-28 x 7/16"
	30824	Link, Throttle
	650815	Washer, Belleville
	8116	Nut, Hex
	33013	Cover, Bubble
	650760	Screw, 8-32 x 3/8"
	610118	Cover, Spark plug (Use as required)
	33108A	Control Bracket (Incl. 224 & 274)
	35438	Knob, Control
	570629A	Primer Assy.
	32180C	Line, Primer
	30826	Spring, Extension
	650257	Screw, 8-32 x 5/16"
	34581	Cover, Carburetor
	32398	Bracket, Choke
	28820	Screw, 10-32 x 1/2"
	650760	Screw, 8-32 x 3/8"
	650765	Screw, 10-32 x 3/0"
	31291	Plug, Cover
	650764	Nut, "U" Type (Use as required)
	610973	• • • •
	31680	Terminal Ass'y. (As req. on late prod uction) Guard, Starter
	32576	·
	34414	Seal, Snow guard
	34416	Decal, Warning
	34418	Decal, Choke
	550223	Decal, Choke
		Decal, Name
	34417	Decal, Primer Powing Starter (Refer to Division F. Section C. page 20 for
338	590473	Rewind Starter (Refer to Division 5, Section C, page 29 for breakdown)
340	33328D	Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#342). Refer to service number stamped on end cap of motor, or on decal, for identifica
342	30811A	Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above)
342	611042	Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using 110-120 volt starter kits listed above)
342	611085	Flywheel (Minimum ring gear flywheel required on engines using 110-120 volt starter kits listed above) (Use withSolid State ignition)

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983
Page 7 of 8

Engine Parts List #3



www.mymowerparts.com

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 $_{\rm Page~8~of~8}$ Engine Parts List #3

Def #	Dowt Nicroshou	Ot .	Description
27 36 36 36 38 42 42 50	Part Number 27513 650697A 650695A 650694A 27896A 26073 650691 650548	Qty	Description Lockwasher, 1/4" (Use as required) Screw, 5/16-18 x 2-1/2" (Use as requi red) Screw, 5/16-18 x 2-1/4" (Use as requi red) Screw, 5/16-18 x 2" (Use as required) * Gasket, Breather cover Washer (Use as required) Washer, Flat (Use as required) Screw, 8-32 x 5/16"
	30319 32326A		Rivet, Split (Used in early productio n) Lever, Governor (New lever does not need 1 of 51,66,132,164,165,207)
57 58 59 61 66	30205 730130 30196 29216 29826 29918 730561		Bracket, Adjusting Exh.Adap.Kit (Incl. 58 & 125) (Use as req.) Screw, 5/16-18 x 3/4" (Use as require d) Nut, Lock, 10-32 Screw, 10-32 x 3/4" Lockwasher, #8 E.T. Air cleaner kit (Incl. 38, 67A, 83, 84B, 85,89B, 89C, 90A, 91, 91A, 91B, 91C, 91D, 245 & 331B) (Use only on engines with an externally vented fully adjustable carburetor)
82	730127		Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89A, 90, 238 & 331B) (Use as required)
84D	34819		Air Cleaner Elbow (Incl. 84B, 86A, 91, 91A, 91B & 91C) (Use in 730561 assembly only) NOTE: 130010 thru 10C & 11 used in early production only.
113 118 118 118 125 126 128 132 148 148 202 203 204 226 227	391026 650561 29774 30705 30962 27930A 30196 650694A 650548 34067 34069 31288 650697A 6021A 650760 28545		Opt. Spark Arrest Muffler (Incl.196,1 97,199) Screw, 1/4-20 x 5/8" Fuel Line (Braided 8-1/4" 21 cm)(Use as req.) Fuel Line (Braided 16") (41 cm) (Use as req.) Fuel Line (Braided 32") (81 cm) (Use as req.) Gasket, Exhaust Screw, 5/16-18 x 3/4" Screw, 5/16-18 x 2" (Use as required) Screw, 8-32 x 5/16" (Early production) Wire Assy., Alternator adapter (4-1/4") Wire Assy., Alternator adapter (6-3/4") Exh. Adaptor Kit (Incl.125,203,204) (As req.) Screw, 5/16-18 x 2-1/2" (Use as required) Screw, 5/16-18 x 1-1/2" (Use as required) Screw, 8-32 x 3/8" Grommet Clamp, Fuel line
266	26460		Clamp, Fuel line