
For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983

Page 1 of 8

Engine Parts List #1



www.mymowerparts.com

	Part Number Qty	
	32586C	Cylinder (Incl. 2, 3, 4 & 76) (2-3/4" Bore)
	27652	Pin, Dowel
	27642	Plug, Oil drain
	32630	Seal, Oil
	32783	Intake Valve (Std.) (Incl. 9)
	32784	Intake Valve (1/32" OS) (Incl. 9)
	27878A	Exhaust Valve (Std.) (Incl. 9)
	27880A	Exhaust Valve (1/32" OS) (Incl. 9)
	20810	Pin, Valve spring retainer (Use as re quired)
	27882	Cap, Upper valve spring
	27881	Spring, Valve
	27881	Spring, Valve
	32581	Cap, Lower valve spring
	32581	Cap, Lower valve spring
10A	32590	Plate, Lock & Oil dipper (This plate may be replaced by
		34242 oil dipper but 650662C screw must be used.)
10	34242	Dipper, Oil
	32680A	Crankshaft (Incl. 12 & 13)
	29783	Crankshaft Gear Pin (Early production )
	27884	Gear, Crankshaft (Used in early production) This gear is
		servicable onlywhen it is pinned to the crankshaft.
1/	34517	Piston, Pin & Ring Set (Std.) (2-3/4" Bore)
	34518	Piston, Pin & Ring Set (0.01.0" OS)
	34519	Piston, Pin & Ring Set (.020" OS)
	32592B	Piston & Pin Ass'y. (Std.)(2-3/4")(In cl.16)
	32593B	Piston & Pin Ass'y. (0.10" OS) (Incl. 16)
	32594B	Piston & Pin Ass'y. (.020" OS) (Incl. 16)
	32595	Ring Set (Std.) (2-3/4" Bore)
	32596	Ring Set (.010" OS)
	32597	Ring Set (.020" OS)
	27888	Ring, Piston pin retaining
	32591C	Rod Assy., Connecting (Incl. 10 & 18)
	650662C	Screw, Connecting rod (2 each)
	32678	Nipple, Oil drain
	30969	Cap, Oil drain
	32115	Camshaft (MCR)
	34034	Lifter, Valve
	31303B	Cover, Cylinder (Incl. 24, 106 & 279)
	28427	Seal, Oil
	31546	Bushing, Crankshaft (Use as required)
	33893A	Tube, Oil filler
	34011A	Dipstick, Oil (Incl. 30)
	30684	* Gasket, Cylinder cover
	650488	Screw, 1/4-20 x 1-1/4"
	33590	"O" Ring
	650489	Screw, 1/4-20 x 5/8"
	32631A	* Gasket, Cylinder head
33	30938A	Head, Cylinder
34	27793	Clip, Conduit (Use as required)
	28942	Screw, 10-32 x 3/8" (Use as required)
36	650697A	Screw, 5/16-18 x 2-1/2" (Use as requi red)
36	650695A	Screw, 5/16-18 x 2-1/4" (Use as requi red)
36	650694A	Screw, 5/16-18 x 2" (Use as required)
	33636	Resistor Spark Plug (RJ-8C)
	34251	Resistor Spark Plug
	27896A	* Gasket, Breather cover
39	28423	Body, Breather

www.mymowerparts.com


		Qty Descrip	
	28424		nt, Breather
41	28425	Cover,	Valve spring
42	26073	Washe	er (Use as required)
42	650691	Washe	er, Flat (Use as required)
42A	650690	Washe	er, Belleville (Use as required)
43	650128		, 10-24 x 1/2"
45	27915A	* Gask	ket, Intake
46	34712		Carburetor
47	30196		, 5/16-18 x 3/4"
	29716		, 1/4-28 x 7/16"
	650548		, 8-32 x 5/16"
	33454		Assy., Governor
	34662	Link, T	•
	29216	•	ock, 10-32
	29826	•	, 10-32 x 3/4"
	29642		Retaining
	30699C		ssy., Governor (Incl. 64 & 65)
	30699B		nor Rod Ass'y. (This one-piece governor rodis no longer
65	300335		t is replaced by 30699C ass'y.,Ref. no. 63A)
64	30700	Yoke. (	Governor
	650494		, 6-40 x 5/16"
	29918		asher, #8 E.T.
	35350		Breather
	29747B	•	, 5/16-24 x 21/32"
	32158E		Housing (For elec.star.)(Incl. 134,135)
	650815		er, Belleville
	8116	Nut, He	·
	29536	•	Housing Baffle (without electric starter knock-out)
	20000		s required)
73	35256A		Housing Baffle (with electric starter knock-out) (Use uired) (Point Ignition)
		•	, ( )
	650561		, 1/4-20 x 5/8"
	31688A		tet, Carburetor
80A	650517		, 1/4-20 x 27/32"
82A	730164	Air Cle	aner Ass'y. (Incl. 60, 83, 87, 88, 89, 90A & 331B)
		(Use a	s required)
97	34240	Ground	d Wire
98	31342	Spring,	, Compression
99	650549	Screw,	, 5-40 x 7/16"
100	29538	Base, I	Engine mounting
103	32401	Muffler	
106	31845	Shaft, I	Mechanical governor
107	30591	Gear A	Assy., Governor (Incl. 109)
	30588A		Governor
	30590A	Washe	
	29193		Retaining
	34158	•	et, Fuel tank
	650561		, 1/4-20 x 5/8"
	34186A		ank (Incl. 115 & 266) NOTE: These tanks were built
			fferent size fuel inlet openings. Tanks with the 1-3/16"
			ening use fuel cap 33032 or 34210. Tanks with the
			I.D. opening use fuel cap 35355 or 35650.
115	410144B		ap (White Plastic)(Std)(As requ ired)
	33032		ap (White Plastic)(Stu)(As required) ap (Charcoal Plastic) (Spurt resistant, Low profile)
110	000Z		s required)
		(USE a	o requireu)

## www.mymowerparts.com

Ref #	Part Number Qty	Description
	34210	Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as
		required)
115	35355	Fuel Cap (Use as required)
116D	34159	Plate, Fuel tank mounting
	32961	Valve, Shut-off
	29774	Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)
	30705	Fuel Line (Braided 16") (41 cm) (Use as req.)
	30962	Fuel Line (Braided 32") (81 cm) (Use as req.)
	650128	Screw, 10-24 x 1/2" (Use as required)
	30622A	Extension, Blower housing
	650542	Screw, 5/16-18 x 3/4"
	27930A	Gasket, Exhaust
	30196	Screw, 5/16-18 x 3/4"
	26073	Washer (Use as required)
	650694A	Screw, 5/16-18 x 2" (Use as required)
	32589	Key, Flywheel
	31843A	Bracket, Governor gear
	650836	Screw, 10-24 x 1/2"
	650493	Screw, 1/4-20 x 1-3/4"
	30747	Clip, Shorting
	650665	Screw, 1/4-15 x 7/8"
	610118	
	650561	Cover, Spark plug (Use as required)
	30939A	Screw, 1/4-20 x 5/8" (Use as required )
	32180C	Cover, Cylinder head
	34126	Line, Primer  Procket, Grammet mounting
	650760	Bracket, Grommet mounting
	28545	Screw, 8-32 x 3/8"
	32125	Grommet Cup Storter
		Cup, Starter
	590417	Screen, Starter cup
	26460	Clamp, Fuel line
	31461 33876	Bushing, Crankshaft (Use as required)
		Gasket, Stator
	610973	Terminal Ass'y. (As req. on late prod uction)
	27275	Clip, Hi-tension wire (Use as require d)
	34246	Clip, Ground wire (Use as required)
	34346	Decal, Instruction
	30547A	Contact Assy., Breaker
	30548B	Condenser
	631021	Inlet Needle, Seat & Clip Assy.
330	631920	Carburetor (Incl. 75) (Refer to Division 5, Section A, page 138 for breakdown)
337	610694A	Magneto (w/ring gear for 110 volt sta rter) NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as show in parts list. (Refer to Division 5, Section B, page 24 for breakdown)
338	590473	Rewind Starter (Refer to Division 5, Section C, page 29 for breakdown)
343	33239A	Gasket Set (Incl. items marked*)

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983
Page 5 of 8

Engine Parts List #2




www.mymowerparts.com

Ref #	Part Number Qty	
31	650489	Screw, 1/4-20 x 5/8"
34	27793	Clip, Conduit (Use as required)
35	28942	Screw, 10-32 x 3/8" (Use as required)
43A	650128	Screw, 10-24 x 1/2"
48	29716	Screw, 1/4-28 x 7/16"
56	34662	Link, Throttle
	650815	Washer, Belleville
72	8116	Nut, Hex
98	31342	Spring, Compression
	650549	Screw, 5-40 x 7/16"
	33013	Cover, Bubble
	650760	Screw, 8-32 x 3/8"
	650821	Screw, 10-32 x 1/2"
	34663	Spring, Speed control
	34661	Link, Governor
	610118	Cover, Spark plug (Use as required)
	35438	Knob, Control
	570629A	Primer Assy.
	32180C	Line, Primer
	650257	Screw, 8-32 x 5/16"
	34672	Cover, Carburetor
	32398	Bracket, Choke
	28820	Screw, 10-32 x 1/2"
	650765	Screw, 10-32 x 1/2"
	650760	Screw, 8-32 x 3/8"
	650764	Nut, "U" Type (Use as required)
	34664	Control Bracket (Incl. 98, 99, 180A & 274)
	610973 34127	Terminal Ass'y. (As req. on late prod uction) Guard Starter
	32576	Seal, Snow guard
	34414	Decal, Warning
	34416	Decal, Choke
	34418	Decal, Choke
	34417	Decal, Primer
	590473	Rewind Starter (Refer to Division 5, Section C, page 29 for
000	000 17 0	breakdown)
0.40	00000 <b>D</b>	•
340	33328D	Starter Motor Kit (110-120 Volt) This 110-120 volt starter
		motor kit may have been added to this engine. It can be
		added only if cylinder hasdrilled and tapped starter mounting
		bosses and a ring gear flywheel (see#342). Refer to service
		number stamped on end cap of motor, or on decal, for
		identifica
342	30811A	Flywheel (Ring gear flywheel requiredon engines using
		110-120 volt starter kits listed above)
3/12	611042	Flywheel (Used on Type letters H and above) (Std. Point
J-12	0110-12	ignition) (Ring gear flywheel required on engines using
		110-120 volt starter kits listed above)
<i>-</i>	0.4400=	•
342	611085	Flywheel (Minimum ring gear flywheel required on engines
		using 110-120 volt starter kits listed above) (Use withSolid
		State ignition)

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983

Page 7 of 8

Engine Parts List #3



www.mymowerparts.com

## For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 $_{\rm Page~8~of~8}$ Engine Parts List #3

Ref #	Part Number	Qty	Description
27	27513		Lockwasher, 1/4" (Use as required)
36	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
36	650695A		Screw, 5/16-18 x 2-1/4" (Use as requi red)
36	650694A		Screw, 5/16-18 x 2" (Use as required)
38	27896A		* Gasket, Breather cover
42	26073		Washer (Use as required)
42	650691		Washer, Flat (Use as required)
50	650548		Screw, 8-32 x 5/16"
51	30319		Rivet, Split (Used in early productio n)
52	33454		Lever Assy., Governor
57	730130		Exh.Adap.Kit (Incl. 58 & 125) (Use as req.)
58	30196		Screw, 5/16-18 x 3/4" (Use as require d)
59	29216		Nut, Lock, 10-32
61	29826		Screw, 10-32 x 3/4"
66	29918		Lockwasher, #8 E.T.
82B	730561		Air cleaner kit (Incl. 38, 67A, 83, 84B, 85,89B, 89C, 90A, 91,
			91A, 91B, 91C, 91D, 245 & 331B) (Use only on engines with
			an externally vented fully adjustable carburetor)
82	730127		Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89A, 90, 238 &
02	130121		331B) (Use as required)
			, ,
84D	34819		Air Cleaner Elbow (Incl. 84B, 86A, 91, 91A, 91B & 91C) (Use
			in 730561 assembly only) NOTE: 130010 thru 10C & 11
			used in early production only.
103E	391026		Opt. Spark Arrest Muffler (Incl.196,1 97,199)
	650561		Screw, 1/4-20 x 5/8"
	29774		Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)
	30705		Fuel Line (Braided 16") (41 cm) (Use as req.)
118	30962		Fuel Line (Braided 32") (81 cm) (Use as req.)
125	27930A		Gasket, Exhaust
126	30196		Screw, 5/16-18 x 3/4"
128	650694A		Screw, 5/16-18 x 2" (Use as required)
132	650548		Screw, 8-32 x 5/16" (Early production )
148	34067		Wire Assy., Alternator adapter (4-1/4 ")
148	34069		Wire Assy., Alternator adapter (6-3/4 ")
164	30322		Nut & Lockwasher (Early Prod. Only)
165	29916		Clamp, Governor lever (Early Prod. On ly)
202	31288		Exh. Adaptor Kit (Incl.125,203,204) ( As req.)
203	650697A		Screw, 5/16-18 x 2-1/2" (Use as requi red)
204	6021A		Screw, 5/16-18 x 1-1/2" (Use as requi red)
226	650760		Screw, 8-32 x 3/8"
227	28545		Grommet
266	26460		Clamp, Fuel line