
For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 H70-130247H Page 1 of 8 Engine Parts List #1



www.mymowerparts.com

	Part Number	Qty	Description
	32586C		Cylinder (Incl. 2, 3, 4 & 76) (2-3/4" Bore)
2	27652		Pin, Dowel
3	27642		Plug, Oil drain
4	32630		Seal, Oil
	32783		Intake Valve (Std.) (Incl. 9)
	32784		Intake Valve (1/32" OS) (Incl. 9)
	27878A		Exhaust Valve (Std.) (Incl. 9)
	27880A		Exhaust Valve (J/32" OS) (Incl. 9)
	27882		Cap, Upper valve spring
	20810		Pin, Valve spring retainer (Use as re quired)
	27881		Spring, Valve
	27881		Spring, Valve
	32581		Cap, Lower valve spring
	32581		Cap, Lower valve spring
10	34242		Dipper, Oil
10A	32590		Plate, Lock & Oil dipper (This plate may be replaced by
			34242 oil dipper but 650662C screw must be used.)
11	34894		Crankshaft (Incl. 12 & 13)
	29783		Crankshaft Gear Pin (Early production )
	27884		Gear, Crankshaft (Used in early production) This gear is
10	21001		servicable onlywhen it is pinned to the crankshaft.
	34517		Piston, Pin & Ring Set (Std.) (2-3/4" Bore)
	34518		Piston, Pin & Ring Set (.010" OS)
	34519		Piston, Pin & Ring Set (.020" OS)
14A	32592B		Piston & Pin Ass'y. (Std.)(2-3/4")(In cl.16)
14A	32593B		Piston & Pin Ass'y. (.010" OS) (Incl. 16)
14A	32594B		Piston & Pin Ass'y. (.020" OS) (Incl. 16)
15	32595		Ring Set (Std.) (2-3/4" Bore)
15	32596		Ring Set (.010" OS)
15	32597		Ring Set (.020" OS)
16	27888		Ring, Piston pin retaining
	32591C		Rod Assy., Connecting (Incl. 10 & 18)
	650662C		Screw, Connecting rod (2 each)
	30968		Nipple, Oil drain
	30969		Cap, Oil drain
	33931		Camshaft (MCR) (Extended)
	34034		Lifter, Valve
			•
	31720A		Cover, Cylinder (Incl. 24, 24A, 106 & 279)
	31546		Bushing, Crankshaft (Use as required)
	28427		Seal, Oil
	28926		Seal, Oil
	34011A		Dipstick, Oil (Incl. 30)
	33893A		Tube, Oil filler
	30684		* Gasket, Cylinder cover
	650488		Screw, 1/4-20 x 1-1/4"
	33590		"O" Ring
	650489		Screw, 1/4-20 x 5/8"
	32631A		* Gasket, Cylinder head
	30938A		Head, Cylinder
34	27793		Clip, Conduit (Use as required)
35	28942		Screw, 10-32 x 3/8" (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as required)
	650695A		Screw, 5/16-18 x 2-1/4" (Use as required)
	650694A		Screw, 5/16-18 x 2" (Use as required)
	33636		Resistor Spark Plug (RJ-8C)
	34251		Resistor Spark Plug
	27896A		* Gasket, Breather cover
30		11174	

\_

Ref #	Part Number 0	Otv	Description	
	28423	Giy	Body, Breather	
	28424		Element, Breather	
	28425		Cover, Valve spring	
	26073		Washer (Use as required)	
	650691		Washer, Flat (Use as required)	
	650690		Washer, Belleville (Use as required)	
	650128			
			Screw, 10-24 x 1/2"	
	27915A		* Gasket, Intake	
	34712		Flange Carburetor	
	30196		Screw, 5/16-18 x 3/4"	
	29716		Screw, 1/4-28 x 7/16"	
	650548		Screw, 8-32 x 5/16"	
	33454		Lever Assy., Governor	
	34662		Link, Throttle	
	29216		Nut, Lock, 10-32	
	29826		Screw, 10-32 x 3/4"	
	29642		Ring, Retaining	
	30699C		Rod Assy., Governor (Incl. 64 & 65)	
63	30699B		Governor Rod Ass'y. (This one-piece governor rodis no longer	
			used. It is replaced by 30699C ass'y.,Ref. no. 63A)	
64	30700		Yoke, Governor	
	650494		Screw, 6-40 x 5/16"	
	29918		Lockwasher, #8 E.T.	
	35350		Tube, Breather	
	29747B		Screw, 5/16-24 x 21/32"	
	35260			
	650815		Blower Housing (For electric starter)	
			Washer, Belleville	
	8116		Nut, Hex Blower Llouging Boffle (without electric starter knock out)	
13	29536		Blower Housing Baffle (without electric starter knock-out)	
			(Use as required)	
73	35256A		Blower Housing Baffle (with electric starter knock-out) (Use	
			as required) (Point Ignition)	
74	650561		Screw, 1/4-20 x 5/8"	
75	31688A		* Gasket, Carburetor	
80A	650517		Screw, 1/4-20 x 27/32"	
	730164		Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89, 90A & 331B)	
			(Use as required)	
07	34240		Ground Wire	
	31342		Spring, Compression	
	650549		Screw, 5-40 x 7/16"	
	29538		Base, Engine mounting	
	32401		Muffler	
	31845		Shaft, Mechanical governor	
	30591		Gear Assy., Governor (Incl. 109)	
	30588A		Spool, Governor	
	30590A		Washer, Flat	
	29193 24159		Ring, Retaining	
	34158		Bracket, Fuel tank	
	650561		Screw, 1/4-20 x 5/8"	
114	34186A		Fuel Tank (Incl. 115 & 266) NOTE: These tanks were built	
			with different size fuel inlet openings. Tanks with the 1-3/16"	
			I.D. opening use fuel cap 33032 or 34210. Tanks with the	
			1-1/2" I.D. opening use fuel cap 35355 or 35650.	
115	410144B		Fuel Cap (White Plastic)(Std)(As requ ired)	
_				


Ref #	Part Number Qty	Description	
	33032	Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile)	
		(Use as required)	
115	34210	Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as	
115	34210	required)	
	35355	Fuel Cap (Use as required)	
	34159	Plate, Fuel tank mounting	
	29774	Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)	
	30705	Fuel Line (Braided 16") (41 cm) (Use as req.)	
	30962	Fuel Line (Braided 32") (81 cm) (Use as req.)	
	650128	Screw, 10-24 x 1/2" (Use as required)	
	30622A	Extension, Blower housing	
	650542	Screw, 5/16-18 x 3/4"	
	27930A	Gasket, Exhaust	
	30196	Screw, 5/16-18 x 3/4"	
	26073	Washer (Use as required)	
	650694A	Screw, 5/16-18 x 2" (Use as required)	
	32589	Key, Flywheel	
	31843A	Bracket, Governor gear	
	650836	Screw, 10-24 x 1/2"	
	650493	Screw, 1/4-20 x 1-3/4"	
	30747		
	650665	Screw, 1/4-15 x 7/8"	
	610118	Cover, Spark plug (Use as required)	
	650561	Screw, 1/4-20 x 5/8" (Use as required )	
	30939A	Cover, Cylinder head	
	34814	Primer Assy.	
	32180C	Line, Primer	
	34126	Bracket, Grommet mounting	
	650760	Screw, 8-32 x 3/8"	
	28545	Grommet	
	32125	Cup, Starter	
	35009	Screen, Starter cup	
	26460	Clamp, Fuel line	
	31461	Bushing, Crankshaft (Use as required)	
	33876 610973	Gasket, Stator	
	27275	Terminal Ass'y. (As req. on late prod uction)	
	34246	Clip, Hi-tension wire (Use as require d)	
	550223	Clip, Ground wire (Use as required)	
	32679	Decal, Name Decal, 7 HP	
	34346	Decal, Instruction	
	30547A	Contact Assy., Breaker	
	30548B	Condenser	
	631021	Inlet Needle, Seat & Clip Assy.	
	631920	Carburetor (Incl. 75) (Refer to Division 5, Section A, page 138	
500	031920	for breakdown)	
		lor breakdowny	
337	611043	Magneto (w/ring gear) NOTE: The complete magneto is not	
		available as an assembly. The magneto number is shown for	
		reference purposes only. Order component parts	
		individually, as show in parts list. (Refer to Division 3,	
		Section B, page 39 for breakdown)	
338	590473	Rewind Starter (Refer to Division 5, Section C, page 29 for	
		breakdown)	
040	222201	,	
343	33239A	Gasket Set (Incl. items marked*)	

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 H70-130247H Page 5 of 8 Engine Parts List #2



		y Description	
31	650489	Screw, 1/4-20 x 5/8"	
34	27793	Clip, Conduit (Use as required)	
35	28942	Screw, 10-32 x 3/8" (Use as required)	
	650128	Screw, 10-24 x 1/2"	
	29716	Screw, 1/4-28 x 7/16"	
	34662	-	
	650815	Link, Throttle	
		Washer, Belleville	
	8116	Nut, Hex	
	31342	Spring, Compression	
	650549	Screw, 5-40 x 7/16"	
	33013	Cover, Bubble	
	650760	Screw, 8-32 x 3/8"	
180	650821	Screw, 10-32 x 1/2"	
180A	34663	Spring, Speed control	
181	34661	Link, Governor	
	610118	Cover, Spark plug (Use as required)	
	35438	Knob, Control	
	32180C	Line, Primer	
	650257	Screw, 8-32 x 5/16"	
	34672	Cover, Carburetor	
	32398	Bracket, Choke	
	28820	,	
		Screw, 10-32 x 1/2"	
	650765	Screw, 10-32 x 1/2"	
	650760	Screw, 8-32 x 3/8"	
	650764	Nut, "U" Type (Use as required)	
	34664	Control Bracket (Incl. 98, 99, 180A & 274)	
	610973	Terminal Ass'y. (As req. on late prod uction)	
	34127	Guard Starter	
293	32576	Seal, Snow guard	
331H	34414	Decal, Warning	
331E	34417	Decal, Primer	
331G	34416	Decal, Choke	
331G	34418	Decal, Choke	
	550223	Decal, Name	
	32679	Decal, 7 HP	
	590473	Rewind Starter (Refer to Division 5, Section C, page 29 for	
	000110	breakdown)	
340	33328D	Starter Motor Kit (110-120 Volt) This 110-120 volt starter	
		motor kit may have been added to this engine. It can be	
		added only if cylinder hasdrilled and tapped starter mounting	
		bosses and a ring gear flywheel (see#342). Refer to service	
		number stamped on end cap of motor, or on decal, for	
		identifica	
342	30811A	Flywheel (Ring gear flywheel requiredon engines using	
		110-120 volt starter kits listed above)	
342	611042	Flywheel (Used on Type letters H and above) (Std. Point	
J		ignition) (Ring gear flywheel required on engines using	
		110-120 volt starter kits listed above)	
		,	
342	611085	Flywheel (Minimum ring gear flywheel required on engines	
		using 110-120 volt starter kits listed above) (Use withSolid	
		State ignition)	

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 H70-130247H Page 7 of 8 Engine Parts List #3



		Description	
	27513	.ockwasher, 1/4" (	Use as required)
36	650697A	Screw, 5/16-18 x 2-1/2" (Use as required)	
36	650695A	Screw, 5/16-18 x 2-1/4" (Use as required)	
36	650694A	Screw, 5/16-18 x 2" (Use as required)	
38	27896A	Gasket, Breather	cover
42	26073	Vasher (Use as re	equired)
42	650691	Vasher, Flat (Use	
	650548	Screw, 8-32 x 5/16	
	30319		n early productio n)
	33454	ever Assy., Gover	
	730130		58 & 125) (Use as req.)
	30196		3/4" (Use as require d)
	29216	Nut, Lock, 10-32	
	29826	Screw, 10-32 x 3/4	<u>"</u>
	29918	ockwasher, #8 E.	
	730561		. 38, 67A, 83, 84B, 85,89B, 89C, 90A, 91,
020			D, 245 & 331B) (Use only on engines with
			d fully adjustable carburetor)
		-	
82	730127	•	(Incl. 60, 83, 87, 88, 89A, 90, 238 &
		31B) (Use as requ	uired)
84D	34819	Air Cleaner Elbow	(Incl. 84B, 86A, 91, 91A, 91B & 91C) (Use
	0-1010		ly only) NOTE: 130010 thru 10C & 11
		ised in early produ	,
		sed in early produ	
103E	391026	Opt. Spark Arrest I	Nuffler (Incl.196,1 97,199)
113	650561	Screw, 1/4-20 x 5/8	8"
118	29774	Fuel Line (Braided	8-1/4" 21 cm)(Use as req.)
118	30705	Fuel Line (Braided	16") (41 cm) (Use as req.)
118	30962	uel Line (Braided	32") (81 cm) (Use as req.)
125	27930A	Gasket, Exhaust	
126	30196	Screw, 5/16-18 x 3	3/4"
128	650694A		" (Use as required)
	650548	Screw, 8-32 x 5/16" (Early production )	
	34067	Wire Assy., Alternator adapter (4-1/4 ")	
	34069	Wire Assy., Alternator adapter (6-3/4 ")	
	30322		(Early Prod. Only)
	29916		ever (Early Prod. On ly)
	31288		ncl.125,203,204) ( As req.)
	650697A		2-1/2" (Use as required)
	6021A		-1/2" (Use as required)
	650760	Screw, 8-32 x 3/8"	
	28545	Grommet	
	20040 26460	Clamp, Fuel line	
' )(_')_		Tomp Live line	