
For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 H70-130250H Engine Parts List #1



www.mymowerparts.com

Ref #	Part Number (Qty Description	
	32586C	Cylinder (Incl. 2, 3, 4 & 76) (2-3/4" Bore)	
2	27652	Pin, Dowel	
	27642	Plug, Oil drain	
	32630	Seal, Oil	
	32783	Intake Valve (Std.) (Incl. 9)	
	32784		
		Intake Valve (1/32" OS) (Incl. 9)	
	27878A	Exhaust Valve (Std.) (Incl. 9)	
	27880A	Exhaust Valve (1/32" OS) (Incl. 9)	
	27882	Cap, Upper valve spring	
	20810	Pin, Valve spring retainer (Use as re quired)	
8A	27881	Spring, Valve	
8	27881	Spring, Valve	
9	32581	Cap, Lower valve spring	
9A	32581	Cap, Lower valve spring	
10	34242	Dipper, Oil	
	32590	Plate, Lock & Oil dipper (This plate may be replaced by	
		34242 oil dipper but 650662C screw must be used.)	
11	34894	Crankshaft (Incl. 12 & 13)	
12	29783	Crankshaft Gear Pin (Early production)	
13	27884	Gear, Crankshaft (Used in early production) This gear is	
		servicable onlywhen it is pinned to the crankshaft.	
14	34517	Piston, Pin & Ring Set (Std.) (2-3/4" Bore)	
	34518	Piston, Pin & Ring Set (.010" OS)	
	34519	Piston, Pin & Ring Set (.020" OS)	
	32592B	Piston & Pin Ass'y. (Std.)(2-3/4")(In cl.16)	
	32593B	Piston & Pin Ass'y. (.010" OS) (Incl. 16)	
	32594B	Piston & Pin Ass'y. (.020" OS) (Incl. 16)	
	32595	Ring Set (Std.) (2-3/4" Bore)	
	32596	Ring Set (.010" OS)	
	32597	Ring Set (.020" OS)	
	27888	Ring, Piston pin retaining	
	32591C	Rod Assy., Connecting (Incl. 10 & 18)	
	650662C	Screw, Connecting rod (2 each)	
19	30968	Nipple, Oil drain	
20	30969	Cap, Oil drain	
21	32115	Camshaft (MCR)	
	34034	Lifter, Valve	
	31303B	Cover, Cylinder (Incl. 24, 106 & 279)	
	28427	Seal, Oil	
	31546	Bushing, Crankshaft (Use as required)	
	33893A	Tube, Oil filler	
	34011A	Dipstick, Oil (Incl. 30)	
	30684	* Gasket, Cylinder cover	
	650488 23500	Screw, 1/4-20 x 1-1/4"	
	33590	"O" Ring Serow 1/4 20 x 5/8"	
	650489	Screw, 1/4-20 x 5/8"	
	32631A	* Gasket, Cylinder head	
	30938A	Head, Cylinder	
	27793	Clip, Conduit (Use as required)	
	28942	Screw, 10-32 x 3/8" (Use as required)	
36	650697A	Screw, 5/16-18 x 2-1/2" (Use as requi red)	
36	650695A	Screw, 5/16-18 x 2-1/4" (Use as required)	
	650694A	Screw, 5/16-18 x 2" (Use as required)	
	33636	Resistor Spark Plug (RJ-8C)	
	34251	Resistor Spark Plug	
	27896A	* Gasket, Breather cover	
	28423	Body, Breather	
		werparts.com	

		Description	
	28424	Element, Breather	
41	28425	Cover, Valve spring	
42A	650690	Washer, Belleville (Use as required)	
42	26073	Washer (Use as required)	
42	650691	Washer, Flat (Use as required)	
	650128	Screw, $10-24 \times 1/2$ "	
	27915A		
	34712	* Gasket, Intake	
		Flange Carburetor	
	30196	Screw, 5/16-18 x 3/4"	
	29716	Screw, 1/4-28 x 7/16"	
50	650548	Screw, 8-32 x 5/16"	
52	33454	Lever Assy., Governor	
56	34662	Link, Throttle	
59	29216	Nut, Lock, 10-32	
	29826	Screw, 10-32 x 3/4"	
	29642	Ring, Retaining	
63	30699B	Governor Rod Ass'y. (This one-piece governor rodis no longer	
		used. It is replaced by 30699C ass'y.,Ref. no. 63A)	
637	30699C	Rod Assy., Governor (Incl. 64 & 65)	
	30700	Yoke, Governor	
	650494	Screw, 6-40 x 5/16"	
	29918	Lockwasher, #8 E.T.	
	35350	Tube, Breather	
69	29747B	Screw, 5/16-24 x 21/32"	
70	35260	Blower Housing (For electric starter)	
71	650815	Washer, Belleville	
	8116	Nut, Hex	
	29536	Blower Housing Baffle (without electric starter knock-out)	
15	23030	(Use as required)	
		(Use as required)	
73	35256A	Blower Housing Baffle (with electric starter knock-out) (Use	
		as required) (Point Ignition)	
	650561	Screw, 1/4-20 x 5/8"	
75	31688A	* Gasket, Carburetor	
80A	650517	Screw, 1/4-20 x 27/32"	
82A	730164	Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89, 90A & 331B)	
		(Use as required)	
97	34240	Ground Wire	
98	31342	Spring, Compression	
99	650549	Screw, 5-40 x 7/16"	
	29538	Base, Engine mounting	
	32401	Muffler	
	31845		
		Shaft, Mechanical governor	
	30591	Gear Assy., Governor (Incl. 109)	
	30588A	Spool, Governor	
	30590A	Washer, Flat	
110	29193	Ring, Retaining	
111C	34158	Bracket, Fuel tank	
	650561	Screw, 1/4-20 x 5/8"	
	34186A	Fuel Tank (Incl. 115 & 266) NOTE: These tanks were built	
114			
		with different size fuel inlet openings. Tanks with the 1-3/16"	
		I.D. opening use fuel cap 33032 or 34210. Tanks with the	
		1-1/2" I.D. opening use fuel cap 35355 or 35650.	
115	410144B	Fuel Cap (White Plastic)(Std)(As requ ired)	
	33032	Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile)	
GLI			
		(Use as required)	


		/ Description	
115	34210	Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as required)	
115	35355	Fuel Cap (Use as required)	
	34159	Plate, Fuel tank mounting	
	32961	Valve, Shut-off	
	29774	Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)	
	30705	Fuel Line (Braided 0-1/4 21 cm) (Use as req.)	
	30962	Fuel Line (Braided 32") (81 cm) (Use as req.)	
	650128	Screw, 10-24 x 1/2" (Use as required)	
	30622A	Extension, Blower housing	
	650542	Screw, 5/16-18 x 3/4"	
	27930A	Gasket, Exhaust	
	30196	Screw, 5/16-18 x 3/4"	
	26073	Washer (Use as required)	
	650694A	Screw, 5/16-18 x 2" (Use as required)	
	32589	Key, Flywheel	
	31843A	Bracket, Governor gear	
	650836	Screw, 10-24 x 1/2"	
	650493	Screw, 1/4-20 x 1-3/4"	
	30747	Clip, Shorting	
	650665	Screw, 1/4-15 x 7/8"	
	610118	Cover, Spark plug (Use as required)	
	650561	Screw, 1/4-20 x 5/8" (Use as required)	
	30939A	Cover, Cylinder head	
	34814	Primer Assy.	
	32180C	Line, Primer	
	34126	Bracket, Grommet mounting	
	650760	Screw, 8-32 x 3/8"	
	28545	Grommet	
	32125	Cup, Starter	
	35009	Screen, Starter cup	
	26460	Clamp, Fuel line	
	31461	Bushing, Crankshaft (Use as required)	
	33876	Gasket, Stator	
	610973	Terminal Ass'y. (As req. on late prod uction)	
	27275	Clip, Hi-tension wire (Use as require d)	
	34246	Clip, Ground wire (Use as required)	
	550223	Decal, Name	
	34346	Decal, Instruction	
	30547A	Contact Assy., Breaker	
	30548B	Condenser	
	631021	Inlet Needle, Seat & Clip Assy.	
	631920	Carburetor (Incl. 75) (Refer to Division 5, Section A, page 138	
000	001020	for breakdown)	
337	611043	Magneto (w/ring gear) NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as show in parts list. (Refer to Division 3, Section B, page 39 for breakdown)	
338	590420	Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)	
343	33239A	Gasket Set (Incl. items marked*)	

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 H70-130250H Engine Parts List #2



Ref #	Part Number Qty	Description	
31	650489	Screw, 1/4-20 x 5/8"	
34	27793	Clip, Conduit (Use as required)	
35	28942	Screw, 10-32 x 3/8" (Use as required)	
43A	650128	Screw, 10-24 x 1/2"	
48	29716	Screw, 1/4-28 x 7/16"	
	34662	Link, Throttle	
	650815	Washer, Belleville	
	8116	Nut, Hex	
	31342	Spring, Compression	
	650549	Screw, 5-40 x 7/16"	
	33013	Cover, Bubble	
	650760	Screw, 8-32 x 3/8"	
	650821	Screw, 10-32 x 1/2"	
	34663	Spring, Speed control	
	34661	Link, Governor	
	610118	Cover, Spark plug (Use as required)	
	35438		
		Knob, Control	
	32180C	Line, Primer	
	650257	Screw, 8-32 x 5/16"	
	34672	Cover, Carburetor	
	32398	Bracket, Choke	
	28820	Screw, 10-32 x 1/2"	
	650765	Screw, 10-32 x 1/2"	
	650760	Screw, 8-32 x 3/8"	
	650764	Nut, "U" Type (Use as required)	
	34664	Control Bracket (Incl. 98, 99, 180A & 274)	
	610973	Terminal Ass'y. (As req. on late prod uction)	
	34127	Guard Starter	
	32576	Seal, Snow guard	
	34414	Decal, Warning	
	34417	Decal, Primer	
	34416	Decal, Choke	
	34418	Decal, Choke	
	550223	Decal, Name	
338	590420	Rewind Starter (Refer to Division 5, Section C, page 25 for	
		breakdown)	
340	33328D	Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#342). Refer to service number stamped on end cap of motor, or on decal, for identifica	
342	30811A	Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above)	
342	611042	Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using 110-120 volt starter kits listed above)	
342	611085	Flywheel (Minimum ring gear flywheel required on engines using 110-120 volt starter kits listed above) (Use withSolid State ignition)	

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 H70-130250H Engine Parts List #3



		Description	
	27513	.ockwasher, 1/4" (Use as required)
36	650697A	Screw, 5/16-18 x 2-1/2" (Use as required)	
36	650695A	Screw, 5/16-18 x 2-1/4" (Use as required)	
36	650694A	Screw, 5/16-18 x 2" (Use as required)	
38	27896A	* Gasket, Breather cover	
42	26073	Washer (Use as required)	
42	650691	Vasher, Flat (Use	
	650548	Screw, 8-32 x 5/16	
	30319		n early productio n)
	33454	ever Assy., Gover	
	730130		58 & 125) (Use as req.)
	30196		3/4" (Use as require d)
	29216	Nut, Lock, 10-32	
	29826	Screw, 10-32 x 3/4	<u>"</u>
	29918	ockwasher, #8 E.	
	730561		. 38, 67A, 83, 84B, 85,89B, 89C, 90A, 91,
020			D, 245 & 331B) (Use only on engines with
			d fully adjustable carburetor)
		-	
82	730127	•	(Incl. 60, 83, 87, 88, 89A, 90, 238 &
		31B) (Use as requ	uired)
84D	34819	Air Cleaner Elbow	(Incl. 84B, 86A, 91, 91A, 91B & 91C) (Use
	0-1010		ly only) NOTE: 130010 thru 10C & 11
		ised in early produ	,
		sed in early produ	
103E	391026	Opt. Spark Arrest I	Nuffler (Incl.196,1 97,199)
113	650561	Screw, 1/4-20 x 5/8	8"
118	29774	Fuel Line (Braided	8-1/4" 21 cm)(Use as req.)
118	30705	Fuel Line (Braided 16") (41 cm) (Use as req.)	
118	30962	Fuel Line (Braided 32") (81 cm) (Use as req.)	
125	27930A	Gasket, Exhaust	
126	30196	Screw, 5/16-18 x 3	3/4"
128	650694A	Screw, 5/16-18 x 2" (Use as required)	
	650548	Screw, 8-32 x 5/16" (Early production)	
	34067	Wire Assy., Alternator adapter (4-1/4 ")	
	34069	Wire Assy., Alternator adapter (6-3/4 ")	
	30322	Nut & Lockwasher (Early Prod. Only)	
	29916	Clamp, Governor lever (Early Prod. On ly)	
	31288	Exh. Adaptor Kit (Incl.125,203,204) (As req.)	
	650697A		2-1/2" (Use as required)
	6021A		
	650760	Screw, 5/16-18 x 1-1/2" (Use as required) Screw, 8-32 x 3/8"	
	28545	Grommet	
	20040 26460	Clamp, Fuel line	
')(_')_		Tomp Live line	