
For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 H70-130266K Engine Parts List



www.mymowerparts.com

| Df # | Part Number | hy Description | | | |
|----------------------|--------------------------|--|--|--|--|
| | Part Number Qt 32586C | ty Description Cylinder (Incl. 2, 3 & 4) (2-3/4" Bor e) | | | |
| | 27652 | Pin, Dowel | | | |
| | 27642 | Plug, Oil drain | | | |
| | 32630 | Seal, Oil | | | |
| | 32783 | Intake Valve (Std.) (Incl. 9) | | | |
| | 32784 | Intake Valve (302.) (Incl. 9) | | | |
| | 27878A | Exhaust Valve (Std.) (Incl. 9) | | | |
| | 27880A | Exhaust Valve (1/32" OS) (Incl. 9) | | | |
| | 27882 | Cap, Upper valve spring | | | |
| | 27881 | Spring, Valve | | | |
| | 32581 | Cap, Lower valve spring | | | |
| | 34242 | Dipper, Oil | | | |
| | 35272 | Crankshaft | | | |
| | 29783 | Crankshaft Gear Pin (Used on early pr od.) | | | |
| | 27884 | Gear, Crankshaft (Used on early produ ction) | | | |
| | 32592B | Piston & Pin Ass'y. (Std.)(2-3/4")(In cl.16) | | | |
| | 32593B | Piston & Pin Ass'y. (.010" OS) (Incl. 16) | | | |
| | 32594B | Piston & Pin Ass'y. (.020" OS) (Incl. 16) | | | |
| | 34517 | Piston, Pin & Ring Set (Std.) (2-3/4" Bore) | | | |
| 14 | 34518 | Piston, Pin & Ring Set (.010" OS) | | | |
| 14 | 34519 | Piston, Pin & Ring Set (.020" OS) | | | |
| 15 | 32595 | Ring Set (Std.) (2-3/4" Bore) | | | |
| 15 | 32596 | Ring Set (.010" OS) | | | |
| | 32597 | Ring Set (.020" OS) | | | |
| | 27888 | Ring, Piston pin retaining | | | |
| | 32591C | Rod Assy., Connecting (Incl. 10 & 18) | | | |
| | 650662C | Bolt, Connecting rod (2 each) | | | |
| | 30968 | Nipple, Pipe | | | |
| | 30969 | Cap, Oil drain | | | |
| | 33931 | Camshaft (MCR) (Extended) | | | |
| | 34034 | Lifter, Valve | | | |
| | 31720A | Cover, Cylinder (Incl. 24, 24A & 106) | | | |
| | 28427 28926 | Seal, Oil Seal, Oil | | | |
| | 35555 | Dipstick | | | |
| | 35554 | Tube, Oil filler | | | |
| | 30684 | * Gasket, Cylinder cover | | | |
| | 650488 | Screw, 1/4-20 x 1-1/4" | | | |
| | 35499 | "O" Ring | | | |
| | 650814 | Screw, Torx T-15, 10-24 x 1" | | | |
| | 32631A | * Gasket, Cylinder head | | | |
| | 30938A | Head, Cylinder | | | |
| 34 | 27793 | Clip, Conduit (Use as required) | | | |
| 35 | 28942 | Screw, 10-32 x 3/8" (Use as required) | | | |
| 36 | 650697A | Screw, 5/16-18 x 2-1/2" (Use as requi red) | | | |
| 36 | 650695A | Screw, 5/16-18 x 2-1/4" (Use as requi red) | | | |
| | 650694A | Screw, 5/16-18 x 2" (Use as required) | | | |
| | 35395 | Spark Plug, Resistor (RJ19LM) | | | |
| | 27896A | * Gasket, Breather | | | |
| | 28423 | Body, Breather | | | |
| | 28424 | Element, Breather | | | |
| | 28425 | Cover, Valve spring | | | |
| | 650691 | Washer, Flat (Use as required) | | | |
| | 650690 650128 | Washer, Belleville (Use as required) | | | |
| | 650128 27015 A | Screw, 10-24 x 1/2" * Cocket Inteke | | | |
| | 27915A 34712 | * Gasket, Intake Flange, Carburetor | | | |
| | 30196 | Flange, Carburetor Screw, 5/16-18 x 3/4" | | | |
| www.mymowerparts.com | | | | | |
| | | | | | |

| Dof # | Part Number Qt | / Description |
|-------|----------------|--|
| | 29716 | / Description Screw, 1/4-28 x 7/16" |
| | | |
| | 650548 | Screw, 8-32 x 5/16" |
| | 33454 | Lever Assy., Governor |
| | 34662 | Link, Throttle |
| 57 | 730130 | Exhaust Adaptor Kit (Incl.58,125) (As req.) |
| 58 | 30196 | Screw, 5/16-18 x 3/4" (Use as require d) |
| 59 | 29216 | Locknut, 10-32 |
| 61 | 29826 | Screw, 10-32 x 3/4" |
| | 29642 | Ring, Retaining |
| | 30699C | Rod, Governor (Incl. 64 & 65) |
| | 30700 | Yoke, Governor |
| | | |
| | 650494 | Screw, 6-40 x 5/16" |
| | 29918 | Washer, Lock #8 E.T. |
| | 35350 | Tube, Breather |
| 69 | 29747B | Screw, 5/16-24 x 21/32" |
| 70 | 35260 | Blower Housing (For elec.strt.)(Incl. 134,135) |
| 71 | 650815 | Washer, Belleville |
| | 650871 | Nut, Hex |
| | 29536 | Blower Housing Baffle (Without electric starter knock-out) |
| 18 | 20000 | (Use as required) |
| | | (Use as required) |
| 73 | 35256A | Blower Housing Baffle (With electric starter knock-out) (Use |
| | | as required) |
| 70 | 05000 | • • |
| | 35326 | Baffle, Blower housing |
| | 650561 | Screw, 1/4-20 x 5/8" |
| 75 | 31688A | * Gasket, Carburetor |
| 76 | 34443A | Solid State Assy. (Incl. 146) |
| 77 | 650872 | Stud, Solid state mounting |
| 78 | 611085 | Flywheel (w/ring gear) |
| | 650517 | Screw, 1/4-20 x 27/32" |
| | 730561 | Air Cleaner Kit (Incl. 38, 67A, 68, 83, 84A,85, 87, 88, 89, |
| 02 | 100001 | 156 & 190A) (Use only on engines with an externally vented |
| | | |
| | | fully adjustable carburetor) |
| 84A | 34819 | Elbow Assy., Air cleaner (Incl. 84, 90, 91, 92 & 92A)(Use in |
| | | 730561 assy. only) |
| | | |
| | 650168 | Washer, Flat |
| 96 | 590574 | Handle, Mitten grip |
| 97 | 35253 | Wire Assy., Ground |
| 98 | 31342 | Spring, Compression |
| | 650549 | Screw, 5-40 x 7/16" |
| | 29538 | Base, Engine mounting |
| | 650542 | Screw, 5/16-18 x 3/4" |
| | 32401 | Muffler |
| | | |
| 103A | 391026 | Muffler (Incl. 183, 184 & 185) (Thisspark arrester muffler can |
| | | be used on any model) |
| 105 | 34246 | Clip, Ground wire (Use as required) |
| | 29443 | Clip, Fuel line |
| | 31845 | |
| | | Shaft, Mechanical governor |
| | 30591 | Gear Assy., Governor |
| | 30588A | Spool, Governor |
| | 35479 | Washer, Flat |
| | 29193 | Ring, Retaining |
| 111 | 34158 | Bracket, Fuel tank mounting |
| 113 | 650561 | Screw, 1/4-20 x 5/8" |
| | | |

www.mymowerparts.com

| Ref # | Part Number 0 | | Description |
|-------|-----------------|-----|---|
| | 34186A | QUY | Fuel Tank (Incl. 115 & 168) NOTE: These tanks were built |
| | | | with different size fuel inlet openings. Tanks with the 1-3/16" |
| | | | I.D. opening use fuel cap 33032 or 34210. Tanks with the |
| | | | 1-1/2" I.D. opening use fuel cap 35355. |
| | 410144B | | Fuel Cap (White Plastic) (Std)(Use as req.) |
| 115 | 33032 | | Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use |
| | | | as required) |
| 115 | 34210 | | Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use |
| | | | as required) |
| 115 | 35355 | | Fuel Cap (Red Plastic) (Use as requir ed) |
| 118 | 29774 | | Fuel Line (Braided 8-1/4")(21 cm)(As req.) |
| 118 | 30962 | | Fuel Line (Braided 32")(81 cm)(Use as req.) |
| | 650128 | | Screw, 10-24 x 1/2" |
| | 650764 | | Nut, "U" Type |
| | 30622A | | Extension, Blower housing |
| | 27930A | | * Gasket, Exhaust |
| | 30196 26073 | | Screw, 5/16-18 x 3/4" |
| | 650694A | | Washer, Flat Screw, 5/16-18 x 2" |
| | 32589 | | Key, Flywheel |
| | 31843A | | Bracket, Governor gear |
| | 650836 | | Screw, 10-24 x 1/2" |
| | 650493 | | Screw, 1/4-20 x 1-3/4" |
| 134 | 33013 | | Cover, Starter bubble |
| | 650760 | | Screw, 8-32 x 3/8" |
| | 650665 | | Screw, 1/4-15 x 7/8" |
| | 30322 | | Locknut, 8-32 |
| | 29916 | | Clamp, Governor lever |
| | 650821 34663 | | Screw, 10-32 x 1/2" |
| | 34661 | | Spring, Speed control Link, Governor |
| | 610118 | | Cover, Spark plug (Use as required) |
| | 30939A | | Cover Assy., Cylinder |
| | 35439 | | Knob, Control |
| 148A | 35440 | | Knob, Control |
| | 32180C | | Line, Primer |
| | 34126 | | Bracket, Grommet mounting |
| | 650760 | | Screw, 8-32 x 3/8" |
| | 28545 | | Grommet, Plastic |
| | 650257 34672 | | Screw, 8-32 x 5/16" Cover, Carburetor |
| | 32125 | | Cup, Starter |
| | 35009 | | Screen, Starter |
| | 35161 | | Plug, Starter |
| 163 | 32398 | | Bracket, Choke |
| | 28820 | | Screw, 10-32 x 1/2" |
| | 650760 | | Screw, 8-32 x 3/8" |
| | 650765 | | Screw, 10-32 x 1/2" |
| | 26460 | | Clamp, Fuel line (Use as required) |
| | 34677 | | Control Bracket (Incl. 98, 99, 144 & 172) |
| | 610973 31546 | | Terminal Assy. (Use as required) Bushing, Crankshaft |
| | 34127 | | Guard, Starter |
| | 32576 | | Seal, Snow guard |
| | 33323 | | Screen, Muffler (Use as required) |
| | 650578 | | Screw, 8-18 x 3/8" (Use as required) |
| | | | , |

www.mymowerparts.com

| Rof # | Part Number | Otv | Description |
|-------|------------------|-----|---|
| 185 | 33700 32203 | sty | Cover & Tube, Muffler (Use as require d) Air Cleaner, Starter Can be used on H70 with stamped steel starter |
| 188B | 32204 | | Bracket, Starter air cleaner Can be used on H70 with stamped steel starter |
| 188C | 34870 | | Decal, Instruction Can be used on H70 with stamped steel starter |
| 188 | 730571 | | Starter Muff Kit (Incl.188A,188B & 18 8C) Can be used on H70 with stamped steel starter |
| | 631021 632371 | | Inlet Needle, Seat & Clip Assy. Carburetor (Incl. 75) (Refer to Division 5, Section A, page 198 for breakdown) |
| 197 | 590604 | | Rewind Starter (Refer to Division 5, Section C, page 29 for breakdown) |
| 199 | 611042 | | Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above) (For use with Std. point ignition) |
| 199 | 611085 | | Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above) (For use with solid state ignition) |
| 200 | 33239A | | Gasket Set (Incl. items marked*) |