


1340  
Air Intake

Page 1 of 78




1340  
Air Intake

Page 2 of 78

| Ref # | Part Number  | Qty | S/P/F | Description             |
|-------|--------------|-----|-------|-------------------------|
| 1     | KH-12-341-01 | 1   |       | Knob, Air Cleaner Cover |
| 2     | KH-12-096-09 | 1   | S     | Cover, Air Cleaner      |
| 3     | KH-12-100-01 | 1   | /P    | Nut, Wing               |
| 4     | KH-12-313-04 | 1   |       | Grommet                 |
| 5     | KH-12-096-08 | 1   | S     | Cover, Element          |
| 6     | KH-52-083-01 | 1   | S     | Precleaner, Element     |
| 7     | 759-3547     | 1   | S     | Element, Air Cleaner    |
| 8     | KH-12-126-10 | 1   | S     | Bracket, Air Cleaner    |
| 9     | KH-12-094-02 | 1   |       | Base, Air Cleaner       |
| 10    | KH-12-041-02 | 1   | /P    | Gasket, Air Cleaner     |
| 11    | KH-12-123-07 | 1   | /P    | Tube, Air Intake        |
|       | KH-25-113-04 | 1   |       | Decal, Air Cleaner      |

1340  
Battery & Electrical Components

Page 3 of 78



1340


Page 4 of 78

## Battery &amp; Electrical Components

| Ref # | Part Number | Qty | S/P/F | Description                         |
|-------|-------------|-----|-------|-------------------------------------|
| 1     | 725-3174    | 1   | S     | Battery                             |
| 2     | 725-3196    | 1   | /P    | Cable, Positive Battery             |
| 3     | 725-3194    | 1   |       | Cable, Negative Battery             |
| 4     | 710-3083    | 1   | /P    | Screw, Hex Cap, 5/16-18 X 1.38 Lg   |
| 5     | 736-0275    | 1   | S     | Washer, Flat, .34 X .68 X .062 Thk  |
| 6     | 703-1823    | 1   | S     | Hold Down, Battery                  |
| 7     | 731-3105    | 1   |       | Tray, Battery                       |
| 8     | 710-0751    | 2   | /P    | Screw, Hex Cap, 1/4-20 X .62 Lg GR5 |
| 9     | 736-0270    | 2   | /P    | Washer, Bell, .265 X .75 X .062 Thk |
| 10    | 725-1426    | 1   | S     | Solenoid                            |
|       | 736-0119    | 2   | S     | Washer, Lock, 5/16                  |
|       | 712-3010    | 2   | S     | Nut, Hex, 5/16-18 GR5               |
| 11    | 725-3209    | 1   |       | Cable, Starter                      |
| 12    | 710-0597    | 1   | /P    | Screw, Hex Cap, 1/4-20 X 1.0 Lg     |
| 13    | 736-3006    | 1   | /P    | Washer, Int-Ext, 1/4                |
| 14    | 729-0207    | 1   |       | Holder, Fuse                        |
|       | 725-1381    | 1   | S     | Fuse, 20 Amp                        |
| 16    | 729-0209    | 1   |       | Clip, Fuse Holder Mtg               |
| 17    | 710-0473    | 1   | /P    | Screw, Truss Mach, #10-24 X .50 Lg  |
| 18    | 725-1375    | 1   | S     | Relay                               |
| 19    | 710-0473    | 1   | /P    | Screw, Truss Mach, #10-24 X .50 Lg  |
| 20    | 725-3165    | 1   | S     | Indicator, Voltage                  |
| 21    | 736-0147    | 1   | S     | Washer, External, #10               |
| 22    | 736-0722    | 2   | S     | Washer, Lock, #10                   |
| 23    | 712-0121    | 2   | S     | Nut, Hex, #10-24                    |
| 24    | 712-0291    | 2   | S     | Nut, Hex Center Lock, 1/4-20        |
| 25    | 725-3201    | 1   | S     | Battery Harness                     |
|       | 726-3020    | 2   |       | Strap, Tie                          |
| 26    | 725-3147    | 1   |       | Lug, Quick Connect                  |

1340  
Battery Tray & Heat Baffle

Page 5 of 78



1340


Page 6 of 78

## Battery Tray &amp; Heat Baffle

| Ref # | Part Number | Qty | S/P/F | Description                         |
|-------|-------------|-----|-------|-------------------------------------|
| 1     | 703-1827    | 1   | S     | Tray Assy, Battery                  |
| 2     | 735-3040    | 1   |       | Disc, Silicone Rubber               |
| 3     | 703-1996    | 1   |       | Baffle, Heat                        |
| 4     | 723-3059    | 2   | /P    | Seal, Heat Baffle, 19.0" Lg         |
| 5     | 710-3013    | 4   | /P    | Screw, Hex Cap, 1/4-20 X .50 Lg GR5 |
|       | 736-0329    | 4   | S     | Washer, Lock, 1/4                   |
|       | 712-3006    | 4   | /P    | Nut, Hex, 1/4-20 GR5                |
| 6     | 703-1998    | 1   | /P    | L-Bracket, 1.1 Lg                   |
| 7     | 736-0270    | 1   | /P    | Washer, Bell, .265 X .75 X .062 Thk |
| 8     | 736-0142    | 1   | S     | Washer, Flat, .281 X .50 X .063 Thk |
| 9     | 712-3006    | 5   | /P    | Nut, Hex, 1/4-20 GR5                |
| 10    | 736-0329    | 4   | S     | Washer, Lock, 1/4                   |
| 11    | 710-3012    | 1   |       | Bolt, J-Type, 1/4-20                |
| 12    | 710-0751    | 3   | /P    | Screw, Hex Cap, 1/4-20 X .62 Lg GR5 |
| 13    | 723-3060    | 1   |       | Seal, Heat Baffle, 17.0" Lg         |
| 14    | 723-3042    | 1   | /P    | Bushing, Snap                       |
| 15    | 710-3039    | 3   | /P    | Screw, Hex Cap, 5/16-18 X .50 Lg    |
| 16    | 736-0242    | 3   | /P    | Washer, Bell, .345 X .88 X .060 Thk |
| 17    | 703-1997    | 3   | S     | L-Bracket, 1.9 Lg                   |
| 18    | 726-0211    | 2   | S     | Nut, U-Type, 5/16-18                |

1340  
Blower Housing & Baffles

Page 7 of 78




1340

Page 8 of 78

## Blower Housing &amp; Baffles

| Ref # | Part Number   | Qty | S/P/F | Description                    |
|-------|---------------|-----|-------|--------------------------------|
| 1     | KH-SM-0545010 | 14  | S     | Screw, Mounting, M5 X 0.8 X 10 |
| 2     | KH-12-063-03  | 1   | S     | Baffle, Cylinder Head          |
| 3     | KH-12-063-01  | 1   | S     | Baffler, Cylinder Barrel       |
| 4     | KH-12-096-01  | 1   |       | Cover, Starter                 |
| 5     | KH-12-146-01  | 1   | S     | Plate, Blower Housing          |
| 6     | KH-12-027-05  | 1   |       | Housing, Blower                |
| 7     | KH-12-063-02  | 1   |       | Baffle, Carburetor             |
| 8     | KH-12-313-03  | 1   |       | Grommet, Blower Housing        |
|       | KH-12-113-02  | 1   |       | Decal, Horsepower              |




1340  
Brakes & Connections

Page 10 of 78

| Ref # | Part Number | Qty | S/P/F | Description                           |
|-------|-------------|-----|-------|---------------------------------------|
| 1     | 724-3004    | 1   | S     | Pad, Brake Pedal                      |
| 2     | 703-0845A   | 1   |       | Pedal Assy, Brake                     |
|       | 715-0114    | 1   | S     | Pin, Spiral Spring, 1/4 Dia X 1.50 Lg |
| 3     | 703-1393    | 1   |       | Bracket, Parking Brake                |
| 4     | 720-3019    | 1   | S     | Grip, Parking Brake                   |
| 5     | 736-3001    | 2   | /P    | Washer, Wave, 1/4 Dia                 |
| 6     | 712-0324    | 1   | /P    | Nut, Hex Insert Lock, 1/4-20          |
| 7     | 703-1956    | 1   |       | Bracket, Start Switch                 |
| 8     | 710-0106    | 1   | /P    | Screw, Hex Cap, 1/4-20 X 1.25 Lg      |
| 9     | 712-0291    | 1   | S     | Nut, Hex Center Lock, 1/4-20          |
| 10    | 748-3006    | 1   | S     | Lever, Brake                          |
|       | 715-0114    | 1   | S     | Pin, Spiral Spring, 1/4 Dia X 1.50 Lg |
| 11    | 732-3010    | 1   | S     | Spring, Return                        |
| 12    | 703-0900    | 1   | S     | Lever, Brake                          |
|       | 715-0114    | 1   | S     | Pin, Spiral Spring, 1/4 Dia X 1.50 Lg |
| 13    | 747-3109A   | 1   |       | Rod, Brake Link                       |
|       | 736-0185    | 2   | S     | Washer, Flat, .406 X .75 X .06 Thk    |
|       | 714-0474    | 2   | S     | Pin, Cotter, 1/8 Dia X .75 Lg         |
| 14    | 703-1395    | 1   | S     | Shaft Assy, Brake                     |
|       | 710-3008    | 4   | /P    | Screw, Hex Cap, 5/16-18 X .75 Lg GR5  |
|       | 736-0119    | 4   | S     | Washer, Lock, 5/16                    |
|       | 712-3010    | 4   | S     | Nut, Hex, 5/16-18 GR5                 |
| 15    | 719-3013    | 2   | /P    | Clevis, Adjustment                    |
| 16    | 711-3010    | 2   | S     | Pin, Clevis, 3/8 Dia X 1.0 Lg         |
|       | 714-0507    | 2   | S     | Pin, Cotter, 3/32 Dia X .75 Lg        |
| 17    | 711-3130    | 2   |       | Rod, Brake                            |
| 18    | 732-0260    | 2   | S     | Spring, Tension                       |
| 19    | 759-3423    | 2   |       | Kit, Brake Caliper                    |
| 20    | 703-1787    | 2   |       | Bracket, Brake Mounting               |
| 21    | 710-0376    | 4   | /P    | Screw, Hex Cap, 5/16-18 X 1.0 Lg GR5  |
| 22    | 736-0119    | 4   | S     | Washer, Lock, 5/16                    |

1340  
Caliper Brake Assembly

Page 11 of 78




1340  
Caliper Brake Assembly

Page 12 of 78

| Ref # | Part Number | Qty | S/P/F | Description                             |
|-------|-------------|-----|-------|-----------------------------------------|
| 1     | 759-3423    | 2   |       | Kit, Brake Caliper                      |
| 2     | 759-3185    | 2   | S     | Puck Kit, Brake                         |
| 3     | 732-3042    | 4   | S     | Spring, Compression                     |
| 4     | 710-0331    | 4   | /P    | Screw, Hex Cap, 3/8-24 X 2.25 Lg        |
| 5     | 712-3054    | 4   | /P    | Nut, Hex Lock, 3/8-24 GR5               |
| 6     | 710-3133    | 2   |       | Screw, Socket Hd Shld, 1/4-20 X 1.25 Lg |
| 7     | 712-3055    | 2   | S     | Nut, Hex Top Lock Jam, 1/4-20 GR5       |
| 8     | 736-0344    | 4   | S     | Washer, Flat, .390 X 1.0 X .030 Thk HDN |

1340  
Clutch Breakdown

Page 13 of 78




1340  
Clutch Breakdown

Page 14 of 78

| Ref # | Part Number | Qty | S/P/F | Description                           |
|-------|-------------|-----|-------|---------------------------------------|
| 1     | 717-3035    | 1   | S     | Clutch Assy, PTO                      |
| 2     | 759-3469    | 1   |       | Field Assy                            |
| 3     | 759-3470    | 1   |       | Kit, Rotor & Armature                 |
| 4     | 759-3228    | 1   |       | Mounting Accessories Hex Nuts Springs |

1340  
Crankcase

Page 15 of 78




1340  
Crankcase

Page 16 of 78

| Ref # | Part Number   | Qty | S/P/F | Description                                         |
|-------|---------------|-----|-------|-----------------------------------------------------|
|       | KH-1909       | 1   |       | Engine, Complete                                    |
|       | KH-12-522-05  | 1   |       | Short Block                                         |
| 1     | KH-12-874-01  | 1   |       | Piston w/Ring Set, Std [Includes Ref No. 2 (Qty 2)] |
|       | KH-12-874-02  | 1   |       | Piston w/Ring Set, .25                              |
|       | KH-12-874-03  | 1   |       | Piston w/Ring Set, .50                              |
| 2     | KH-12-018-02  | 2   |       | Retainer, Piston Pin                                |
| 3     | KH-12-108-01  | 1   |       | Ring Set, Std                                       |
|       | KH-12-108-02  | 1   |       | Ring Set, .25                                       |
|       | KH-12-108-03  | 1   |       | Ring Set, .50                                       |
| 4     | KH-12-067-01  | 1   | S     | Connecting Rod, Std                                 |
|       | KH-12-067-02  | 1   | S     | Connecting Rod, .25                                 |
| 5     | KH-12-380-03  | 4   | S     | Dowel, Locating                                     |
| 6     | KH-12-144-01  | 1   | S     | Shaft, Governor Cross                               |
| 7     | KH-SM-0631015 | 2   |       | Washer, Governor Shaft                              |
| 8     | KH-12-032-01  | 1   |       | Seal, Governor Cross Shaft                          |
| 9     | KH-12-380-04  | 1   |       | Pin, Governor Hitch                                 |
| 10    | KH-12-030-01  | 1   |       | Bearing, Crankshaft, Std (Flywheel End)             |
|       | KH-12-030-02  | 1   |       | Bearing, Crankshaft, .25                            |
|       | KH-12-030-03  | 1   |       | Bearing, Crankshaft, .50                            |
| 11    | KH-12-032-03  | 1   | /P    | Seal, Crankshaft                                    |
| 12    | KH-X-75-10    | 2   | S     | Plug, Sq Hd Solid, 3/8 NPTF                         |
| 13    | KH-12-010-02  | 1   | S     | Camshaft Assy (Includes Ref No. 14)                 |
| 14    | KH-12-089-05  | 1   | S     | Spring, Actuating                                   |
| 15    | KH-12-422-03  | 1   | S     | Shim, Camshaft, .0340                               |
|       | KH-12-422-07  | AR  | S     | Shim, Camshaft, .0280                               |
|       | KH-12-422-01  | AR  | S     | Shim, Camshaft, .0300                               |
|       | KH-12-422-02  | AR  | S     | Shim, Camshaft, .0320                               |
|       | KH-12-422-11  | AR  | S     | Shim, Camshaft, .0360                               |
|       | KH-12-422-12  | AR  | S     | Shim, Camshaft, .0380                               |
|       | KH-12-422-06  | AR  | S     | Shim, Camshaft, .0400                               |
| 16    | KH-12-380-01  | 1   | /P    | Pin, Governor Regulating                            |
| 17    | KH-12-043-05  | 1   | /P    | Gear, Governor                                      |
| 18    | KH-SM-0631005 | 1   | S     | Washer, Governor Gear Thrust                        |
| 19    | KH-12-144-02  | 1   |       | Shaft, Governor Gear                                |
| 20    | KH-52-139-09  | 1   | S     | Plug, Cup                                           |
| 21    | KH-12-144-10  | 1   | S     | Shaft, Balance                                      |
|       | KH-12-755-01  | 1   | S     | Gasket Set                                          |

1340  
Crankshaft

Page 17 of 78




1340  
Crankshaft

Page 18 of 78

| Ref # | Part Number  | Qty | S/P/F | Description |
|-------|--------------|-----|-------|-------------|
| 1     | KH-12-014-02 | 1   |       | Crankshaft  |

1340  
Cylinder Head, Valve & Breather

Page 19 of 78



1340


Page 20 of 78

## Cylinder Head, Valve &amp; Breather

| Ref # | Part Number   | Qty | S/P/F | Description                                     |
|-------|---------------|-----|-------|-------------------------------------------------|
| 1     | KH-12-755-02  | 1   | S     | Kit, Cylinder Head (Includes Ref No. 7 thru 22) |
| 2     | KH-12-326-07  | 1   |       | Hose, Breather                                  |
| 3     | KH-X-426-9    | 2   | S     | Clamp, Hose                                     |
| 4     | KH-12-445-05  | 1   |       | Strap, Lifting                                  |
| 5     | KH-SM-0645025 | 1   | S     | Screw, Valve Cover, M6 X 1.0 X 25               |
| 6     | KH-12-096-07  | 1   | S     | Cover, Valve w/Nipple                           |
| 7     | KH-12-755-03  | 2   | /P    | Kit, Retainer                                   |
| 8     | KH-12-173-01  | 2   | /P    | Cap, Valve Spring                               |
| 9     | KH-12-089-01  | 1   | S     | Spring, Intake Valve                            |
| 10    | KH-12-089-15  | 1   |       | Spring, Exhaust Valve                           |
| 11    | KH-52-018-01  | 2   | S     | Retainer, Spring                                |
| 12    | KH-12-032-02  | 1   | S     | Seal, Valve Stem                                |
| 13    | KH-M-1040080  | 5   | S     | Screw, Cylinder Head, M10 X 1.5 X 80            |
| 14    | KH-12-112-04  | 1   |       | Spacer, Head Bolt Exhaust Port                  |
| 15    | KH-SM-0545010 | 1   | S     | Screw, Breather Reed Retainer, M5 X 0.8 X 10    |
| 16    | KH-12-018-01  | 1   | S     | Retainer, Breather Reed                         |
| 17    | KH-12-402-01  | 1   | S     | Reed, Breather                                  |
| 18    | KH-12-017-01  | 1   |       | Valve, Intake, Std                              |
|       | KH-12-017-02  | 1   |       | Valve, Intake, .25                              |
| 19    | KH-12-016-01  | 1   |       | Valve, Exhaust, Std                             |
|       | KH-12-016-02  | 1   |       | Valve, Exhaust, .25                             |
| 20    | KH-12-041-04  | 1   | S     | Gasket, Cylinder Head                           |
| 21    | KH-12-411-01  | 2   | S     | Rod, Push                                       |
| 22    | KH-12-351-01  | 2   | S     | Lifter, Valve                                   |
| 23    | KH-12-126-05  | 1   |       | Bridge, Rocker Arm                              |
| 24    | KH-12-144-03  | 1   |       | Shaft, Rocker Arm                               |
| 25    | KH-SM-0642025 | 2   | S     | Screw, Rocker Bridge, M6 X 1.0 X 25             |
| 26    | KH-12-186-01  | 2   |       | Arm, Rocker                                     |
| 27    | KH-SM-0645020 | 4   | S     | Screw, Valve Cover, M6 X 1.0 X 20               |

1340  
Drive Line


Page 21 of 78



1340  
Drive Line

Page 22 of 78


| Ref # | Part Number | Qty   | S/P/F | Description                                                                                   |
|-------|-------------|-------|-------|-----------------------------------------------------------------------------------------------|
| 1     | 717-3310    | 1     |       | Pump, Hydrostatic NOTE: For components see listing of parts under details of hydrostatic pump |
|       | 710-3120    | 4     |       | Bolt, Hex Patch Lock, 3/8-16 X 1.5 Lg GR5                                                     |
| 2     | 721-3004    | 1     | S     | Gasket, Front                                                                                 |
| 3     | 723-3014    | 1     | S     | Filter, Oil                                                                                   |
| 4     | 721-3005    | 1     | S     | O-Ring, 5/8 OD Tube                                                                           |
| 5     | 727-3009    | 1     | /P    | Connector, 37 Degree                                                                          |
| 6     | 727-3027    | 1     |       | Tube Assy                                                                                     |
| 7     | 710-3212    | 4     |       | Screw, Socket Hd Cap, 1/4-20 X 2.0 Lg                                                         |
| 8     | 736-0329    | 8     | S     | Washer, Lock, 1/4                                                                             |
| 9     | 748-3038    | 1     |       | Adapter, Pump                                                                                 |
| 10    | 736-0270    | 1     | /P    | Washer, Bell, .265 X .75 X .062 Thk                                                           |
| 11    | 710-3220    | 1     |       | Bolt, Hex Patch, 1/4-20 X 1.0 Lg GR5                                                          |
| 12    | 748-3030A   | 4     | /P    | Coupling, Drive w/O-Ring Groove                                                               |
| 13    | 723-3022    | 8     | /P    | Ball, Steel, 5/8 Dia Chrome                                                                   |
| 14    |             | 2     |       | Hub, Drive (Order 759-3612)                                                                   |
| 15    | 721-3025    | 2     |       | O-Ring, 2.489 X .070                                                                          |
| 16    | 735-3029    | 2     |       | Boot, Coupling                                                                                |
|       | 737-3023    | 2 oz. |       | Grease, CV Polyrex                                                                            |
| 17    | 716-0171    | 1     | S     | Ring, Snap                                                                                    |
| 18    | 736-0463    | 4     | S     | Washer, Flat, .25 X .62 X .052 Thk                                                            |
| 19    | 731-3095    | 1     | S     | Fan, 10 Blade Hydro                                                                           |
| 20    |             | 1     |       | Shaft, Drive, 19.12 Lg (Order 759-3612)                                                       |
| 21    | 710-3211    | 4     |       | Screw, Socket Hd Cap, 1/4-20 X 1.75 Lg                                                        |
| 22    | 748-3037    | 2     | S     | Fitting, Grease                                                                               |
| 23    | 703-1819    | 4     |       | Nut, Fan, 1/4-20                                                                              |
| 24    | 703-1819    | 1     |       | Cover, Coupling                                                                               |
|       | 759-3612    | 1     | S     | Kit, Drive Line Replacement (Includes Ref No. 7, 8, 12-17, 20-22, & 24)                       |



1340  
Electrical

Page 24 of 78


| Ref # | Part Number | Qty | S/P/F | Description                               |
|-------|-------------|-----|-------|-------------------------------------------|
| 1     | 725-3181    | 1   | S     | Harness, Main Wire                        |
| 2     | 729-3693    | 2   |       | Bulb, Head Lamp                           |
| 3     | 725-3185    | 1   |       | Harness, Indicator Wire                   |
| 4     | 725-1365    | 6   | S     | Bulb, Indicator                           |
| 5     | 725-3159    | 1   | S     | Hour Meter                                |
| 6     | 710-0936    | 2   |       | Screw, Truss Hd Tapp, #6 X .62 Lg         |
| 7     | 725-3066    | 1   | S     | Switch, Reverse                           |
| 8     | 712-3052    | 2   | /P    | Nut, Hex Insert Lock, #4-40               |
| 9     | 711-3259    | 1   |       | Screw, Switch                             |
| 10    | 725-3163    | 1   | S     | Switch, Ignition                          |
| 11    | 712-3013    | 1   | /P    | Nut, Ignition Switch                      |
| 12    | 759-3476A   | 1   | S     | Key, Ignition (Set of 2)                  |
| 13    | 725-0893    | 1   | S     | Switch, PTO                               |
| 14    | 712-3014    | 1   | /P    | Nut, Hex, 1/2-27 X .100 Thk               |
| 15    | 725-3164    | 1   | S     | Switch, Interlock                         |
| 16    | 735-3036    | 1   |       | Boot, Switch                              |
| 17    | 725-3166    | 1   | S     | Switch, Snap Mount Normally Closed (Grey) |
| 18    | 725-3167    | 1   | S     | Switch, Snap Mount Normally Open (Black)  |
| 19    | 725-3019    | 2   |       | Cable Assy, Tail Light                    |
| 20    | 725-3020    | 2   | S     | Bulb, Tail Light                          |
| 21    | 725-3018    | 2   |       | Lens Assy, Tail Light                     |
|       | 710-3003    | 4   | /P    | Screw, Pan Hd, #8-32 X .75 Lg             |
|       | 736-3018    | 4   |       | Washer, Int-Ext Lock, #8                  |
|       | 712-0142    | 4   | /P    | Nut, Hex Mach, #8-32                      |



1340  
Engine Controls

Page 26 of 78

| Ref # | Part Number   | Qty | S/P/F | Description                         |
|-------|---------------|-----|-------|-------------------------------------|
| 1     | KH-25-158-08  | 2   | /P    | Bushing, Linkage Retaining          |
| 2     | KH-12-090-14  | 1   |       | Lever, Choke                        |
| 3     | KH-12-079-05  | 1   | S     | Linkage, Choke                      |
| 4     | KH-12-079-04  | 1   |       | Linkage, Throttle                   |
| 5     | KH-SM-0545010 | 1   | S     | Screw, Choke Lever, M5 X 0.8 X 10   |
| 6     | KH-12-237-01  | 2   |       | Clamp, Cable                        |
| 7     | KH-12-126-15  | 1   |       | Bracket, Choke Mount                |
| 8     | KH-SM-0545016 | 3   | S     | Screw, M8 X 0.8 X 16                |
| 9     | KH-SM-0641060 | 1   | S     | Nut, Governor Arm, M6 X 1.0         |
| 10    | KH-12-090-13  | 1   |       | Lever, Throttle                     |
| 11    | KH-12-089-17  | 1   |       | Spring, Governor                    |
| 12    | KH-12-112-07  | 1   |       | Spacer, Shoulder                    |
| 13    | KH-12-146-05  | 1   |       | Plate, Control                      |
| 14    | KH-M-0541050  | 1   |       | Nut                                 |
| 15    | KH-SM-0645020 | 2   | S     | Screw, Hex Hd, M6 X 1.0 X 20        |
| 16    | KH-12-090-12  | 1   |       | Lever, Governor                     |
| 17    | KH-SM-0545010 | 1   | S     | Screw, Governor Lock                |
| 18    | KH-SM-0446030 | 1   | S     | Nut, Hex                            |
| 19    | KH-SM-0642025 | 1   | S     | Screw, Governor Lock, M6 X 1.0 X 25 |
| 20    | KH-M-0401025  | 1   |       | Screw, Governor Adj                 |
| 21    | KH-12-090-11  | 1   | S     | Lever, Governor                     |




1340  
Engine Mounting

Page 28 of 78

| Ref # | Part Number | Qty | S/P/F | Description                             |
|-------|-------------|-----|-------|-----------------------------------------|
| 1     | 703-0559    | 1   |       | Cradle, Engine Mount                    |
| 2     | 710-3222    | 2   |       | Screw, Pan Hd Mach, 3/8-16 X 2.5 Lg GR2 |
|       | 712-3000    | 2   | S     | Nut, Hex Center Lock, 3/8-16 GR5        |
| 3     | 722-3003    | 8   |       | Insert, Rubber Mount                    |
| 4     | 722-3002    | 8   |       | Mount, Rubber                           |
| 5     | 722-3004    | 2   | S     | Bumper, Snubbing                        |
|       | 736-0329    | 2   | S     | Washer, Lock, 1/4                       |
|       | 712-3006    | 2   | /P    | Nut, Hex, 1/4-20                        |
| 6     | 703-0044    | AR  | /P    | Shim, Snubbing Mount                    |
| 7     | 710-0514    | 8   | /P    | Screw, Hex Cap, 3/8-16 X 1.0 Lg GR5     |
| 8     | 712-3005    | 4   | S     | Nut, Hex Flange Lock                    |
| 9     | 726-3008    | 2   | /P    | Clip, Cable                             |
| 10    | 736-0169    | 4   | S     | Washer, Lock, 3/8                       |
| 11    | 703-1987    | 1   |       | Plate, Engine Mtg                       |
| 12    | 710-3011    | 2   | /P    | Screw, Hex Cap, 3/8-16 X 2.25 Lg GR5    |
|       | 712-3000    | 2   | S     | Nut, Hex Center Lock, 3/8-16 GR5        |

1340  
Exhaust

Page 29 of 78




1340  
Exhaust

Page 30 of 78

| Ref # | Part Number   | Qty | S/P/F | Description                            |
|-------|---------------|-----|-------|----------------------------------------|
| 1     | KH-12-063-07  | 1   |       | Baffle, Ducted Air                     |
| 2     | KH-SM-0841080 | 2   | S     | Nut                                    |
| 3     | KH-12-164-02  | 1   |       | Manifold, Exhaust                      |
| 4     | KH-12-041-03  | 1   | /P    | Gasket, Exhaust Manifold               |
| 5     | KH-M-0829036  | 2   | S     | Stud, Exhaust Manifold, M8 X 1.25 X 20 |
| 6     | KH-12-063-06  | 1   |       | Cover, Baffle                          |
| 7     | KH-SM-0545010 | 1   | S     | Screw, M5 X 0.8 X 10                   |

1340  
Fenders & Foot Rest

Page 31 of 78



1340


Page 32 of 78

## Fenders &amp; Foot Rest

| Ref # | Part Number | Qty | S/P/F | Description                           |
|-------|-------------|-----|-------|---------------------------------------|
| 1     | 703-1796    | 1   |       | Fender                                |
|       | 779-3525A   | 1   |       | Label, Rear Fender                    |
| 2     | 703-1797    | 1   | S     | Running Board - LH                    |
| 3     | 703-1798    | 1   | S     | Running Board - RH                    |
| 4     | 710-0528    | 2   | /P    | Screw, Hex Cap, 5/16-18 X 1.25 Lg GR5 |
| 5     | 712-3009    | 6   | S     | Nut, Hex Center Lock, 5/16-18 GR5     |
| 6     | 710-0759    | 8   |       | Screw, Hex Cap, 5/16-18 X .62 Lg GR5  |
| 7     | 712-0107    | 4   | S     | Nut, Hex Patch Lock, 1/4-20           |
| 8     | 736-0270    | 4   | /P    | Washer, Bell, .265 X .75 X .062 Thk   |
| 9     | 736-0173    | 4   | /P    | Washer, Flat, .281 X .73 X .063 Thk   |
| 10    | 710-3013    | 4   | /P    | Screw, Hex, Cap, 1/4-20 X .50 Lg GR5  |
| 11    | 703-1960    | 1   | S     | Foot Pad - RH, w/Cutout               |
| 12    | 735-3031    | 1   |       | Foot Pad - LH                         |
| 13    | 703-1887    | 1   |       | Support Assembly, Seat                |
|       | 726-0215    | 2   |       | Tie Strap, Pushmount                  |
| 14    | 736-0275    | 4   | S     | Washer, Flat, .34 X .68 X .062 Thk    |
| 15    | 723-3045    | 2   |       | Bushing, Snap                         |

1340  
Frame

Page 33 of 78




1340  
Frame

Page 34 of 78

| Ref # | Part Number | Qty | S/P/F | Description                            |
|-------|-------------|-----|-------|----------------------------------------|
| 1     | 703-1869    | 1   |       | Frame Assy                             |
|       | 711-3005    | 2   | /P    | Bushing, Front Axle Pivot Pin          |
|       | 711-3009    | 1   |       | Hub, Lift Handle Stop                  |
|       | 779-3334    | 1   |       | Label, Do Not Tow                      |
| 2     | 703-1726    | 1   | S     | Latch Assy, Quick                      |
|       | 711-3010    | 2   | S     | Pin, Clevis, 3/8 Dia X 1.06 Lg         |
|       | 714-0507    | 2   | S     | Pin, Cotter, 3/32 Dia X .75 Lg         |
| 3     | 732-3002    | 1   | S     | Spring, Latch                          |
| 4     | 738-3001    | 2   | S     | Bolt, Shoulder                         |
|       | 736-3003    | 2   | /P    | Washer, Flat, .531 X .688 X .054 Thk   |
|       | 736-0272    | 2   | S     | Washer, Flat, .510 X 1.0 X .060 Thk    |
| 5     | 759-3529    | 1   |       | Cover, Frame w/Graphic                 |
|       | 779-3528A   | 1   |       | Graphic, Caution                       |
|       | 710-3007    | 4   | /P    | Screw, Hex Wash Hd Tapp, #12 X .38 Lg  |
| 6     | 703-0167    | 1   | S     | Screen, Lower Frame                    |
|       | 726-3001    | 2   |       | Nut, Speed, 5/16-18 Trd                |
|       | 710-3039    | 2   | /P    | Screw, Hex Cap, 5/16-18 X .50 Lg GR5   |
|       | 710-0776A   | 3   | S     | Screw, Hex AB Tapp, 1/4 X .62 Lg       |
| 7     | 703-0828    | 1   |       | Bracket, Height Indicator              |
|       | 779-3533    | 1   | S     | Graphic, Lift Height Indicator         |
|       | 728-0141    | 2   |       | Rivet, .156 Dia X .250 Lg              |
| 8     | 726-3008    | 4   | /P    | Clip, Cable                            |
|       | 710-3039    | 2   | /P    | Screw, Hex Cap, 5/16-18 X .50 Lg GR5   |
|       | 712-3004    | 2   | S     | Nut, Hex Flange Lock, 5/16-18          |
| 9     | 723-3042    | 1   | /P    | Bushing, Snap                          |
| 10    | 710-3182    | 2   |       | Screw, Adjustment, 1/2-20 X 1.0 Lg GR5 |
|       | 712-3029    | 2   | /P    | Nut, Hex Jam, 1/2-20                   |
| 11    | 703-1943    | 1   | S     | Plate Assy, Hitch                      |
|       | 710-3000    | 4   | S     | Screw, Hex Cap, 3/8-16 X .75 Lg GR5    |
|       | 736-0169    | 4   | S     | Washer, Lock, 3/8                      |
| 12    | 703-0904    | 1   | S     | Draw Bar                               |
|       | 710-3000    | 5   | S     | Screw, Hex Cap, 3/8-16 X .75 Lg GR5    |
|       | 736-0169    | 5   | S     | Washer, Lock, 3/8                      |

## 1340 Front Axle & Connections

Page 35 of 78



1340


Page 36 of 78

## Front Axle &amp; Connections

| Ref # | Part Number | Qty | S/P/F | Description                               |
|-------|-------------|-----|-------|-------------------------------------------|
| 1     | 759-3549    | 1   |       | Axle, Front [Includes Ref No. 2 (Qty 3)]  |
| 2     | 737-3000    | 3   | S     | Fitting, Lube, 3/16 Drive                 |
| 3     | 703-1748    | 1   |       | Knuckle, Steering - LH                    |
| 4     | 703-1749    | 1   |       | Knuckle, Steering - RH                    |
| 5     | 736-0163    | 2   | S     | Washer, Thrust, 1.03 X 1.62 X .03 Thk HDN |
| 6     | 703-1884    | 1   |       | Arm, Steering                             |
| 7     | 736-0247    | 1   | /P    | Washer, Flat, .406 X 1.25 X .157 Thk      |
| 8     | 710-3118    | 1   | /P    | Bolt, Hex Patch, 3/8-16 X 1.0 Lg GR5      |
| 9     | 712-3053    | 1   | S     | Nut, Hex Top Lock, 1/2-20                 |
| 10    | 710-3210    | 1   |       | Screw, Socket Hd Cap, 1/4-20 X 1.38 Lg    |
| 11    | 712-0107    | 1   | S     | Nut, Hex Patch Lock, 1/4-20               |
| 12    | 723-3015    | 3   | S     | Ball Joint                                |
| 13    | 712-3029    | 3   | /P    | Nut, Hex Jam, 1/2-20 GR5                  |
| 14    | 747-3140    | 1   |       | Link, Drag                                |
| 15    | 712-3001    | 1   | S     | Nut, Hex Jam, 3/8-24 GR5                  |
| 16    | 723-3000    | 1   | S     | Ball Joint                                |
| 17    | 712-3002    | 1   | S     | Nut, Hex Castle, 3/8-24 GR5               |
| 18    | 714-0507    | 1   | S     | Pin, Cotter, 3/32 Dia X .75 Lg            |
| 19    | 747-3139    | 1   |       | Rod, Tie                                  |
| 20    | 710-0514    | 1   | /P    | Screw, Hex Cap, 3/8-16 X 1.0 Lg GR5       |
| 21    | 736-0169    | 1   | S     | Washer, Lock, 3/8                         |
| 22    | 736-3039    | 1   | S     | Washer, Flat, .406 X 1.5 X .12 Thk        |
| 23    | 736-0921    | 2   | S     | Washer, Lock, 1/2                         |
| 24    | 712-3012    | 2   | S     | Nut, Hex Castle, 1/2-20 GR5               |
| 25    | 714-3004    | 2   |       | Pin, Cotter, 3/32 Dia X 1.25 Lg           |
| 26    | 710-3019    | 1   | /P    | Bolt, Hex, 3/4-10 X 5.25 Lg GR5           |
| 27    | 712-3011    | 1   |       | Nut, Hex Castle, 3/4-10                   |
| 28    | 714-3001    | 1   | S     | Pin, Cotter, 1/8 Dia X 1.5 Lg             |

1340  
Front Wheel


Page 37 of 78



1340  
Front Wheel

Page 38 of 78

| Ref # | Part Number | Qty | S/P/F | Description                                    |
|-------|-------------|-----|-------|------------------------------------------------|
|       | 734-3056    | 2   | S     | Tire, Soft-Trac, 16 X 6.5 X 8                  |
| 1     | 734-3078A   | 2   | S     | Wheel Assy, Front [Includes Ref No. 2, 3, & 4] |
| 2     | 737-0280    | 2   | S     | Fitting, Lube                                  |
| 3     | 734-3068    | 2   | S     | Valve, Tubeless Air                            |
| 4     | 777-8680    | 2   |       | Label, Inflation                               |
| 5     | 741-3002    | 4   | S     | Bearing, Wheel Ball                            |
| 6     | 731-3020    | 2   | S     | Cap, Hub                                       |
| 7     | 736-0179    | 4   | S     | Washer, Flat, .531 X 1.25 X .100 Thk           |
| 8     | 736-3095    | 2   | S     | Washer, Flat, .535 X 1.92 X .060 Thk           |
| 9     | 710-3126    | 2   | /P    | Bolt, Patch, 1/2-13 X 1.0 Lg GR5               |




1340  
Fuel System

Page 40 of 78

| Ref # | Part Number   | Qty | S/P/F | Description                           |
|-------|---------------|-----|-------|---------------------------------------|
| 1     | KH-SM-0641060 | 2   | S     | Nut, Carburetor, M6 X 1.0             |
| 2     | KH-M-0629085  | 2   |       | Stud, Carburetor                      |
| 3     | KH-12-853-12  | 1   | S     | Carburetor Assy w/Gasket              |
| 4     | KH-12-041-01  | 3   | /P    | Gasket, Carburetor                    |
| 5     | KH-M-0644035  | 2   |       | Screw, Manifold Mounting              |
| 6     | KH-12-029-04  | 1   |       | Manifold, Carburetor                  |
| 7     | KH-12-265-01  | 1   | S     | Deflector, Heat                       |
| 8     | KH-25-041-05  | 1   | S     | Gasket, Fuel Pump                     |
| 9     | KH-12-559-01  | 1   | S     | Pump, Fuel (Includes Ref No. 10 & 11) |
| 10    | KH-25-155-02  | 1   | /P    | Connector, 90                         |
| 11    | KH-X-380-1    | 1   | S     | Connector, Straight Hose              |
| 12    | KH-SM-0645020 | 2   | S     | Screw, Fuel Pump Mounting             |
| 13    | KH-X-426-9    | 6   | S     | Clamp, Fuel Line                      |
| 14    | KH-25-353-01  | 1   |       | Line, Fuel - Metal Line to Pump       |
| 15    | KH-12-123-06  | 1   | S     | Line, Fuel - Metal                    |
| 16    | KH-12-154-01  | 1   |       | Clamp, Fuel Line                      |
| 17    | KH-SM-0545010 | 1   | S     | Screw, Fuel Line Clamp                |
| 18    | KH-12-353-07  | 1   | S     | Line, Fuel - Metal Line to Carb       |
| 19    | KH-25-353-02  | 1   |       | Line, Fuel - Pump to Filter           |
| 20    | KH-25-050-01  | 1   | S     | Filter, Fuel                          |
| 21    | KH-12-144-08  | 1   |       | Shaft, Choke                          |
| 22    | KH-12-089-10  | 1   |       | Spring, Choke Return                  |
| 23    | KH-12-086-04  | 1   |       | Screw, Throttle Adj                   |
| 24    | KH-12-089-09  | 1   |       | Spring, Needle                        |
| 25    | KH-12-368-01  | 1   |       | Screw, Idle Needle                    |
| 26    | KH-12-089-09  | 1   |       | Spring, Needle                        |
| 27    | KH-12-146-02  | 1   |       | Plate, Choke                          |
| 28    | KH-12-144-09  | 1   | /P    | Shaft, Throttle                       |
| 29    | KH-25-086-27  | 2   | /P    | Screw, Valve                          |
| 30    | KH-12-146-03  | 1   |       | Plate, Throttle                       |
| 31    | KH-12-757-02  | 1   | /P    | Kit, Float Assembly                   |
| 32    | KH-12-041-05  | 1   | /P    | Gasket, Fuel Bowl                     |
| 33    | KH-12-104-01  | 1   | /P    | Bowl, Fuel                            |
| 34    | KH-12-755-13  | 1   |       | Kit, Adjustable Needle                |
| 35    | KH-12-041-06  | 1   | S     | Gasket                                |
|       | KH-12-757-01  | 1   | /P    | Kit, Carburetor Repair                |

1340  
Fuel Tank

Page 41 of 78




1340  
Fuel Tank

Page 42 of 78

| Ref # | Part Number  | Qty | S/P/F | Description                                                           |
|-------|--------------|-----|-------|-----------------------------------------------------------------------|
| 1     | 751-3079     | 1   |       | Tank, Fuel                                                            |
| 2     | 751-3008     | 2   | S     | Bushing                                                               |
| 3     | 751-3085     | 2   |       | Valve, Fuel Shutoff                                                   |
| 4     | 726-0205     | 8   | /P    | Clamp, Hose                                                           |
| 5     | 759-3330     | 1   | /P    | Line, Fuel -24" Lg (Order Bulk Fuel Line Part No. 759-3330, 10 Ft Lg) |
| 6     | 751-3071     | 1   | S     | Cap, Fuel (Order 751-3111)                                            |
|       | 723-3003     | 1   | /P    | Gasket, Fuel Cap                                                      |
| 7     | 759-3330     | 1   | /P    | Line, Fuel -5" Lg (Order Bulk Fuel Line Part No. 759-3330, 10 Ft Lg)  |
| 8     | 759-3330     | 1   | /P    | Line, Fuel -17" Lg (Order Bulk Fuel Line Part No. 759-3330, 10 Ft Lg) |
| 9     | 751-3096     | 1   | S     | T-Fitting                                                             |
| 10    | 759-3330     | 1   | /P    | Line, Fuel -41" Lg (Order Bulk Fuel Line Part No. 759-3330, 10 Ft Lg) |
| 11    | KH-25-050-02 | 1   | S     | Filter, Fuel                                                          |
| 12    | 751-3082     | 1   | S     | Sensor, Low Fuel                                                      |
| 13    | 759-3616     | 1   | S     | Bushing, Rubber                                                       |

1340  
Hood & Grille

Page 43 of 78




1340  
Hood & Grille

Page 44 of 78

| Ref # | Part Number | Qty | S/P/F | Description                                    |
|-------|-------------|-----|-------|------------------------------------------------|
| 1     | 703-1951    | 1   |       | Pedestal                                       |
| 2     | 712-3044    | 2   |       | Nut, Wing, 1/4-20                              |
| 3     | 736-0463    | 10  | S     | Washer, Flat, .251 X .62 X .052 Thk            |
| 4     | 731-3091    | 1   |       | Panel, LH Side                                 |
| 5     | 731-3092    | 1   |       | Panel, RH Side                                 |
| 6     | 759-3552    | 1   |       | Graphics Kit, LH Side Panel                    |
|       | 759-3553    | 1   |       | Graphics Kit, RH Side Panel                    |
| 7     | 710-3002    | 4   | S     | Screw, Hex Cap, 5/16-18 X 1.0 Lg GR5           |
| 8     | 736-0119    | 4   | S     | Washer, Lock, 5/16                             |
| 9     | 703-0008    | 2   | /P    | Retainer, Grille Housing                       |
| 10    | 731-3099    | 1   |       | Grille, Insert                                 |
| 11    | 731-3102    | 1   | S     | Grille, Lens                                   |
| 12    | 759-3527    | 1   | S     | Grille w/Label                                 |
|       | 779-3535    | 1   |       | Label, Light                                   |
| 13    | 703-1829    | 1   | S     | Hinge Assy, Hood                               |
| 14    | 710-3214    | 4   | /P    | Stud, Double Ended                             |
| 15    | 712-0107    | 4   | S     | Nut, Hex Patch Lock, 1/4-20                    |
| 16    | 703-1856    | 1   |       | Plate, Hinge                                   |
| 17    | 710-0748    | 6   | /P    | Screw, Pan Hd Tap, #12 X .50 Lg                |
| 18    | 731-3089    | 1   | S     | Hood                                           |
| 19    | 779-3536    | 2   | S     | Graphic, Cub Cadet Script w/Studs              |
|       | 726-3047    | 6   | S     | Retainer, Push Nut                             |
| 20    | 710-3217    | 1   | /P    | Screw, Truss Hd, #8-32 X .38 Lg                |
| 21    | 732-3063A   | 1   |       | Clip, Hood Latch                               |
| 22    | 736-0310    | 1   | /P    | Washer, Flat, .16 X .38 X .045 Thk             |
| 23    | 712-3072    | 1   | S     | Nut, Hex Keps, #8-32                           |
| 24    | 711-3296    | 1   | S     | Pin, Latch                                     |
| 25    | 710-0286    | 2   | /P    | Screw, Phillips Hd Truss Mach, 1/4-20 X .50 Lg |
| 26    | 703-1955    | 1   |       | Bracket Assy, LH Panel Mtg                     |
|       | 710-3013    | 2   | /P    | Screw, Hex Cap, 1/4-20 X .50 Lg GR5            |
|       | 736-0329    | 2   | S     | Washer, Lock, 1/4                              |
|       | 712-3006    | 2   | /P    | Nut, Hex, 1/4-20 GR5                           |

1340  
Hydrostatic Transmission

Page 45 of 78



1340

Page 46 of 78

## Hydrostatic Transmission

| Ref # | Part Number     | Qty | S/P/F | Description                                                      |
|-------|-----------------|-----|-------|------------------------------------------------------------------|
| A     | SU-9510405-0001 | 1   | /P    | Kit, Charge Pump (Includes Ref No. 27, 28, 29, 30, 31 & 48)      |
| B     | SU-9500085      | 2   | S     | Valve Assembly (Includes Ref No. 33, 34, 35 & 36)                |
| C     | SU-9510385-0006 | 1   |       | Kit, Relief Valve [Includes Ref No. 16, 17, 18 (Qty 2), 19 & 20] |
| D     | SU-3103078      | 1   |       | Housing Assembly [Includes Ref No. 1, 2, 4 (Qty 2) & 5 (Qty 2)]  |
| 1     | SU-3103069      | 1   |       | Housing, Transmission                                            |
| 2     | SU-9008000-7505 | 1   | S     | Seal, Lip                                                        |
| 3     | SU-9001370-0003 | 1   | /P    | Bearing, Roller                                                  |
| 4     | SU-9001455-0004 | 2   |       | Bearing, Needle                                                  |
| 5     | SU-9008000-6701 | 2   | /P    | Seal, Lip                                                        |
| 6     | SU-9009625-6904 | 2   | /P    | Washer                                                           |
| 7     | SU-3101045      | 1   | /P    | Shaft, Trunnion                                                  |
| 8     | SU-9006320-0069 | 1   |       | Ring, Retaining                                                  |
| 9     | SU-3102875      | 1   | S     | Gasket                                                           |
| 10    | SU-9004800-2506 | 2   | S     | Pin                                                              |
| 11    | SU-3101752      | 1   | /P    | Shaft, Motor                                                     |
| 12    | SU-3102020      | 2   | /P    | Plate, Thrust                                                    |
| 13    | SU-3103136      | 2   | /P    | Block, Cylinder                                                  |
| 14    | SU-3102687      | 1   | /P    | Plate, Valve                                                     |
| 15    | SU-9001355-0001 | 2   | /P    | Bearing, Roller                                                  |
| 16    | SU-3101159      | 1   | S     | Plug                                                             |
| 17    | SU-9004201-3100 | 1   | S     | O-Ring                                                           |
| 18    | SU-9510447      | 2   | /P    | Kit, Shim Pack                                                   |
| 19    | SU-3101160      | 1   |       | Spring, Relief Valve                                             |
| 20    | SU-3101090      | 1   | S     | Cone, Relief Valve                                               |
| 21    | SU-9007200-3728 | 4   |       | Screw, Hex                                                       |
| 22    | SU-9005001-2500 | 1   |       | Plug, Pipe                                                       |
| 23    | SU-9005100-7500 | 2   |       | Plug                                                             |
| 24    | SU-9510643      | 1   | /P    | Center Section                                                   |
|       | SU-9005100-5600 | 2   |       | Plug                                                             |
| 25    | SU-3101069      | 1   | /P    | Pipe                                                             |
| 26    | SU-9007206-4428 | 2   |       | Screw, Hex                                                       |
| 27    | SU-9001455-0002 | 1   | /P    | Bearing, Needle                                                  |
| 28    |                 | 1   |       | Charge Pump Housing (Order Charge Pump Kit No. SU-9510405-0003)  |
| 29    | SU-9004800-1213 | 1   | S     | Pin                                                              |
| 30    |                 | 1   |       | Gerotor (Order Charge Pump Kit No. SU-9510405-0003)              |
| 31    | SU-9004100-0360 | 1   |       | O-Ring                                                           |
| 32    | SU-9005001-1200 | 2   |       | Plug, Pipe                                                       |
| 33    |                 | 1   |       | Valve (Order Valve Assembly No. SU-9500085)                      |
| 34    | SU-9004201-6200 | 2   |       | O-Ring                                                           |
| 35    | SU-9006110-0160 | 2   | /P    | Ring, Back-up                                                    |
| 36    | SU-9004100-0160 | 2   |       | O-Ring                                                           |
| 37    | SU-3102731      | 1   | /P    | Plate, Valve                                                     |

1340


Page 47 of 78

## Hydrostatic Transmission

| Ref # | Part Number     | Qty | S/P/F | Description              |
|-------|-----------------|-----|-------|--------------------------|
| 38    | SU-9004800-1508 | 2   | /P    | Pin                      |
| 39    | SU-9004690-1910 | 3   | /P    | Pin, Spring              |
| 40    | SU-3103072      | 1   |       | Swashplate               |
| 41    | SU-3103546      | 1   | S     | Shaft, Pump              |
| 42    | SU-9001310-0001 | 1   | /P    | Bearing, Ball            |
| 43    | SU-3103181      | 1   | S     | Shaft Assembly, Trunnion |
| 44    | SU-9007500-3722 | 2   |       | Screw, 12 Point          |
| 45    | SU-9007200-3724 | 2   |       | Screw, Hex               |
| 46    | 723-3014        | 1   | S     | Oil Filter               |
| 47    | SU-9004201-5000 | 2   |       | O-Ring                   |
| 48    | SU-9008000-6201 | 1   | S     | Seal, Lip                |

1340  
Ignition

Page 48 of 78




1340  
Ignition

Page 49 of 78

| Ref # | Part Number   | Qty | S/P/F | Description                                                                                             |
|-------|---------------|-----|-------|---------------------------------------------------------------------------------------------------------|
| 1     | KH-X-728-1    | 1   |       | Clip, Kill Lead                                                                                         |
| 2     | KH-SM-0545010 | 1   | S     | Screw, Lead Clip, M5 X 0.8 X 10                                                                         |
| 3     | KH-12-584-01  | 1   | S     | Module, Ignition                                                                                        |
| 4     | KH-SM-0545020 | 2   | S     | Screw, Ignition Module, M5 X 0.8 X 20                                                                   |
| 5     | 759-3336      | 1   | /P    | Spark Plug                                                                                              |
| 6     | KH-12-025-07  | 1   |       | Flywheel                                                                                                |
| 7     | KH-X-42-15    | 1   | /P    | Key                                                                                                     |
| 8     | KH-12-109-04  | 1   |       | Cup, Drive                                                                                              |
| 9     | KH-52-468-15  | 1   | S     | Washer, Flywheel, 1-3/8 OD                                                                              |
| 10    | KH-SM-1040045 | 1   |       | Screw, Flywheel, M10 X 1.5 X 45.8                                                                       |
| 11    | KH-12-157-01  | 1   | S     | Fan                                                                                                     |
| 12    | KH-12-162-05  | 1   |       | Screen, Grass                                                                                           |
| 13    | KH-SM-0639016 | 4   | S     | Screw, Fan, M6 X 1.0 X 16                                                                               |
| 14    | KH-12-112-01  | 4   | S     | Spacer, Fan                                                                                             |
| 15    | KH-SM-0639016 | 2   | S     | Screw, Rectifier-Regulator, M6 X 1.0 X 16                                                               |
| 16    | KH-41-403-09  | 1   | S     | Rectifier-Regulator                                                                                     |
| 17    | KH-236602     | 1   | S     | Connector, Rectifier-Regulator (3 Contact)                                                              |
| 18    | KH-48-155-01  | 1   | /P    | Connector (5 Contact)                                                                                   |
| 19    | KH-SM-0544025 | 4   |       | Screw, Stator Mounting, M5 X 0.8 X 25                                                                   |
| 20    | KH-41-085-07  | 1   | S     | Stator, 15 Amp                                                                                          |
| 21    | KH-SM-0545010 | 1   | S     | Screw, Stator Harness Clip, M5 X 0.8 X 10                                                               |
| 22    | KH-12-154-02  | 1   |       | Clip, Stator Harness                                                                                    |
|       | KH-12-518-01  | 1   |       | Lead, White, Ground to Kill (9-1/2"-18 gauge-fully insulated push-on tab & uninsulated push-on tab term |
|       | KH-25-518-08  | 1   |       | Lead, Black, Rectifier to Connector (11"-14 gauge-uninsulated push-on tab terminals)                    |

1340  
Implement Lift Handle




1340  
Implement Lift Handle

Page 51 of 78

| Ref # | Part Number | Qty | S/P/F | Description                                |
|-------|-------------|-----|-------|--------------------------------------------|
| 1     | 720-3002    | 1   |       | Pointer, Lift                              |
| 2     | 732-3005    | 1   | S     | Spring, Lift Handle                        |
| 3     | 711-3015    | 1   | /P    | Pin, Lift Handle Float                     |
| 4     | 711-3124    | 1   | S     | Pin, Float Lock                            |
| 5     | 703-1936    | 1   |       | Grip, Lift Handle                          |
| 6     | 703-1877    | 1   |       | Handle, Lift                               |
| 7     | 715-3029    | 3   |       | Pin, Roll, 3/8 Dia X 1.5 Lg                |
| 8     | 715-3025    | 1   |       | Pin, Roll, 3/16 Dia X 3.0 Lg               |
| 9     | 726-3005    | 1   |       | Plug, Button                               |
| 10    | 738-3043    | 1   |       | Rockshaft                                  |
| 11    | 703-0836    | 1   |       | Lift Assembly, Rockshaft                   |
| 12    | 747-3011    | 1   |       | Rod, Handle                                |
| 13    | 711-3016    | 1   |       | Rod, Handle Release                        |
| 14    | 703-0080    | 1   |       | Ratchet, Handle                            |
|       | 710-0514    | 2   | /P    | Screw, Hex Cap, 3/8-16 X 1.0 Lg GR5        |
|       | 736-3010    | 2   | /P    | Washer, Flat, .406 X .812 X .134 Thk (HDN) |
|       | 712-3000    | 2   | S     | Nut, Hex Center Lock, 3/8-16 GR5           |
|       | 712-3020    | 1   | S     | Nut, Hex Instop Lock Jam, 3/8-16           |
| 15    | 736-3009    | 1   | /P    | Washer, Flat, .344 X .532 X .06 Thk (HDN)  |
| 16    | 720-3014    | 1   | /P    | Cap, Float Lock Pin                        |
| 17    | 703-0189    | 1   | /P    | Cam, Lift Handle Stop                      |
| 18    | 720-3005    | 1   |       | Knob, Torque                               |
| 19    | 715-3002    | 1   | S     | Pin, Spirol Spring, 5/16 X 1.5 Lg          |
| 20    | 715-3020    | 2   |       | Pin, Roll, 3/8 Dia X 2.0 Lg                |

1340  
Lower Steering

Page 52 of 78




1340  
Lower Steering

Page 53 of 78

| Ref # | Part Number | Qty | S/P/F | Description                                                                                   |
|-------|-------------|-----|-------|-----------------------------------------------------------------------------------------------|
| 1     | 703-1794    | 1   | /P    | Steering Gear Assy [Includes Ref No. 2, 3, 4, 5, 6, 7, 8, 10, 11, 12, 13, 14 (Qty 2), 15 (Qty |
|       | 710-3001    | 2   | /P    | Screw, Hex Cap, 3/8-16 X .88 Lg GR5                                                           |
|       | 736-0105    | 2   | /P    | Washer, Bell, .380 ID X .88 OD                                                                |
| 2     | 711-3149    | 1   | S     | Follower, Cam                                                                                 |
| 3     | 712-3062    | 1   |       | Nut, Hex Jam, 9/16-18                                                                         |
| 4     | 712-3063    | 1   |       | Nut, Hex Crown Lock, 5/8-18                                                                   |
| 5     | 703-1082    | 1   |       | Arm, Steering                                                                                 |
| 6     | 703-1031    | 1   |       | Retainer, Seal                                                                                |
| 7     | 723-3039    | 1   | S     | Seal                                                                                          |
| 8     | 703-1968    | 1   |       | Housing/Tube Assy (Includes Ref No. 9)                                                        |
| 9     | 748-3008    | 2   |       | Bushing                                                                                       |
| 10    | 741-3023    | 1   | S     | Bearing, Column                                                                               |
| 11    | 711-3208    | 1   |       | Shaft, Pivot                                                                                  |
| 12    | 736-3029    | 1   | /P    | Washer, Flat, .781 X 1.25 X .027 Thk                                                          |
| 13    | 737-3001    | 1   | /P    | Fitting, Lube, 45 Deg 1/4-28 Taper                                                            |
| 14    | 703-1029    | 2   | S     | Cup, Bearing                                                                                  |
| 15    | 741-3021    | 2   | S     | Retainer Assy, Ball                                                                           |
| 16    | 703-1793    | 1   | S     | Shaft/Cam Assy                                                                                |
| 17    | 719-3053    | 1   | S     | Plug, Adjusting                                                                               |
| 18    | 714-0474    | 1   | S     | Pin, Cotter, 1/8 Dia X .75 Lg                                                                 |
| 19    | 723-3015    | 1   | S     | Ball Joint                                                                                    |
| 20    | 712-3029    | 1   | /P    | Nut, Hex Jam, 1/2-20 GR5                                                                      |
| 21    | 747-3140    | 1   |       | Link, Drag                                                                                    |
| 22    | 712-3001    | 1   | S     | Nut, Hex Jam, 3/8-24 GR5                                                                      |
| 23    | 723-3000    | 1   | S     | Ball Joint                                                                                    |
| 24    | 712-3002    | 2   | S     | Nut, Hex Castle, 3/8-24 GR5                                                                   |
| 25    | 714-0507    | 1   | S     | Pin, Cotter, 3/32 Dia X .75 Lg                                                                |
| 26    | 703-1817    | 1   |       | Plate, Steering Support                                                                       |
| 27    | 747-3016    | 1   |       | Clamp                                                                                         |
| 28    | 712-0237    | 2   | S     | Nut, Hex Center Lock, 5/16-24                                                                 |
| 29    | 710-3004    | 4   | S     | Screw, Hex Hd Cutting, 5/16-18 X .75 Lg                                                       |
| 30    | 736-0242    | 4   | /P    | Washer, Bell, .345 X .88 X .060 Thk                                                           |

1340  
Muffler & Air Duct

Page 54 of 78



1340


Page 55 of 78

## Muffler &amp; Air Duct

| Ref # | Part Number | Qty | S/P/F | Description                                |
|-------|-------------|-----|-------|--------------------------------------------|
| 1     | 703-1985    | 1   |       | Shield, Bottom Heat                        |
| 2     | 726-3048    | 4   |       | Nut, U-Type Speed, 1/4-20                  |
| 3     | 751-3097    | 1   |       | Muffler                                    |
| 4     | 726-3016    | 1   | /P    | Clamp Assy, Muffler                        |
| 5     | 703-1984    | 1   |       | Shield, Top Heat                           |
| 6     | 710-3209    | 7   |       | Bolt, Hex Hd, M6-1.0 X 10 mm Lg            |
| 7     | 736-0270    | 7   | /P    | Washer, Bell, .265 X .75 X .062 Thk        |
| 8     | 710-3223    | 2   |       | Screw, Hex Cap, M6-1.0 X 20 mm Lg GR10.9   |
|       | 736-0270    | 2   | /P    | Washer, Bell, .265 X .75 X .062 Thk        |
| 9     | 710-0599    | 4   | /P    | Screw, Hex Wash Hd TT-Tap, 1/4-20 X .50 Lg |

1340  
Oil Pan/Lubrication

Page 56 of 78



1340


Page 57 of 78

## Oil Pan/Lubrication

| Ref # | Part Number   | Qty | S/P/F | Description                                |
|-------|---------------|-----|-------|--------------------------------------------|
| 1     | KH-12-038-03  | 1   |       | Dipstick                                   |
| 2     | KH-41-153-91  | 1   |       | O-Ring                                     |
| 3     | KH-12-123-05  | 1   |       | Tube, Oil Fill                             |
| 4     | KH-SM-0839045 | 12  | S     | Screw, Closure Plate, M8 X 1.25 X 45       |
| 5     | KH-12-009-01  | 1   | S     | Plate, Closure                             |
| 6     | KH-12-153-04  | 1   |       | O-Ring                                     |
| 7     | KH-12-381-01  | 1   | S     | Oil Pickup                                 |
| 8     | KH-52-154-01  | 1   | /P    | Clamp, Oil Pickup Tube                     |
|       | KH-SM-0545016 | 1   | S     | Screw, M5 X 0.8 X 16                       |
| 9     | KH-12-126-16  | 1   | S     | Bracket, Oil Pump Relief                   |
| 10    | KH-SM-1039025 | 1   |       | Screw, Relief Valve Bracket, M10 X 1.5 X25 |
| 11    | KH-12-089-16  | 1   |       | Spring, Oil Pump Relief Valve              |
| 12    | KH-12-462-02  | 1   |       | Piston, Oil Pump Relief Valve              |
| 13    | KH-12-208-02  | 1   | S     | Body, Oil Pump Relief Valve                |
| 14    | KH-12-041-07  | 1   |       | Gasket, Oil Filter Adapter                 |
| 15    | KH-52-099-06  | 1   | S     | Switch, Oil Pressure                       |
| 16    | KH-M-0639055  | 2   | S     | Screw, Adapter Mount                       |
| 17    | KH-12-029-03  | 1   | S     | Adapter, Oil Filter                        |
| 18    | KH-12-050-01  | 1   | S     | Filter, Oil                                |
| 19    | KH-X-75-32    | 1   | S     | Plug, Drain                                |
| 20    | KH-12-393-01  | 1   |       | Pump, Oil                                  |
| 21    | KH-SM-0545016 | 3   | S     | Screw, Oil Pump Cover, M5 X 0.8 X 16       |
| 22    | KH-12-096-02  | 1   | S     | Cover, Oil Pump                            |
| 23    | KH-12-153-05  | 1   |       | O-Ring, Oil Pump Cover                     |
| 24    | KH-12-032-03  | 1   | /P    | Seal                                       |
| 25    | 751-3067      | 1   |       | Pipe, Oil Drain                            |
| 26    | 751-3001      | 1   | /P    | Plug, Oil Drain                            |
|       | KH-52-518-21  | 1   |       | Lead, Oil Pressure Switch                  |

1340  
Pedestal, Instrument Panel & Engine Controls

Page 58 of 78



1340


Page 59 of 78

## Pedestal, Instrument Panel &amp; Engine Controls

| Ref # | Part Number | Qty | S/P/F | Description                               |
|-------|-------------|-----|-------|-------------------------------------------|
| 1     | 731-3101    | 1   |       | Panel, Instrument                         |
| 2     | 746-3030    | 1   |       | Choke Cable w/Nut                         |
| 3     | 710-3009    | 5   | /P    | Screw, Pan Hd Cutting, #10-24 X .75 Lg    |
| 4     | 779-3507    | 1   |       | Label, Dash                               |
| 5     | 703-1951    | 1   |       | Pedestal                                  |
| 6     | 710-0709    | 2   |       | Stud, Self Clinching                      |
| 7     | 712-3071    | 2   | S     | Nut, Hex Keps, #10-32                     |
| 8     | 746-3035    | 1   | /P    | Control, Throttle                         |
| 9     | 731-3106    | 1   | S     | Knob, Throttle                            |
| 10    | 710-3217    | 1   | /P    | Screw, Cross Rec Truss Hd, #8-32 X .38 Lg |
| 11    | 712-0142    | 1   | /P    | Nut, 8-32                                 |

1340  
PTO Clutch

Page 60 of 78




1340  
PTO Clutch

Page 61 of 78

| Ref # | Part Number | Qty | S/P/F | Description                                                |
|-------|-------------|-----|-------|------------------------------------------------------------|
| 1     | 717-3035    | 1   | S     | Clutch, PTO (For Component Parts see PTO Clutch Breakdown) |
| 2     | 711-3301    | 1   |       | Spacer, 1.0 X 1.37 X .47 Lg                                |
| 3     | 703-1986    | 1   | S     | Bracket, Torque                                            |
| 4     | 710-3030    | 2   |       | Screw, Hex Cap, 7/16-14 X .75 Lg GR5                       |
| 5     | 736-0407    | 2   |       | Washer, Bell, .45 X 1.0 X .062 Thk                         |
| 6     | 710-0757    | 1   | /P    | Screw, Hex Cap, 7/16-20 X 1.5 Lg GR5                       |
| 7     | 736-0171    | 1   | S     | Washer, Lock, 7/16                                         |
| 8     | 736-3017    | 1   | /P    | Washer, Flat, .47 X 1.5 X .225 Thk                         |

1340  
Rear Axle Carrier

Page 62 of 78



1340


Page 63 of 78

## Rear Axle Carrier

| Ref # | Part Number | Qty | S/P/F | Description                                         |
|-------|-------------|-----|-------|-----------------------------------------------------|
| 1     | 703-1788    | 2   |       | Carrier Assy, Rear Axle (Includes Ref No. 2, 3 & 4) |
|       | 736-0213    | 8   | /P    | Washer, Bell, 3/8 Dia                               |
|       | 736-0169    | 4   | S     | Washer, Lock, 3/8 Dia                               |
|       | 710-3116    | 4   | /P    | Bolt, Hex Patch, 3/8-16 X 2.5 Lg GR5                |
|       | 710-3115    | 4   | /P    | Bolt, Hex Patch, 3/8-16 X 3.0 Lg GR8                |
|       | 710-3124    | 4   |       | Bolt, Hex Patch, 3/8-16 X 2.25 Lg GR5               |
| 2     | 721-3020    | 2   | S     | Seal, Oil                                           |
| 3     | 716-3015    | 1   |       | Ring, Retaining                                     |
| 4     | 741-3033    | 2   | S     | Bearing, Ball                                       |
| 5     | 721-3014    | 2   | /P    | Gasket, Carrier                                     |
| 6     | 703-1789    | 2   | S     | Axle Assy, Rear [Includes Ref No. 7 & 8 (Qty 5)]    |
| 7     | 703-0908B   | 2   |       | Disc, Brake                                         |
| 8     | 710-0852    | 10  | /P    | Bolt, Lug                                           |
| 9     | 716-0136    | 2   | /P    | Retainer, E-Ring                                    |

1340  
Rear Wheel

Page 64 of 78




1340  
Rear Wheel

Page 65 of 78

| Ref # | Part Number | Qty | S/P/F | Description                     |
|-------|-------------|-----|-------|---------------------------------|
|       | 734-3012    | 2   |       | Tire, Soft-Trac, 23 X 10.5 X 12 |
| 1     | 734-3013    | 2   | S     | Rim, Rear Wheel                 |
| 2     | 734-3068    | 2   | S     | Valve, Tubeless Air             |
| 3     | 777-8680    | 2   |       | Label, Inflation                |
| 4     | 712-3050    | 10  | /P    | Nut, Lug, 7/16-14               |

1340  
Seat & Track Assembly

Page 66 of 78



1340


Page 67 of 78

## Seat &amp; Track Assembly

| Ref # | Part Number | Qty | S/P/F | Description                             |
|-------|-------------|-----|-------|-----------------------------------------|
| 1     | 759-3348    | 1   | S     | Seat w/Graphic (Includes Ref No. 2)     |
| 2     | 779-3348    | 1   |       | Graphic, Caution                        |
| 3     | 710-3038    | 2   | /P    | Screw, Hex Cap, 5/16-18 X .88 Lg GR5    |
| 4     | 736-0159    | 2   | S     | Washer, Flat, .344 X .875 X .06 Thk     |
| 5     | 732-3069    | 2   | S     | Spring, Comp, 1.28 OD X 2.18 Lg         |
| 6     | 722-0160    | 2   |       | Bushing, .930 OD X .50 Lg               |
| 7     | 712-3009    | 2   | S     | Nut, Hex Center Lock, 5/16-18 GR5       |
| 8     | 703-1813    | 1   | S     | Channel, Seat Spring                    |
| 9     | 738-0145    | 2   | S     | Screw, Shoulder, .500 Dia X .840        |
| 10    | 732-3060    | 2   |       | Spring, Comp, 1.00 OD X .86 Lg          |
| 11    | 736-0169    | 2   | S     | Washer, Lock, 3/8                       |
| 12    | 712-3017    | 2   | S     | Nut, Hex, 3/8-16 GR5                    |
| 13    | 710-3215    | 4   |       | Bolt, Sht Nk Carriage, 5/16-18 X .62 Lg |
| 14    | 736-0119    | 4   | S     | Washer, Lock, 5/16                      |
| 15    | 712-3010    | 4   | S     | Nut, Hex, 5/16-18 GR5                   |
| 16    | 703-1844    | 1   |       | Slide, Seat - LH                        |
| 17    | 703-1843    | 1   |       | Adjuster, Manual Seat - RH              |
| 18    | 710-3216    | 1   |       | Screw, Socket Hd Cap, 5/16-18 X 1.00 Lg |
| 19    | 703-1811    | 1   | S     | Bracket, Seat Pivot Support             |
| 20    | 703-1812    | 1   |       | Bracket, Seat Pivot                     |
| 21    | 738-0140    | 2   | S     | Screw, Shoulder, .437 Dia X .180        |
| 22    | 710-3008    | 4   | /P    | Screw, Hex Cap, 5/16-18 X .75 Lg GR5    |
| 23    | 736-0242    | 6   | /P    | Washer, Bell, .345 X .88 X .060 Thk     |
|       | 712-3009    | 2   | S     | Nut, Hex Center Lock, 5/16-18 GR5       |
| 24    | 779-3524    | 1   |       | Label, Seat Adjustment                  |

1340  
Starting System


Page 68 of 78



1340  
Staring System

Page 69 of 78

| Ref # | Part Number   | Qty | S/P/F | Description                                       |
|-------|---------------|-----|-------|---------------------------------------------------|
| 1     | KH-12-098-06  | 1   | S     | Starter, Bendix Assy (Includes Ref No. 4 thru 10) |
| 2     | KH-SM-0839065 | 2   | S     | Screw, Bendix Starter, M8 X 1.25 X 65.5           |
| 3     | KH-12-468-01  | 2   |       | Washer, Flat                                      |
| 4     | KH-12-755-12  | 1   | S     | Kit, Drive (Includes Ref No. 5)                   |
| 5     | KH-12-755-06  | 1   | S     | Kit, Drive Parts                                  |
| 6     | KH-12-086-02  | 2   |       | Screw, Hex Flange, 1/4-20 X 4-1/4                 |
| 7     | KH-12-227-01  | 1   | S     | Cap, Drive End                                    |
| 8     | KH-12-170-02  | 1   |       | Armature                                          |
| 9     | KH-12-243-03  | 1   | S     | Cap, Commutator End (Includes Ref No. 10)         |
| 10    | KH-48-755-15  | 1   | S     | Kit, Brush                                        |
|       | KH-52-357-01  | 1   | F     | Lubricant, Starter                                |




1340

Page 71 of 78

## Transmission Controls

| Ref # | Part Number | Qty | S/P/F | Description                               |
|-------|-------------|-----|-------|-------------------------------------------|
| 1     | 710-3033    | 1   |       | Screw, Rockshaft Bearing, 3/4-16 X .75 Lg |
| 2     | 712-3026    | 1   | S     | Nut, Hex Jam, 3/4-16 GR5                  |
| 3     | 703-1838    | 1   |       | Shaft Assy, Cross                         |
| 4     | 712-3008    | 1   | S     | Nut, Hex Jam, 3/8-16 GR5                  |
| 5     | 731-3108    | 1   |       | Knob, Speed Control                       |
| 6     | 723-3013    | 1   | S     | Disc, Friction                            |
| 7     | 736-3022    | 3   | S     | Washer, Bell                              |
| 8     | 712-3053    | 1   | S     | Nut, Hex Top Lock, 1/2-20                 |
| 9     | 723-3011    | 1   | S     | Ball Joint, 5/16-24                       |
| 10    | 712-3025    | 1   |       | Nut, Hex Jam, 5/16-24                     |
| 11    | 747-3018    | 1   |       | Rod, Connecting                           |
| 12    | 712-0305    | 2   | S     | Nut, Hex Patch Lock, 5/16-24              |
| 13    | 723-3012    | 1   | S     | Ball Joint, 5/16-24 LH Trd                |
| 14    | 712-3045    | 1   | S     | Nut, Hex Jam, 5/16-24 LH Trd              |
| 15    | 716-3000    | 1   | S     | Ring, Retaining, .375                     |
| 16    | 703-0198A   | 1   | /P    | Cam, Control                              |
| 17    | 719-3013    | 1   | /P    | Clevis Adjustment                         |
|       | 711-3037    | 1   | S     | Pin, Clevis                               |
|       | 736-0140    | 1   | S     | Washer, Flat, .385 X .62 X .063 Thk       |
|       | 714-0507    | 1   | S     | Pin, Cotter, 3/32 Dia                     |
| 18    | 712-3001    | 1   | S     | Nut, Hex Jam, 3/8-24 GR5                  |
| 19    | 703-0200    | 1   | /P    | Rod, Control                              |
| 20    | 710-0520    | 2   | /P    | Screw, Hex Cap, 3/8-16 X 1.5 Lg GR5       |
| 21    | 736-0267    | 2   | S     | Washer, Flat, .385 X .87 X .06 Thk HDN    |
| 22    | 703-0196    | 1   |       | Bracket, Cam Pivot                        |
| 23    | 716-0865    | 1   | /P    | Ring, Snap, .500                          |
| 24    | 736-0272    | 1   | S     | Washer, Flat, .510 X 1.0 X .060 Thk       |
| 25    | 703-0194    | 1   | S     | Plate Assy, Damper Spring                 |
| 26    | 716-0115    | 1   | S     | Ring, Snap, .625                          |
| 27    | 711-3033    | 2   | S     | Pin, Spring Guide                         |
| 28    | 732-3012    | 1   | S     | Spring, Compression                       |
| 29    | 732-3013    | 1   | S     | Spring, Compression                       |



1340


Page 73 of 78

## Transmission-Differential

| Ref # | Part Number | Qty | S/P/F | Description                            |
|-------|-------------|-----|-------|----------------------------------------|
| 1     | 717-3204    | 1   | S     | Housing Assy, Rear Transaxle           |
| 2     | 721-3015    | 1   | S     | Gasket, Rear Cover                     |
| 3     | 703-0905    | 1   | /P    | Plate, Rear Cover                      |
| 4     | 717-3217    | 1   | S     | Gear Assy, Ring w/Case                 |
| 5     | 717-3137    | 1   |       | Plate, Differential Flange             |
|       | 736-0119    | 4   | S     | Washer, Lock, 5/16                     |
|       | 710-0573    | 4   |       | Bolt, Hex Patch, 5/16-18 X 1.25 Lg GR5 |
| 6     | 741-0369    | 2   | /P    | Cone, Roller Brg                       |
| 7     | 716-0133    | 2   |       | Ring, Retaining, 11/16                 |
| 8     | 717-3113    | 2   | /P    | Gear, Pinion - 10T                     |
| 9     | 717-3133    | 1   |       | Shaft, Cross                           |
| 10    | 717-3112    | 2   |       | Gear, Side - 16T                       |
| 11    | 710-3117    | 4   |       | Bolt, Hex Patch, 3/8-16 X .62 Lg GR5   |
|       | 736-0213    | 2   | /P    | Washer, Bell, 3/8 Dia                  |
| 12    | 710-3119    | 7   | /P    | Bolt, Hex Patch, 3/8-16 X .75 Lg GR5   |
|       | 736-0213    | 7   | /P    | Washer, Bell, 3/8 Dia                  |

1340  
Transmission-Rear & Adapter Housings

Page 74 of 78



1340

Page 75 of 78

## Transmission-Rear &amp; Adapter Housings

| Ref # | Part Number | Qty  | S/P/F | Description                                                                     |
|-------|-------------|------|-------|---------------------------------------------------------------------------------|
| 1     | 717-3204    | 1    | S     | Housing Assy, Rear Transaxle (Includes Ref No. 2 & 3)                           |
|       | 723-3034    | 1    |       | Gasket, Eliminator, 24 cc Tube                                                  |
|       | 723-3036    | 1    |       | Primer, Gasket, 6 oz Can (For use with 723-3034)                                |
|       | 723-3035    | 1    |       | Remover, Gasket, 12 oz Can                                                      |
| 2     | 717-3123    | 2/AR |       | Shim, Rear Bearing Cup, .004 Thk                                                |
|       | 717-3124    | 2/AR |       | Shim, Rear Bearing Cup, .014 Thk                                                |
|       | 717-3125    | 2/AR | /P    | Shim, Rear Bearing Cup, .007 Thk                                                |
| 3     | 741-0370    | 1    |       | Cup, Roller Bearing                                                             |
| 4     | 741-0371    | 1    |       | Cone, Roller Bearing                                                            |
| 5     | 717-3070    | 1    | /P/F  | Shaft, Bevel Pinion                                                             |
| 6     | 716-0138    | 2    | /P    | Ring, Retaining, 1.312 Dia                                                      |
| 7     | 717-3146    | 1    |       | Spacer, Gear                                                                    |
| 8     | 717-3141    | 1    | /P    | Gear, Reduction - 66T                                                           |
| 9     | 717-3202    | 1    |       | Housing Assy, Adapter w/Cup (Includes Ref No. 10)                               |
| 10    | 741-0372    | 1    | S     | Cup, Roller Bearing                                                             |
| 11    | 741-0373    | 1    | S     | Cone, Roller Bearing                                                            |
| 12    | 717-3127    | 1    | /P    | Retainer, Front Bearing, .125 Thk                                               |
|       | 717-3128    | 1    | S     | Retainer, Front Bearing, .119 Thk                                               |
|       | 717-3129    | 1    | /P    | Retainer, Front Bearing, .113 Thk                                               |
|       | 717-3130    | 1    | /P    | Retainer, Front Bearing, .107 Thk                                               |
|       | 717-3131    | 1    | S     | Retainer, Front Bearing, .101 Thk                                               |
|       | 717-3132    | 1    | /P    | Retainer, Front Bearing, .131 Thk                                               |
| 13    | 726-0216    | 1    | /P    | Plug, Expansion, 2.12 OD                                                        |
| 14    | 715-0146    | 2    |       | Pin, Dowel, 3/8 Dia X 5/8 Lg                                                    |
| 15    | 736-0141    | 6    | S     | Washer, Spring, .445 X .75 X .017 Thk                                           |
| 16    | 710-0850    | 2    |       | Screw, Hex Cap, 7/16-14 X 2.5 Lg GR5                                            |
| 17    | 736-0226    | 2    | S     | Washer, Flat, .46 X .875 X .060 Thk                                             |
| 18    | 710-0844    | 4    |       | Screw, Hex Cap, 7/16-14 X 1.75 Lg GR5                                           |
| 19    | 737-0177    | 1    | /P    | Plug, Drain NOTE: Use Teflon Sealing Tape                                       |
| 20    | 759-3430    | 1    |       | Shim Package (Includes Ref No. 21 (Qty 3), 22 (Qty 4), 23 (Qty 2) & 24 (Qty 2)) |
| 21    | 717-3097    | 1    | S     | Shim, Bearing Retainer, .004 Thk                                                |
| 22    | 717-3098    | 1    | S     | Shim, Bearing Retainer, .007 Thk                                                |
| 23    | 717-3099    | 1    | /P    | Shim, Bearing Retainer, .014 Thk                                                |
| 24    | 717-3100    | 1    | /P    | Shim, Bearing Retainer, .028 Thk                                                |
| 25    | 717-3203    | 2    | S     | Retainer Assy, Bearing w/Cup (Includes Ref No. 26)                              |
|       | 710-0514    | 6    | /P    | Screw, Hex Cap, 3/8-16 X 1.0 Lg GR5                                             |
|       | 736-0169    | 6    | S     | Washer, Lock, 3/8                                                               |
| 26    | 741-0400    | 2    |       | Cup, Roller Bearing                                                             |
| 27    | 727-3028    | 1    | /P    | Tube, Dipstick NOTE: Use Teflon Sealing Tape                                    |
| 28    | 703-0911    | 1    | S     | Blade Assy, Dipstick                                                            |
|       | 721-0194    | 1    |       | O-Ring                                                                          |
| 29    | 703-0831    | 1    |       | Bracket, Trans Mtg - LH                                                         |
|       | 710-3005    | 1    | /P    | Screw, Hex Cap, 3/8-16 X 1.25 Lg GR5                                            |
|       | 736-0169    | 1    | S     | Washer, Lock, 3/8                                                               |

1340


Page 76 of 78

## Transmission-Rear &amp; Adapter Housings

| Ref # | Part Number | Qty | S/P/F | Description                          |
|-------|-------------|-----|-------|--------------------------------------|
| 30    | 703-0830    | 1   |       | Bracket, Trans Mtg - RH              |
|       | 710-0514    | 1   | /P    | Screw, Hex Cap, 3/8-16 X 1.0 Lg GR5  |
|       | 736-0169    | 1   | S     | Washer, Lock, 3/8                    |
| 31    | 710-3118    | 4   | /P    | Bolt, Hex Patch, 3/8-16 X 1.0 Lg GR5 |
| 32    | 736-0169    | 4   | S     | Washer, Lock, 3/8                    |

1340  
Upper Steering

Page 77 of 78



1340  
Upper Steering

Page 78 of 78

| Ref # | Part Number | Qty | S/P/F | Description                             |
|-------|-------------|-----|-------|-----------------------------------------|
| 1     | 779-3526    | 1   | S     | Label, Steering Cap                     |
| 2     | 731-3104    | 1   | S     | Cap, Steering Wheel                     |
| 3     | 712-3056    | 1   | /P    | Nut, Hex Jam, 5/8-18                    |
| 4     | 736-0187    | 1   | /P    | Washer, Flat, .640 X 1.24 X .06 Thk HDN |
| 5     | 731-3103    | 1   |       | Wheel, Steering                         |
| 6     | 736-3094    | 1   | S     | Washer, Flat, .755 X 2.0 X .030 Thk     |
| 7     | 735-3028    | 1   |       | Boot, Steering Shaft                    |
| 8     | 741-0338    | 1   | /P    | Bearing, Flange                         |
| 9     | 716-0101    | 1   | S     | Ring, Snap                              |
| 10    | 731-3093    | 2   |       | Guide                                   |
| 11    | 731-3094    | 1   |       | Bushing, Shaft Guide                    |
| 12    | 732-3064    | 1   | S     | Spring-Tilt, Torsion                    |
| 13    | 714-0104    | 1   | S     | Pin, Internal Cotter                    |
| 14    | 711-3295    | 1   | S     | Pin, Clevis, .25 Dia X 2.38 Lg          |
| 15    | 710-3013    | 1   | /P    | Screw, Hex Cap, 1/4-20 X .50 Lg GR5     |
| 16    | 731-3107    | 1   | S     | Button, Tilt Control                    |
| 17    | 703-1805    | 1   |       | Plate, Tilt Control                     |
| 18    | 712-0107    | 1   | S     | Nut, Hex Patch Lock, 1/4-20             |
| 19    | 738-3080    | 1   |       | Shaft, Upper Steering, 16.75 Lg         |
| 20    | 725-0157    | 1   | /P    | Strap, Tie                              |
| 21    | 735-3029    | 1   |       | Boot, Coupling                          |
|       | 737-3023    | 1   |       | CV-Joint Grease                         |
| 22    | 748-3030A   | 2   | /P    | Coupling, Drive w/O-Ring Groove         |
| 23    | 723-3022    | 2   | /P    | Ball, Steel, 5/8 Dia Chrome             |
| 24    | 748-3029    | 1   |       | Hub, Drive                              |
| 25    | 721-3025    | 1   |       | O-Ring, 2.489 X .070                    |
| 26    | 736-3092    | 1   | /P    | Washer, Flat, .265 X 1.0 X .030 Thk HDN |
| 27    | 748-3033    | 1   |       | Adapter, Steering                       |
| 28    | 710-3213    | 1   |       | Screw, Socket Hd Cap, 1/4-20 X 1.12 Lg  |
| 29    | 710-3211    | 4   |       | Screw, Socket Hd Cap, 1/4-20 X 1.75 Lg  |